

COMDEX IN LAS VEGAS

dBASE II USER'S FORUM

PUBLIC DOMAIN SOFTWARE CATALOG

ME CAN

WITH DATA & STAFF TELECOM TYPESETTING, SAVE TIME AND MONEY WHILE HAVING COMPLETE CONTROL.

We explain how to enter typesetting commands with your material, and telecommunicate it to us from your computer or word processor. Plus:

- No charge for disk usage.
- Send material nationally via phone or on 9-track mag tape.
- Transmit material at your convenience.
 - No translation tables needed.
- Files with typesetting commands transmitted back to you.
 - Database Management System
 - Terminals available.

Now there is absolutely no reason you cannot save up to 70% on your typesetting cost. Call Data & Staff Telecom Typesetting today for your information packet.



Data & Staff Service Company Telecom Typesetting Division

1213 Valley Street • P.O. Box 9271 Seattle, Washington 98109

(206) 622-7053 WA Wats: (800) 552-7264 • National Wats (800) 426-9949 CompuServe:[72175,1614] • The Source: [STE810]



VINYL PROTECTIVE DISK SLEEVES







COLOR CODED: Multi-color DiscSavers™ are designed for easy recognition of individual disks with your own color-keyed filing system. Ideal for office or home use.

PROTECTIVE: Anti-static formula vinyl provides secure disk storage with special grip design to guard against common handling hazards.

ATTRACTIVE: DiscSavers provide a handsome and professional method of single disk storage. Available in four attractive colors for both 51/4 and 8 inch diskettes.

COMPATIBLE: DiscSavers are a cost efficient method for storing diskettes with a variety of other storage units.

DiscSavers are available worldwide through dealers and distributors of computer accessories and office supply products.

DiscSavers: 51/4" (12) \$5.95

8" (10) \$8.95



Computer Products Division

7741 East Gray Road Scottsdale, Arizona 85260 (602) 998-1577 Toll-Free 1-800-528-2361



"Martini Glass" by Gray Lorig, Center for Interactive Computer Graphics, Rensselaer Polytechnic Institute, as displayed on the Vectrix Corporation VX384 color graphics processor.

IN THIS ISSUE

The Master File
39
Book Review
41
Interest Groups
Public Domain
63
Random Access
72
Yellow Pages
74
Dealers Index
76
Advertisers Index

CP/M REVIEW

THE PUBLICATION FOR THE CP/M COMMUNITY
IANUARY/FEBRUARY 1984 VOLUME 3, NUMBER 1

FEATURES:

6 dbase II user's forum

A report on the Ashton-Tate Runtime Conference.

GOOD THINGS COME IN SMALL PACKAGES

A review of Personal Micro Computer's MicroMate.

15 CONVERSATION WITH A PIONEER

An in-person interview with the founder of CompuPro.





CP/M is a registered trademark of DIGITAL RESEARCH INC.

CP/M REVIEW is published bimonthly by REVIEW PUBLICATIONS. It is a publication dedicated exclusively to the needs of the CP/M community. Subscriptions are \$18.00 per year (six issues); \$4.00 additional postage for mailing to Canada, and \$20.00 additional for overseas postage, Address all correspondence, subscriptions, change of address, USPS Form 2579, and fulfillment questions to CP/M REVIEW, 2711 76th Avenue S. E., Mercer Island, WA 98040. Letters to CP/M REVIEW or its editors become the property of of the magazine and are assumed intended for publication and may be sused. They should include the writer's full name, address and home telephone. Letters may be edited for purposes of clarity or space. Opinions expressed by the authors are not necessarily those of CP/M REVIEW. Entire contents copyright © 1983. All rights reserved and nothing may be reproduced in whole or in part without prior written permission from REVIEW Publications, Office hours; 8:30 to 4:30 Pacific Time, Monday through Friday. Editorial telephone: 206-232-6719 or 206-271-9605, Subscription telephone: 206-854-8818.

21 NEC ADVANCED PERSONAL COMPUTER

Nippon's answer to those who require speed, graphics and choice of operating systems.

25 THE FINANCIAL PLANNER


A program combining a spreadsheet with an equation management system.

28 TURN YOUR KAYPRO INTO A TRS-80

A review on UniForm, a multipurpase translator.

31 ONLINE DATABASES

This first in a series of articles covers equipment and software needed to get started.




36 CB68 CBASIC COMPILER

A review of the CBASIC compiler for the 68000.

44 CP/M AT THE TRADESHOWS: COMDEX

Coverage of the largestever tradeshow held in Las Vegas.



EDITOR:

Carol Buchanan

MANAGING EDITOR:

Pamela J. McKee

EDITORIAL ASSISTANT:

Errol Smith

TECHNICAL EDITOR:

Stuart Stern

CONTRIBUTING EDITORS:

George W. Fletcher Robert Larson Caddy McCall Michael Prezbindowski

CIRCULATION:

Debbie Foster

PRODUCTION:

Cynthia Grant Sherry Griffin Tracey McKee Florence O'Brien Denise Wertzler

CONTRIBUTING PHOTOGRAPHER:

Jeffrey S. Griffin

CONTRIBUTING ARTISTS:

Arturo Artorez Sherry Griffin

DEALER SALES:

Sharon Fudim Jean O'Brien

SPECIAL PROJECTS:

Dan Arthur Ron King

ADVERTISING SALES:

Ginger Corley 206-828-3543

TELECOMMUNICATION TYPESETTING:


Data & Staff Service Company

PRINTING:

Thomas Ogle

From the Editor

by Carol Buchanan



Happy New Year!

The year 1984 means more than just another year. Those digits, since the publication of George Orwell's book, have merged into the American consciousness along with the warning, "Big Brother is watching you." As the year approached, commentators connected their fears of Big Brother with fear of the computer. They cited the enormous databases of information about each of us that reside in the Social Security system, the FBI, the credit industry, and the central bank of health information that your health and life insurance companies checked when you applied for your policies.

All of this exists, and the dangers are real. What the fearful don't seem to remember, however, is that Orwell patterned Big Brother after Hitler, Stalin and Mussolini, all of whom achieved their nefarious ends

Publishers Note: Carol Buchanan has joined CP/M REVIEW as Editor. Carol brings with her fifteen years' experience in technical editing of books and periodicals on subjects ranging from political and social sciences to law and electronics. With a Ph.D in English, and her experience in investigative reporting, as well as a great interest in computing, we are proud to have Carol heading up our editorial staff.

before the computer was anything more than vacuum tubes and wires.

The danger to privacy exists not in the computer, but in people who misuse it. It's a human problem, not a computer problem. Orwell's 1984 is not a product of the computer age, but of the desire to dominate others.

The computer, we think, especially the microcomputer, which made computing accessible to the home, is the greatest stimulus to human creativity since the invention of pen and ink. All over the country, people in basements and converted bedrooms are writing -- programs, articles, poems, journals, books. On their computers. Their children are learning more and better with a wide variety of educational software. There is a renaissance of creative effort going on in this country--on the computer.

Throughout 1984, we at CP/M Review will bring you information on this renaissance and help you take greater advantage of your own computer. To do so, we are shifting the emphasis from our previously business-oriented approach. We intend to cover more of what's happening at home in software development, education, and the public domain.

This issue begins our year-long series on telecommunication, one of the ways in which the cottage industry developed in the home communicates with the outside world. In March we'll bring you information on how the computer is aiding learning--in school, at home, and on the college level. May will cover such legal issues as copyrights and protection. July will feature the public domain and showcase some excellent software, for a variety of uses, that our readers can obtain free. Our September issue will explore independent software development. We'll show you who, on their own, are developing software, for what purposes, and for whom. Most of these programs retail for under \$50.

and they are quite impressive. November will close out the year with a survey of printers and spoolers to go with home computers.

We invite your participation. Write us letters. If you have software you're developing, let us know about it. If you want to know hat is in the public domain and how 'n get it, we'll help you find it.

Send us articles and ideas for articles. Just enclose a self-addressed, stamped envelope, and we'll tell you if your idea is for us. We'll send you our writers' guidelines, too, if you send SASE.

In addition to our regular software and hardware reviews, we're adding book reviews, so if you'd like to review a book for us, let us know at the editorial address listed on table of contents page.

We believe in the upsurge of creative effort we've been telling you about. Join us as readers or contributors, and we'll make the computer age the age that defeated Big Brother!

COMDEX AT LAS VEGAS

Review Publications went to the COMDEX show in force with a booth at the Riviera and seven of us to cover the show. We also had a professional magician running a small show from our booth every hour. The Amazing Beckmann kept everyone's attention. A total of more than 83,000 people made their way to Las Vegas this year to see what's new in office automation. The task was not easy with over 1400 displays in the enormous new Convention Center and overflow in the Hilton, Sahara and Riviera Casinos. For CP/M interests there were not many new software products, however there were lots of new and interesting hardware announcements - see this issue's COMDEX section. All of the action was not in the main hall, however, we distributed 12,000 magazines to visitors at our booth.



SCREAMING TAPE BACK-UP:

20 megabytes in less than 5 minutes

20MB - **\$1795.00** (retail) 45/60MB - **\$1995.00** (retail) 3M DC300XL Tape Cartridges - **\$29.95**

Using the field-proven Archive Sidewinder, we've created a streaming tape unit which will interface with most 51/4" Winchester peripherals on the market. You can also hook it up to your IBM PC XT.

It's fast (90 IPS, 8000 BPI, 90 Kbytes/sec transfer rate). And superbly reliable (no more than 1 in 10¹⁰ bits non-recoverable errors). And it's delivered with a full one-year warranty.

Inquire about our own 10, 20 & 44 Megabyte fixed disk subsystems.

Profitable OEM and Dealer discounts are available.

Media Distributing—the best known secret in the industry.



4444 Scotts Valley Drive Scotts Valley, CA 95066

(408) 438-5454

(800) 824-7386 in CA only

(800) 824-7385

dBASE II USER'S FORUM

ASHTON-TATE RUNTIME CONFERENCE

by George Fletcher


George Fletcher, C.P.A., resides in Seattle, Washington, where he is a consultant and free-lance writer specializing in business management systems, database design, and software development. The 350 programmers, entrepreneurs, vendors and reporters who attended Ashton-Tate's Runtime Conference last November in Long Beach, California, all had one thing in common-an interest in producing and selling special-application software written in dBASE II, and particularly in marketing it. Many had a dBASE II application program ready or nearly ready for marketing, a few had already begun to sell software, and some were there to find out more about the business.

Dr. Edward Feigenbaum of Stanford University was the after lunch speaker for the dBASE II RUNTIME CONFERENCE.

The conference provided valuable insight into the process of publishing and selling software, some technical advice, and a chance to meet other dBASE II program developers. For many, the opportunity to get a closer look inside Ashton-Tate itself, one of the most successful marketing organizations in the business, was the highlight of the conference.

The number of dBASE II users has grown dramatically during the last year, capturing a significant share of the total microcomputer software market. Ashton-Tate is no doubt still evolving, as it learns to deal with big business problems, and dBASE II is still under development, as competition and better machines create a need for a more powerful product. Runtime application developers will play a key role in Ashton-Tate's future marketing strategy, since they are helping to make dBASE II a standard application development language and database manager.

The dBASE II entrepreneur is a new type of computer person. dBASE II has been used for custom programming from the very beginning. However, by September of this year, the number of licenses had reached about 130,000 while, at the same time, microcomputers moved from the basement and back rooms to the living rooms and front offices. Thus with dBASE II firmly established in a vast, expanding market, hundreds of accomplished dBASE



QUESTIONNAIRE	CONFIGURATION:		APPLICATIONS:			
GOESHOHMARE	☐ Memory	☐ Tape	☐ Accts. Payable	□ Payroll		
Do you own a computer?	☐ 5" Floppy	□ 8" Floppy	☐ Accts. Receivable	☐ Word Processing		
Brand	☐ Hard Disk	☐ Printer	☐ Estimating	□ Control		
USAGE:	□ Communications	☐ Color	☐ General Ledger	☐ Games		
☐ Business ☐ Home	GRAPHICS:		□ Inventory	□ Education		
☐ Professional	☐ High Res.	☐ Low Res.	☐ Other			
Name of computer club or user group, if mem	nber:			 		
SUBSCRIP	CP/M Review, six UNIX Review, six is	ssues for \$23.				
FORM	Foreign subscribe		r surface mall.			
FORM	PAYMENT WITH O					
. •	Name					
	Company					
REVIEW	Audit03					
PUBLICATIONS	0' 10 17'					
2711 76th Avenue Southeast			CARD INCORNATION			
Mercer Island, Washington 98040	MaatanCond on VISA No. 1					
Telephone: 206 232-6719						
	Oignature,					

II programmers have been quietly preparing to take advantage of the increasing demand for special-application software. There are over 700 active Runtime developers, and, I believe, hundreds more who have projects in development.

Their typically non-technical background makes most Runtime developers different from their BASIC and FORTRAN predecessors. dBASE II is indeed harder to master than many users had expected, but most would agree that they would not have attempted similar applications in a classical computer language. Few of the people at the Runtime Conference appeared to have any kind of prior technical or computer experience-including some of the speakers who had successfully marketed a dBASE II application or were at least well into the project.

The principals of most Runtime development ventures are individuals who had originally used dBASE II to solve some specific problems in their business or profession. Being active in the business world, it is not unusual for such people to see the potential for packaging and selling the resulting system to their competitors and colleagues. For the

valuable insight into the process of publishing and selling software

first time, these individuals are able to conceive of and develop a specialized application package with little or no outside technical assistance. While technical expertise certainly becomes important at some point in the development process, it seems to be less of an obstacle than it used to be.

Vertical marketing of internally developed software is nothing new. However, with more powerful micros taking their place as standard equipment in almost every type of organization imaginable, the economics are changing significantly. Vertical marketing of software for larger computers has generally been a business characterized by high margins and low to moderate volumes, and has required large investments and considerable technical expertise, both before and after development. The dynamics of microcomputer software business center on lower margins and, to be successful, very large volumes. Perhaps more significantly, the cost of entry is much lower in all respects--less expensive equipment, less technical knowledge required, shorter development time, and quite often, less expensive access to the market. This does not, however, add up to instant success for anyone with a good idea. In any profitable industry, when barriers to entry are diminished, the result is a flood of hopeful participants with good ideas, some extra time, and limited funds. Ashton-Tate, in their Runtime program, has recognized the potential in addressing the requirements of this new "cottage industry."

While the cost of starting a software development project may be relatively affordable for many individuals, the cost of completing the product and establishing a position in the market can be more than the developers have available, and often more than the potential of the product. Anyone who came to the conference with little understanding of the software marketing business may have gained enough knowledge to either avoid an illconceived venture or, hopefully, to move ahead with a more realistic plan. Indeed, many had completely revised their approach to marketing their software by the time they left.

To set the tone for the conference, David Cole, the president of Ashton-Tate and an accomplished business strategist, delivered a nononsense, fast-paced orientation to the microcomputer software market. Cole sees the specialized, "vertical market" applications as being the fastest-growing segment of the microcomputer software industry, in

terms of market share. This, of course, is the whole idea behind the Runtime program. With an impressive array of charts and graphs to show where the opportunities appear to be strongest, Cole left little doubt in the minds of his audience as to the importance of strategic market positioning.

there are over 700 active RUNTIME developers

The conference was a mixture of short presentations followed by questions and answers from the audience, and workshops which covered all phases of applications development, including the actual design and coding of the programs, documentation, organizing the business end of the venture, publishing, marketing, distribution, and copyright protection. Each of the speakers had a different story to tell, and a different point of view as to how to manage a software project. Being actively and quite successfully involved in the software business, they constituted a most credible source of information. One message dominated in most of the discussions: Marketing a product and running the resulting business is much harder than the actual development process. Most importantly, this message was backed up with a wealth of insight and practical details about the business that would be difficult, if not impossible, to obtain elsewhere.

While marketing was the dominant theme of the conference, technical matters were covered in surprising depth for those who were interested. One of the highlights of the conference was the "New Features Forum." Perry Lawrence revealed some of the plans already in motion for a 16-bit version written entirely in the "C" language, targeted at the UNIX operating system in addition to MSDOS and

CP/M 86. With expanded capabilities, such as the ability to have four open database files, 15.9 digits accuracy, room for 256 memory variables occupying up to 6000 bytes, and more powerful relational database commands, the new version will open the way for migrating dBASE II applications and programming expertise up to the more powerful 16- and 32-bit microcomputers. The new version will require 128K of free and clear memory (that is, in addition to that taken up by the operating system), and will be about "80 percent" upward compatible from the current versions. No indication was given as to when this may become available.

While some of those attending the workshop expressed concern over the compatibility problem, many others were pleased to learn that their investment in dBASE II programming skill and applications will lead to more than an 8-bit emulation on the more powerful microcomputers. With this development strategy, it is unlikely that Ashton-Tate's dominating market share will be eroded for lack of response to the expanding capabilities of microcomputers. This, of course, is good for established dBASE II programmers as well as for Ashton-Tate, since the popularity of dBASE II is a major factor in the successful marketing of RUNTIME applications.

Lawrence, and later Wayne Ratliff in his workshop, emphasized that the current versions will continue to be supported in the future regardless of the direction taken by 16-bit versions, 8-bit users may look forward to another enhancement with, among other things, a "tertiary" database area, in addition to the existing "select primary" and "select secondary" capabilities. This third open database will, I believe, satisfy most of the need for multiple file operations.

Someone said that "To know Wayne Ratliff is to know dBASE II," (and vice versa, I suppose). Thus, for me, another highlight of the conference was the technical workshop held by Wayne Ratliff, who wrote dBASE II, and Jeb Long, who wrote the original mainframe

program which was the model for the microcomputer version. Ashton-Tate has established a research and development center where both Ratliff and Long are working fulltime on enhancements to dBASE II. Those who were using dBASE II in a very technical way found the question and answer session most interesting. The sessions centered around the internal workings of dBASE II, including the buffering mechanism, the "structure of the structure," the indexing structure, and other matters about which Ashton-Tate has been, until now, understandably quiet.

Although the conference focused on marketing, the subject of programming technique was not overlooked. Tom Rettig's workshop on "Programming Craftmanship" and the 101 page handout that went with it, was, for some, the best part of the program. Through his experience as technical editor of dNEWS and as a support technician, Rettig has come to know dBASE II about as well as anyone. The booklet of technical notes, optimization suggestions, workarounds, powerful algorithms and

valuable utility programs is invaluable to anyone who uses dBASE II professionally. Those of you who missed the conference will be pleased to learn that this material was taken from a forthcoming book, the Advanced Programmer's Guide, by Luis Castro and Tom Rettig. They expect it to be released in late spring, 1984.

Judging from the enthusiastic response, it is likely that there will be more like conferences in the future. Anyone who is even considering the development of a dBASE II application for general distribution should try to attend the next one. The information and contacts to be gained can make all the difference in a project. But don't expect to hear about how easy it is to get rich selling dBASE II Runtime applications. You might, in fact, come away convinced that you haven't the necessary resources to complete the marketing effort, or that your idea wasn't really very realistic. On the other hand, you might obtain enough insight into the business to give your program a reasonable chance for success in an increasingly competitive business. R



David C. Cole, President and CEO presenting the keynote speach in the Grand Salon aboard the Queen Mary. Cole shared research figures with the group of dBase II software developers.

Professional Software for the Software Professional

DMA products operate on the full range of Z80, 8086, 8088 processors, including the IBM-PC

Here's what you can do!

Application Creation

FORMULA II™

The Application Creator

The first and only Application Creator—a do-it-your-self concept for office automation. FORMULA II lets you define your files, forms, menus, and reports—FORMULA II then creates your program. FORMULA II includes a Database manager with an English Query language and a Form/Report Creator with word processing features.

Communications ASCOM™

ASCOMTM is the most versatile asynchronous communication package for microcomputers on the market. It features interactive, menu-driven, and batch operations; supports auto-answer and auto-dial modems; includes most popular protocols; provides network simulation; and many other options.Xerox Corporation, NCR, Monroe Systems for Business, and the big 8 accounting firms use ASCOMTM.

SYNC/COMTM—A bisynchronous communication package that will be configurable for a variety of systems and includes a flexible interface to the operating system. 2780/3780/3270 protocols available on microcomputers with appropriate hardware.

TERMCOM™—A configurable terminal emulator allowing any personal computer to emulate most conversational and selected block mode terminals with asynchronous communications. Available December 1983.

Utilities EM80/86™

This software emulator lets you use eight bit software on sixteen bit microcomputers without hardware modifications.

The 8086 O.S. Converter™

CP to MS—Permits execution of Digital Research's CP/M-86 programs under Microsoft's MSDOS (or PCDOS).

MS to CP—Permits execution of MSDOS programs under CP/M-86.

UT-86™

This package of user-friendly utilities for the IBM Personal Computer and similar systems includes copying, directory sorting, patching, and a general purpose file print utility.

Coming Soon

DMA."C"TM—A "C" language compiler which will generate either Z80 or 8086 assembly language code. Due to a unique optimization routine which is based upon a functional "P-code" model, the efficiency of DMA."C" will far exceed that of existing compilers.



WE SPEAK YOUR LANGUAGE WE SPEAK YOUR LANGUAGE WE SPEAK YOUR LANGUAGE

DYNAMIC MICROPROCESSOR ASSOCIATES, INC.
545 FIFTH AVENUE, NY, NY 10017
Dealer Inquiries only • (212) 687-7115

GOOD THINGS IN SMALL PACKAGES

Personal Micro Computer's MicroMate

by Stu Stern, Technical Editor

The Personal Micro Computer's MicroMate is a satisfying and complete 8-bit microcomputer system in a very small package. It is a Z80-based microcomputer with all the bells and whistles needed for practically any 8-bit environment.

I was originally introduced to the MicroMate prototype in San Francisco at the CP/M '83 West show, in January of 1983. Being favorably impressed with its size and capabilities, I ordered one. Approximately four months later, I received the PMC MicroMate; it has proved to be all that was promised.

In my situation MicroMate is a perfect match, since my work already demands a computer terminal to communicate with several timesharing services.

PHYSICAL CONFIGURATION

My MicroMate measures 3-1/2" wide X 6" high X 15" deep and weighs approximately ten pounds. This model is a few inches longer than the standard 5-1/4" floppy drive cabinet, but I understand that the current model has been cut by 2-1/2 to 3 inches.

TECHNICAL SPECIFICATIONS

The MicroMate is a 4 MHz Z80A, 128KB bank switched microcomputer with a 400KB 5-1/4" half high floppy disk, all packaged in the enclosure the size of a single full sized 5-1/4" floppy disk drive. The MicroMate does not have a built-in video display driver, but requires a conventional ASCII RS232 terminal for a console. For people already using standard computer terminals. the MicroMate is a natural. Because of its low cost, the additional expense of an inexpensive terminal still keeps the MicroMate within favorable cost. Additionally, the ASCII terminal can provide a convenience in supporting other computer-related activities.

The system, which is a single-board computer, contains a 4KB EPROM of which only 80 or so bytes are used for a disk boot. The MicroMate supports two serial RS232 asynchronous ports at speeds of 50 to 19,200 baud. One port is designated for the system console,



and the other port is typically used as the modem port. In addition, a Centronics parallel port is included. When the occasion requires the need for a serial printer port, the modem port doubles for that as well.

All of the PMC software is well thought out and bug free

The system contains a Zilog CTC chip to provide the Real Time Clock. The clocks within the CTC chip are accessible to the system for time-of-day as well as serving as a programmable interval timer.

The 5-1/4" Panasonic direct drive floppy disk included with the system is particularly nice with a 400KB unformatted storage capacity. The system will support up to four drives.

Generally with a system of this type, I consider expansion possibilities rather limited; however, PMC's MicroMate does have an expansion interface. Although not brought out to the back panel, the interface connector is still accessible if required. The expansion interface appears to be a generalized I/O bus:

Signal Name	Pin #
Data	0 1
Addr	0 2
Data	1 3
Addr	1 4
Data	3 5
Addr	6 6
Data	2 7
Addr	28
Data	4 9
Ground	10
Data	6 11
Addr	4 12
Data	5 13
Addr	3 14
Data	7 15
Addr	5 16
IN 17	RESET 18
Out 19	+12vdc 20
CTC	trgl 21

PMC says this interface will support future expansion offerings such as hard disk drives, eight-inch floppy disk drives, voice and music synthesizers, and networks. Indeed, this is happening. Currently, PMC does support a Winchester drive. I assume volume and demand will determine the development of additional hardware.

OPTIONS

Complementing the basic unit, Personal Micro Computer offers additional 5-1/4" floppy disk drives in single or dual configuration. For those of you with large database application requirements, a Winchester hard disk drive is also available.

If you do not already have an ASCII RS232 terminal, PMC will couple the MicroMate with the QUME (Model QVT-102) at additional cost.

MICROMATE'S SOFTWARE COMPLEMENT

My MicroMate was supplied with three disks of software:

- 1. The CP/M Plus System Master
- 2. The CP/M Plus Source Master
- 3. The T/Maker III Master.

The CP/M Plus System Master disk contains CP/M 3.0, day-to-day CP/M programs, and miscellaneous PMC utilities.

The CP/M Plus Source Master disk contains the MicroMate's BIOS source listings as well as the EPROMed boot and the track zero CP/M loader listings. In addition, all of the CP/M modules necessary to modify the system reside here.

The T/Maker III Master disk contains all of the modules that comprise the T/Maker III word processing package. This set of integrated modules represents several capabilities:



- 1. Word processing
- 2. Electronic Spreadsheet
- 3. List Processing
- 4. Graphics
- 5. Data Transfer
- 6. Files Management

As a word processor, T/Maker III is quite complete and satisfying to use. One particular feature that I enjoy and have not seen on many of the current word processors is the "align" command.

One the of nicest features of the MicroMate is its software utility package.

By defining text margin indicators, the document's text may be formatted as "block text" (all lines are individually centered), and "Indented or Numbered Paragraphs." The interesting point here is that the formatting is done on your terminal screen for your ease and convenience, rather than having to wait until the document is printed. In addition, this capability does not embed special word processing commands or special characters within the text itself; however, many print formatting facilities are also provided.

All of the capabilities are primarily oriented to the word processing environment and do not necessarily reflect the full and complete facilities of some of the popular programs (especially in the Electronic Spreadsheet and graphics areas). Although these capabilities are extensive and greatly enhance the word processing, do not be misled. The PMC MicroMate does not come with the generally known variety of spreadsheet or graphics facilities.

With all of the software being bundled with many microcomputer

sales, I did feel the lack of a spelling package to accompany T/Maker and some form of higher level programming language to make the package complete. (CP/M 3.0 comes with an assembler.) It is my understanding that PMC is now including Electric Webster and CBASIC with the purchase of the MicroMate.

SOFTWARE UTILITIES INCLUDED

One of the nicest features of the MicroMate is its software utility package. The utilities accompanying those supplied by CP/M 3.0 provide for a complete set of capabilities. The utilities include:

1. FORMAT provides the ability to format the 5-1/4" floppy disks in the unique PMC format. In addition, the FORMAT program provides an integral or separate disk verification capability. The visual feedback during execution is ample.

2. BACKUP, as the name implies, provides the ability to duplicate floppies (track for track). This particular implementation is fast, since all of the MicroMate's banked memory is used. Two advantages will be recognized by those individuals with a one-disk configuration. First, the backup utility does provide for a one-disk duplication. Second, the duplication only requires the user to switch disks four times. Again, visual feedback and error detection are ample.

3. CONFIG provides the user with the ability to dynamically configure the system. Configuration includes terminal and modem baud rate selection (from 50 to 19,200), word length, stop bits, parity, DTR and RTS selection. The number of disk drives supported is also configured here. The ability to reconfigure the modem port dynamically has proved invaluable, although I find the requirement to cold boot to install the modifications a bit awkward at times.

4. CONVERT is essential and probably the most exciting utility in the package. This utility provides the ability to assign one of your floppy drives the personality of one of 18 or 19 different manufacturer formats listed on the accompanying

menu. The assigned disk drive maintains the selected personality until a cold boot is issued. Although a single drive configuration can be assigned, this utility proves to be more effective with at least a two-drive system. Since the PMC MicroMate uses a unique disk format under normal operation, this program is essential when purchasing commercial software in a format that is compatible with your system.

The menu of selected disk formats indicates empty slots for possible future expansion. This is not true. The source code for this program is not available and no maintenance provision exists to add formats. When questioned about this, Personal Micro Computer said they would "on an individual basis" provide specific formats required.

5. SYSTEM is a complete and self-contained hardware diagnostic, but unfortunately does require printer support for complete use. This program tests the major components of the system. The DART communications chip testing is done by connecting the console port directly to the modem port and receiving diagnostics via the attached printer.

provided with three bootable disks at different console baud rates

With my system, I found a definite need for a one-disk single file or multiple file copy utility, but was not supplied one. It is my understanding that PMC is now supplying this utility. All of the PMC software is well thought out and bug free. The only inconvenience I experienced was very minor. A full screen of documentation precedes each utility on initiation.

Utility documentation is necessary; however, the experienced user will find it gets in the way. A "help" key would let the user call up online documentation if he/she needed it.

DOCUMENTATION

The documentation for the bundled software supplied with the MicroMate is superb. The reason is that Personal Micro Computer includes the official documentation from each software manufacturer. I don't know how many times I have seen hardware manufacturers attempt to write their own highly abbreviated version of documentation for bundled software, especially CP/M. Adding insult to injury, the documentation in those circumstances is not professional and looks like the twenty-seventh copy of a dot matrix printout. It was a pleasure to receive complete sets of documentation by Digital Research and T/Maker.

The DRI documentation of CP/M 3.0 is quite extensive and has proven to be comprehensive, but the CP/M Plus "User's Guide" page numbers do not agree with the index. They seem to be offset by a couple of pages.

T/Maker's documentation consists of a large "Reference Manual" and "Quick Reference Booklet." The layout and presentation of this documentation make it easy to use.

Its appendix contains the installation procedures. The Quick Reference Booklet is useful from several viewpoints. The booklet is made completely (pages and all) from heavy stock paper, with each subsystem clearly tabbed. Extensive use of illustration and color enhance the booklet, and all commands and options are summarized and presented in quick reference style.

The PMC documentation is printed and bound, having several informative pictures of the MicroMate and illustrations. It is easy to understand and its technical orientation will support most users. The Table of Contents include:

- 1. INTRODUCTION
- 2. INSTALLATION
- 3. INSTALLING OPTIONAL EQUIPMENT
- 4. SOFTWARE UTILITIES
- 5. DEVIATIONS FROM STANDARD CP/M PLUS
- 6. TECHNICAL REFERENCE
 APPENDIX A.
 Cables and Connectors
 APPENDIX B.
 Error Messages
 APPENDIX C.
 Problems and their
 Probable Causes
 APPENDIX D.
 Suggested Reading

Of particular interest was the Technical section. It adequately covered PMC's implementation of

CP/M 3.0's Bank Switching, PMC diskette layout and format and Boot sequence. The PMC documentation did lack port addresses; however, all of the PMC BIOS and associated source code is available on the CP/M Plus Source Master floppy disk. The documentation coupled with the source listings proved to be more than acceptable. Digging through listings is a bit primitive when trying to find research information needed for software installation requiring port addresses; however. many microcomputer manufacturers don't include the source for the BIOS, etc. This lack of documentation renders system modification impractical.

The documentation also does not include the MicroMate's electrical schematics, but a maintenance manual (with schematics) is available from Personal Micro Computer, under separate cover.

INSTALLATION


As mentioned earlier, the PMC software resides on three disks. To provide for easy installation, each disk is configured with a bootable version of CP/M Plus supporting different console baud rates. As a result, if you are working with a fixed speed console device, it is probable that your needs are satisfied.

The floppy disk and printer ports are in the form of pc edge connections. One potential problem is that the edge connections are not keyed, which tends to invite improper connection orientation. With this warning in mind, reasonable documentation, labeled peripheral ports, and three different bootable disks, hardware installation is easy.

T/Maker installation, on the other hand, is more intensive. A large section of the T/Maker Reference Manual is devoted to it. With that as a guide and the support programs supplied, installation is reasonable. I did, however, have some difficulty in understanding some of the printer installation procedures.


PERSONAL OBSERVATIONS

My time spent using the PMC MicroMate has been a pleasurable one. Several aspects made that so:





- 1. It was convenient to be provided with three bootable disks at different console baud rates.
- 2. The MicroMate's EPROM does not contain the traditional BIOS (hardware driver routines), but



Circle No. 72

contains a boot loader. The boot process is "phantom." The boot is in the 4KB EPROM (occupying approximately 80 bytes). The complete CP/M system including the drivers is loaded into RAM memory from disk. This provides the system hacker with the ability to simply add or modify (or both) the system drivers without the inconvenience of having to erase and "burn" another EPROM.

Or, if desired, you may completely remove CP/M and its requirements in lieu of another unrelated system. The almost empty EPROM gives me sufficient space to insert a self-contained monitor (independent of disk routines). Past experience has shown that a system totally dependent on secondary storage for any form of execution can cause difficulties. I have worked on systems that were difficult to diagnose, as I could not run and exercise anything. With a resident (EPROMed) monitor, the user still has minimal control of the system.

- 3. CP/M 3.0 has proven to be quite solid.
- 4. All utilities are well thought out, and the CONVERT utility is a major asset to the system.
- 5. It is satisfying to be able to have software selectable communication options for console and modem ports.
- 6. The T/Maker word processor is more than adequate, especially with

the new distribution of Electric Webster.

- 7. I particularly like the 128KB bank switched memory. It is available to those programs that are written to use it, but I may also use it (via public domain software) as a RAM disk.
- 8. My whole system is relatively portable, although I find the relocation of any system a pain, because it means reconnecting peripherals. In this case, each user will find portability directly proportional to the size of his terminal. If you are fortunate enough to have a terminal at work and at home, there is no question of portability. Simply put MicroMate in your attache case and go anywhere.

PMC does support a Winchester drive

All in all. I find this microcomputer a great 8-bit development machine. In addition, with all the available documentation and source code, the PMC MicroMate is totally under my control. If I purchase a microcomputer, I should have the total information and capability to reconfigure software or hardware to my pleasure or DISMAY.

SYNOPSIS

In the six months of use, I can honestly say that I have not been a bit disappointed with any aspect of the MicroMate. Since my terminal is small, the complete system footprint is insignificant on my desk, and I find the MicroMate a favorable 8-bit development system.

The MicroMate would fit nicely in almost any single user 8-bit environment. Because of its size, ASCII terminal dependence and low cost (list \$995), the MicroMate could also have great potential as a work station in an inexpensive networking

Additional information about the PMC MicroMate, Model PMC-101, can be obtained from Personal Micro Computers, Inc., 475 Ellis St., Mountain View, CA 94043 (415) 962-0224. R

CONVERSATION with a PIONEER

by Mike Prezbindowski

William Godbout is the founder and Chief Executive Officer of the CompuPro Corporation, CompuPro is one of the oldest computer companies in our uncertain industry. and Bill relates to us some of his background and business philosophy that has enabled them to survive, in fact flourish since 1973. CompuPro evolved from some Godbout companies that manufactured kits and S-100 components to a corporation that offers an impressive line of complete computer systems. They haven't abandoned S100 or board products, in fact they are offering STD Bus products and are considering new bus products. A large segment of their market is

After a FORTRAN class at the UofW unearthed a hidden interest in computers, Mike Prezbindowski opened the first BYTE SHOP in Seattle. He has since taken on long term contract programming tasks, Electronic Technician tasks at The Boeing Company, and is presently employed with the Wilbur Ellis Company as Computing Operations Manager.

industrial based and they have large OEM accounts in the United States and Europe. You may be using some CompuPro products and not know it. While not an overnight giant, they have been continually building a strong base of support and have consistently offered products known for their reliability. Mr. Godbout has been a force in the development of the microcomputer industry.

CP/M REVIEW: Bill why did you start your own company?

Godbout: I had to have a job! Something to keep me off the streets and out of jails. Actually, I have been involved with computers in one way or another since college.

CP/M REVIEW: What did you do after college?

Godbout: I was recruited by IBM while in undergraduate school at MIT. At IBM I participated in the development of such machines as the 704's, 705's and 709's and worked on the team that did the "90" and the "STRETCH" machine. (The "STRETCH" was so named because it stretched the capability and technology of their company.) I was then recalled to active duty with the Army during the Berlin crisis. CP/M REVIEW: Since you're from the East Coast, why did you start your company in the Bay Area?

Godbout: I had been to San Francisco several times and it looked like a nice place to spend a couple of years. Also, the opportunity arose to take over a foundering company as a crisis manager for a period of 24

months. I started as manager of systems development and left 13 months later as general manager. CP/M REVIEW: Then you have had business training also?

Godbout: I don't want to say I'm just an engineer, I'm not just a "technocrat." While at IBM I had extensive management training. When you go to work for IBM, your management training starts the day before you go to work for them, when you are selected for employment and accept their offer. You get, directly and indirectly, a good orientation. IBM is a very wellmanaged company. If I were to work for someone else, my first choice would be IBM.

CP/M REVIEW: IBM seems to be a very conservative company. Only in the past 2 years have they increased their presence with the marketing of the Personal Computer. In the small computer market CompuPro seems to be a bit more conservative than other companies. Is this because of your IBM background?

Godbout: IBM is not as conservative as you think, they have gone out on a limb many times while pursuing various market segments. The "STRETCH" machine, like many of the products they brought out, was great for its day and even today would be no slouch. Many of the things we take for granted were way out in the ozone back then; interrupts, memory management, multi-programming, dual CPU's, all

came from that project. The IBM 7030 (a 72-bit 200 nanosecond machine) for its day, was a marvel; it was a bigger leap forward for technology than a "STRETCH" to a CRAY-1 is today. It was the first of IBM's second generation computers. They started the project in 1955. It was re-designed in '58 and got out the door in late 1960. I think they built six of them. Everything was being done with dual triode tubes and IBM had to design and manufacture its own transistors in order to build this machine, there was semiconductor core memory with interleaved memory cycles because the cycle time was only 2.2 microseconds. But they brought it down to 2.0 and finally 1.8 microseconds. The same memory boxes were used later on the 7090. All of the packaging concepts for the 7000 series came out of the "STRETCH" project.

Then RCA announced they had 5 billion dollars to commit to the computer business from the monstrous sale of TV sets in the mid to late fifties. RCA had this big cash

bubble and the computer business looked like the way to go. At the time RCA announced its intent to throw this amount of money into computing, IBM had not even had a billion dollar year. That takes guts and entrepreneurial spirit. It takes real management to pull off something like that. I admire IBM and think highly of them as an employer, an entity, and as a competitor. Because at some point we are going to come head to head, I hope. CP/M REVIEW: Do you think there is room in the marketplace for all the now existing computer companies?

Godbout: Obviously. IBM and the others are not all things for all people. There is a nice hole where IBM has been spectacularly unsuccessful. IBM's share of the low end minicomputer market is only 4 percent compared to 80 percent on mainframes.

CP/M REVIEW: Does the

background and experience of CompuPro give you any advantages in this area of the market?

Godbout: While other manufacturers such as WANG, IBM and DEC have entered by the back door into the micro fray simply by putting CP/M onto existing machines previously dedicated to word processing, we at CompuPro have historically only offered CP/M on our equipment. This gives us a definite advantage.

CP/M REVIEW: CompuPro's recent emphasis on the business market will require a good service network. Has the ground work been completed in this area?

Godbout: We have an agreement with XEROX called AMERICARE, for CompuPro system level products. This opens up the market for our S-100 and non-S-100 systems, and offers new potential in the business and scientific markets.

CP/M REVIEW: How is XEROX

gearing up for this task? Godbout: XEROX has been sending their people to us for technical

William Godbout, founder and CEO of the CompuPro Corporation.

training on repair of CompuPro machines. We have also trained their instructors. They have assigned 300 to 400 technicians to our account which means that there will be 3 to 4 trained technicians at each XEROX service center. We do not want them to go to a customer's site and wave soldering irons around. Each location will have several different sets of spares and will only do modular replacement to minimize down time, not component replacement. With the introduction of the CompuPro 10 aimed squarely at the business market, it becomes essential that we bundle a service package with that system. This feature has been added without increasing the overall system price on both our S-100 models and Model 10.

CP/M REVIEW: Do you plan to stay with Digital Research in the near future, with the popularity of UNIX becoming so widespread?

Godbout: We have been asked numerous times why we don't support UNIX on the 68000. We have looked at it and have not found any implementation that we liked:

> we do not feel that the 68000 has enough horsepower to handle a true multi-user UNIX configuration. Bell Labs currently has a CompuPro system prototype using the National 16032 CPU and is porting UNIX for us. We will be showing it at the 1984 NCC. CP/M REVIEW: Will the addition of UNIX affect your relationship with Digital Research?

> Godbout: DRI has got their act together and has become a real force in the marketplace. Creative Strategies, a marketing research company has predicted that by 1987, 49% of the market will be using UNIX and 37% Concurrent CP/M. I think we will still have an excellent relationship with DRI.

CP/M REVIEW: How has CompuPro been doing as a company in the marketplace?

Godbout: The market share of CompuPro today is 1.3% of the total according

WAIT NOT, WANT NOT!

If you've been waiting for a disk emulator that can increase your system's throughput by as much as 50 times, the wait is over. Quasi-Disk is here!

QUASI-DISK is a high capacity, I/O mapped RAM board which acts like an additional disk drive on any S-100 system.

Here's what makes Quasi-Disk a better buy than the others:


- Fully S-100/696 compatible.
- Quasi-Disk offers 2 modes of expansion:
 - a) Chip capacity may be doubled with the addition of an add-on module.
 - b) Storage capacity may be increased to 4 Megabytes by replacing 64K RAMs with 256K devices.
- DMA compatible with transfer rates to 2 Megabytes/second.
- On board powerfail logic write protects disk during power failures.
- Optional battery back-up provides 2 hours of powerfail protection.
- External wall mount power supply allows system power to be switched off while data is retained indefinitely.
- Six layer printed circuit board improves performance and reliability.

- Requires only 6 I/O addresses to access entire board.
- Supports extended I/O addressing when enabled.
- On board 22 bit address generator may be programmed for auto increment or decrement if desired.
- Any sector size may be implemented.
 - Onboard LED's indicate "drive active" and "powerfail status".
 - Price includes installation software on 8" SS/SD diskette with all source code supplied.
 - Sample CP/M* Bios routines are included for integration into any CP/M* system.
 - Quasi-Disk is covered by a 1 year warranty and an extended warranty option is also available.

QUASI-DISK [512K] — \$799.00 Expansion Module (additional 512K) — \$595.00 Back-up Battery (including wall mounting supply) — \$159.00

*CP/M is a registered trademark of Digital Research.

TIME SAVED IS MONEY WELL SPENT



GUARANTEE

Unique design guarantees that Quasi-Disk will perform as advertised, in standard as well as non-standard S-100 systems. OR YOUR MONEY BACK

Manufactured by:



- Incorporated -

39 Durward Place, Waterloo, Ontario, Canada N2L 4E5. Phone: (519) 884-8200

ELECTRALOGICS' MFIO

The most versatile and capable I/O board available for the S-100 bus.


Electralogic's MFIO is the most versatile and capable I/O board available for the S-100 bus. The 8 asynchronous serial ports, 2-8 bit bidirectional parallel ports, 8 level programmable interrupt controller and battery backed-up real time clock provide all the features which traditionally required 3 or more boards.

The design meets the needs of OEM's and system integrators who demand high density and reliability in their products.

Additional capabilities include: extended I/O addressing, up to 6 wait states, jumper selectable for high speed systems, easy to use interface cards and serial data rates up to 57.6 K baud.

The 2 pin boards allow any of 20 interrupt sources (11 on board + 9 from S100 bus) to activate 1-8 interrupt levels. The board comes complete with extensive manual and source listings for standard CP/M* BIOS, interrupt driven BIOS, clock set routine, time print routine, diagnostic routines and sample device initialization routines.

*CP/M is a trademark of DIGITAL RESEARCH INC



to a survey completed by Data Solutions. This tallys closely with other market surveys. This figure puts us ahead of such companies as Alpha Micro. Fortune and Franklin. Where we really show up well is in surveys that show "brands under consideration." There we show a 4% share. These are surveys using open ended questions and not mentioning the Model 10 which hadn't been announced at the time, only CP/M S-100 systems. This puts CompuPro in direct comparison with DEC and other major manufacturers of computers smaller than mainframes.

a market research firm has predicted that by 1987 49% of the market will be UNIX and 37% Concurrent CP/M

We are pleasantly surprised at the statistical significance. We expect the model 68K, "10" and 16032 to cause quite a commotion. We do want to say for the record that the Japanese home market is safe at this time; we have no immediate plans to sell in Japan.

CP/M REVIEW: How are your products being marketed in the United States?

Godbout: We have a strong dealer network with close support. A strong dealer network is essential if you are to move from "Smalltown, Iowa," to "Backwoods, Maine." You must be in striking range of a dealer that will provide service, sales and support-with a smile.

CP/M REVIEW: I understand CompuPro had a role in establishing the IEEE 696 standard, could you tell us about that?

Godbout: The Chairman has always been an employee of Compu-Pro or an affiliate. George Morrow was designing for us when it started. I personally did not have the time to be directly involved. Mark Garetz was chairing when the standard was completed; in fact, he typeset the whole thing.

CP/M REVIEW: Did CompuPro's involvement in the process directly benefit the company?

Godbout: If you mean did we control the steering of the committee, NO! The committee was put together to hammer out a consensus. The result is definitely not a CompuPro standard. I got a few things I wanted as did every manufacturer that reviewed the specs. But no, I was all for making the bus active low so when you let go of the bus nothing would happen. The DMA transfers, Ithaca Audio did that, Marinchip did the 16-bit memory and peripheral swap idea. Howard Fullmer from Parasitic Engineering had a lot of good input.

A funny sidelight to that. Before the S-100 subcommittee was formed a physician named Bill Shander and an instructor from Diablo Valley College decided in 1976 to have a meeting of manufacturers and end users. IMSAI, Altair and Processor Technology, to name a few, didn't bother to send representatives. All the attendees are still in business today. The non-attendees were either too busy or couldn't be bothered.

CP/M REVIEW: What are the most significant markets for CompuPro?

Godbout: S-100 products continue to be a major sales item for us. Mullen Electronics has become a partially-owned affiliate of Compu-Pro and is handling much of our STD bus market. Mullen is mainly involved in the industrial market-place. They came under our wing after an unsuccessful venture into the Radio Shack market.

CP/M REVIEW: Is the STD Bus product line a new venture for CompuPro?

Godbout: We have been supplying memory boards and CPUs for the STD bus since day one. Rick Kalish, a member of the IEEE committee working on standardization, works for us. We will continue to support this market and Vector Electronics will be involved with us. We do not plan to drop out of the industrial

market--we plan to get bigger.

CP/M REVIEW: You mentioned Vector Electronics' involvement in this venture. What is the relationship between Vector and CompuPro?

Godbout: We have just completed an agreement with Vector Electronics to provide second sourcing of CompuPro products. Vector is a well-established company with many years of experience in the manufacture and packaging of electronic products. They have a large industrial distribution network in place and serve pegboard customers as well as the Fortune 500 companies such as Bell Labs. Any firm using electronics is probably familiar with the Vector name.

The second source market is aimed at the third-tier products where the computer is actually a subsystem and the end product may have a design cycle of 18 to 20 years. This allows CompuPro to maintain its leading edge position with regard to technology while assuring manufacturers that products they design today will be available tomorrow. As CompuPro products are phased out of production. Vector will pick them up if the market warrants. British Telecom is one example; they use our products in their stock quote system which was years in development. They just ordered 1000 boards with more to come. The same distributor in the U.K. will serve as second source for Vector at the time we switch manufacturers.

we are definitely a growth company - not hit and run

CP/M REVIEW: Is Vector capable of maintaining the level of quality you build into your products?

Godbout: Vector is a fully integrated manufacturer, from laminates through punch, plate, drilling and soldering. The Vector S-100 motherboard is a Godbout design

built under license by Vector. We have the utmost confidence that the level of quality inherent in CompuPro products will be maintained by Vector.

CP/M REVIEW: How long have CompuPro and Vector enjoyed this working relationship?

Godbout: Vector has had a good working relationship with Godbout for years. There is a high level of technology transfer between the two companies. Their engineers are on a first-name basis with ours and communicate regularly. A channel for technology exchange exists and is used frequently, and is encouraged.

CP/M REVIEW: Will the Vector computer line continue to grow in the future or will it be limited to a few products?

Godbout: Vector and CompuPro will move ahead together, as CompuPro moves out of one product line Vector will pick it up as the market warrants. CompuPro is the first company to offer second sourcing in the micro business.

CP/M REVIEW: What does the future hold for Bill Godbout and CompuPro?

Godbout: Just over the horizon at the other end of the spectrum is the 32-bit machine. It poses a problem. Take, for example, the NS 16032, the CPU has a 16-bit bus and is double pipelined. Compare the Intel 8086 and 8088, one has a 16-bit bus and the other an 8-bit bus. The 8088 shows remarkably similar performance to the 8086 despite the smaller data path. This is due to its pipelined architecture. The 16032 benefits similarly and should not lose much when compared to a full 32-bit data bus.

We are currently working with Intel to clean up some things on the apx-386. It is a full 32-bit virtual machine that is upward compatible with its 8086-based predecessors except the 64K memory segment limitation has been removed.

CP/M REVIEW: CompuPro has been mainly an S-100 company. How will you develop 32-bit machines for the S-100?

Godbout: The S-100 concept works fine for 8- and 16-bit, but doesn't hold up to the 32-bit processors. The obvious temptation is to multiplex some of the address lines to gain the needed extra data lines, but the reduction in bandwidth makes that an unacceptable technique. Probably, 32 bits is the point where we will have break with S-100 and move to a VME-like bus. There currently is no VME bus standard and we may get involved in that area.

During grad school at Cal Tech, Tony Pietsch published in the proceedings of the IEEE a proposal called the PI bus. The VME is a takeoff of this. The thing that fires my rockets is that they didn't even acknowledge the source. It may be in their ignorance they didn't know where it came from, but the marked similarities are too great for the PI bus not to have been the lineal progenitor of VME. It sure would not have hurt anybody to acknowledge Pietsch's contribution which was put into the public domain.

CP/M REVIEW: Most of the more sophisticated buses seem to drag the

The wait-loss experts have done it again!

512Kbyte SemiDisk with SemiSpool \$1095

Time was, you thought you couldn't afford a SemiDisk. Now, you can't afford to be without one.

	256K	512K	1Mbyte
SemiDisk 1, S-100	\$895	\$1095	\$1795
IBM PC		\$1095	\$1795
TRS-80 Mdl. II, CP/M		\$1095	\$1795
SemiDisk II, S-100		\$1395	\$2095
Battery Backup Unit	\$150		
Version 5 Software U		\$30	

Time was, you had to wait for your disk drives. The SemiDisk changed all that, giving you large, extremely fast disk emulators specifically designed for your computer. Much faster than floppies or hard disks, SemiDisk squeezes the last drop of performance out of your computer.

Time was, you had to wait while your data was printing. That's changed, too. Now, the SemiSpool print buffer in

our Version 5 software, for CP/M 2.2, frees your computer for other tasks while data is printing. With a capacity up to the size of the SemiDisk itself, you could implement an 8 Mbyte spooler!

Time was, disk emulators were afraid of the dark. When your computer was turned off, or a power outage occurred, your valuable data was lost. But SemiDisk changed all that. Now, the Battery Backup Unit takes the worry out of blackouts.

But one thing hasn't changed. That's our commitment to supply the fastest, highest density, easiest to use, most compatible, and most cost-effective disk emulators in the world.

SemiDisk.

It's the disk the others are trying to copy.

SEMIDISK SYSTEMS, INC.

P.O. Box GG Beaverton, OR 97075 (503) 642-3100

Call 503-646-5510 for CBBS*/NW, a SemiDisk-equipped computer bulletin board. 300/1200 baud SemiDisk SemiSpool Trademarks of SemiDisk Systems CP/M Trademark Digital Research.

Circle No. 23



performance of their CPU's down with a lot of protocol. Will the PI bus also do this?

Godbout: The VME bus does restrict the computer's overall performance, but the PI bus, on the other hand, allows maximum performance.

CP/M REVIEW: Your philosophy regarding mixing CPU's in an S-100 system is novel and useful. Will this also be carried to your 32-bit machines?

Godbout: We will make available some sort of 8-16- to 32-bit interface to allow slavery of these processors in future 32-bit machines, it may be through a converter from an S-100 to a future bus.

CP/M REVIEW: CompuPro has not jumped into the networking market. Are you planning to, and with what type of protocol?

Godbout: We plan to offer several types of networking options. There is currently chaos out there. We are looking seriously at Arcnet as it is a proven technique with an existing chip set. The CompuPro 10 has a SASI interface in the back and there are several SASI to "garbagenet" interfaces already are on the market. We will be making a product for the Model 10 that will be a hardware/ software package. It will have two interesting ends. The obvious is the Model 10 end and the other will go to an IBM PC, S-100 or another

CompuPro 10. You can do any combination or permutation you want. CP/M REVIEW: The choice of Datapoint's Arcnet bucks the tide of support that the other manufacturers are giving Ethernet. Why do vou think Arcnet is better?

Godbout: It turns out that Arcnet provides better bandwidth and overall system performance than Ethernet. The reason for that is there is an awful lot of system overhead associated with Ethernet. Although Arcnet has half the stated bandwidth, it runs at least as fast or faster in a comparable context. Sure, you're shoveling data at 5 megabits instead of 10 megabits per second, but the overhead on each of the nodes is so significantly less for Arcnet that the overall throughput is of a networked system is much greater. With Ethernet, the data coming through the node slows down processing on the node while it figures out if any of the data should be received or not. I find this unacceptable. At this point, Arcnet is the front runner and we are looking at several others.

CP/M REVIEW: Does CompuPro have a long range plan to help assure its continued growth and survival?

Godbout: We are definitely a growth company, not a hit-and-run company. Ten years ago we started with Compukit and MusicKit. We do not intend to rush into the public market with a take-the-money-andrun business plan. We would rather establish a long-term business. We are definitely in it for the long haul.

we do not plan to drop out of the industrial market we plan to get bigger

We are not ruling out going public. we just aren't to the point where we have optimized profit and timing vet. Why grab a few 10's of millions when in five years we might knock off a couple of billion? We are fortunate that the company is solid and stable. We have had steady planned growth. I think it is obvious, if you look at our moves, that our products didn't just happen. Several business analysts have looked at our advertising and our products, and have noticed that over the past ten years the planned mix of products pulled together with phased growth.

CP/M REVIEW: Is there any outside venture money in CompuPro?

Godbout: We have no outside money, and therefore no pressure from venture capitalists who would require a money turnaround in five years. The Godbout Company is the venture company for CompuPro. The Godbout Company is involved in with many things-some not related to Electronics-mostly long term, such as an automated test equipment company and software companies. We do not intend to abandon the S-100; it's becoming more like the IBM stuff-well rung out and very solid. We find that there are a lot of companies just now considering designing microprocessors into their control systems. We who are on the cutting edge of technology sometimes don't

Continued on Page 35



NEC APC

by Harry Avant

The NEC Advanced Personal Computer is made by Nippon Electric Corporation, the same company that produces Spinwriter printers. NEC's APC features authentic 16-bit computing, and a choice of operating systems. At this writing, Digital Research's CP/M-86, Microsoft's MS-DOS 2.0 and the UCSD P system operating systems are available. The NEC APC is for anyone who requires fast operation, first-rate graphics (monochrome and color), and sizable disk storage capacity.

KEYBOARD CONFIGURATIONS

The APC is a two-piece unit consisting of a main housing and a detached keyboard which contains a total of 86 keys for general alphanumeric use, a numeric keyboard

and cursor movement keys. A total of 22 special-function, dual-mode keys located at the top of the keyboard provide for a total of 44 programmable special functions. With a total of 108 keys, the keyboard would appear bewildering, but its layout has been done well. A main cluster contains all of the standard typewriter keys, together with escape and control keys. Two supplementary keys are located at each side of the space bar, on the left of the Graph 1 and Graph 2 keys. and an Alternate and Help key are set on the right.

The Graph 1 and 2 keys display the special character set included in the APC. These are comprised of the Greek alphabet, mathematic symbols and a range of special characters such as arrows, block graphics, etc. The user may define a set of characters and display them with the Alt key. The Help key is coded to a 3F hex, the question mark character.

The numeric keypad cluster contains digit keys, enter key, arithmetic keys, cursor positioning kevs, and some special use keys including insert, delete, clear, home, print and break/stop. The break key generates a control C code, and the stop key provides for a control S. The stop key is toggled so that alternate use of the key will either start or stop the scrolling function associated with a control S. Up and down arrows may be used in conjunction with the control key to scroll the screen for the previous 25 lines, which allows for a 50-line scrolled display.

Two types of character sets are possible, predefined and user-defined. The predefined set produces

Harry Avant works for Jet Propulsion Laboratory in Pasadena, California. He is a member of the technical staff involved in evaluating microcomputers.



a total of 250 characters and symbols, using 8 X 13 pixels generated within an 8 X 19 matrix. Userdefined characters using the same matrix may be generated, but the total number of characters is increased to 256 and uses an 8 X 16 pixel size. In either case, character resolution is excellent, with individual dots almost too fine to detect. Video control is handled by an NEC 7220 Graphics Display Controller (GDC). Each character may include an attribute feature. such as blink, reverse video, overline, underline and strike through. A sixth attribute feature is a color selection based on one of the eight available colors. Or, in lieu of color, a highlight is available.

The main housing contains a twelve-inch (diagonal) video unit capable of displaying 25 lines by 80 characters per line with an additional, non-scrolling, 26th line for status. In the non-graphics version of the APC, 12K of video memory are available. When the optional graphics subsystem is installed, a total of 640 X 475 pixels are accessible for graphics. With the graphics option, pixels are shown within a virtual display area of 1,024 X 1,024 pixels! Two types of cathode ray tubes (CRT) are offered-a monochrome green phosphor or a full color tube. In the color variant, the display maintains the 640 X 475 pixels and adds the capability of generating eight colors.

Although the non-graphics version of the NEC APC uses a NEC 7220 GDC, the power of this chip is not appreciated until the optional graphics package is installed. A second GDC, and 128K for monochrome or 384K for color, of additional graphics memory are included in this option. The GDC is an intelligent peripheral that functions between the video display memory and the data bus. This chip performs tasks such as generating faster display as well as management of display memory. A total of 256K of 16-bit words may be supervised by the GDC. Figure drawing of lines, arcs, circles, rectangles and assorted graphics characters are handled by the GDC. If desired, the GDC can partition the display into

four separate areas, each with 64K of display memory. A zoom function is also an integral feature of the GDC.

The NEC's color graphics are capable of being generated in eight colors: black, red, green, blue, yellow, magenta and cyan. NEC refers to magenta as purple and cyan as light blue. In addition to color, each character may take on a visual attribute with overline, underline, strike through, reverse, blink and color. In a non-color NEC, only black, green and a highlight (bright green) are available. NEC did not elect to provide a half-intensity video for the monochrome model. This could be missed, especially when running such applications as a powerful word processor. In the color model, overline, underline and strike through always appear in green. A true reverse color is available for color users. The lack of a half-intensity video may be overcome in the color model by

selecting a different color in lieu of true half-intensity video.

A 4.9 megahertz clock is used with the fully-compatible Intel 8086 Central Processing Unit (CPU). This CPU is capable of addressing up to one megabyte of memory, using a 20-bit address bus. Since the CPU is a true 16-bit device, 16 data lines are available. Input and output to the microprocessor is provided for by a 8237A Direct Memory Access (DMA) controller. Access to the microprocessor and data bus is handled by a 15-channel interrupt controller (a pair of 8259A's). An optional 8087 numerical coprocessor is also available, but was not included in the configuration tested for this review.

Start up, and self-testing after start up are directed by an 8K read only (R/O) memory. The least amount of memory available to the user is 128K. NEC has chosen not to play the game of some manufacturers which offer a bottom-end system

SECOND HEX				FIR	ST H	EX DI	GIT									
DIGIT	0	ı	2	3	4	5	6	7	8	9	Α	В	С	D	E	F
0	00	<u>=</u>	SP 32	0 48	@ &	P 80	96	p 112	1781	144	160	∞ 176	a	208	224	X
1	01	17	! 33	19	A 65	Q N	a 97	9 113	129	145	<u>≥</u>	177	ν 193	ω 209	225	241
2	02		 34	2 50	B	R 82	b 9K	114	130	140	162	T 17K	Δ	≈ 210	226	242
3	m m	19	# 35	3 51	C 67	S 83	c 99	S 115	[31	147	# 163	179	β	γ	227	243
4	Z 04	20	\$	4 52	D	T 84	d 100	1 Ite	T12	148	<u>اک</u>	5	196	7 212	A	2441
5	05	X	% 37	5 53	E	U #5	e tot	u 117	133	149	165	6	η	213	:29	245
6	OK OK	92	& 3N	6 54	F 70	V 86	f 102	V 118	114	150	166	€	198	9	230	246
7	<u>ئ</u>	<u>]</u>	39	7 55	G 71	W #7	g 103	W 119	135	151	167	P	1	215	231	247
8	1	24	· (8 56	H 72	88 X	h 104	X 120	136	152	1 1082	σ	+	φ 216	232	248
9	→	25) 41	9 57	1 73	Y 89	i 105	y 121	137	153	169	185	201	≠ 217	233	J 249
A	0	26	42	; 58	J 74	Z 90	j 106	Z 122	138	154	170	Ω	π 202	χ 218	234	250
В	+	17	+ 43	50	K 75	[91	k 107	123	139	155	171	187	A 203	219	235	251
С	Ω::	(i)	44	ю «	L 76	92	108	: 124	[40]	150	+	0	204	220	236	252
D	+	Q 29	45	= 61	M 77] 93	III 109	125	141	157	173	0	205	<u>ځ</u>	Q	253
E	吴	30	46	> 62	N 78	∧	n 110	120	142	158	174)	K 190	206	,,λ	238	7
F	2	□	47	2 63	O 79	95	0	DEL 127	143	159	1754	Σ 191	207	μ	239	<u>Z</u>


with only 64K of memory, which is not sufficient to run many programs. Additional memory for program use may be added to bring the total up to 640K. The balance of the addressable memory is set aside for the optional graphics package.

In addition, the system also contains 4K of Complementary Metal Oxide Semiconductor (CMOS) memory that is backed up with batteries, an 8048 microprocessor to control the keyboard, and a PD1990 chip that generates day, month, day of the week, hour, minute and second information. This clock is also battery-backed in order to keep the clock accurate when the power is off.

the character set includes Greek and mathematical symbols

Two double-sided, doubledensity eight-inch drives may be contained in the main housing. Drives are manufactured by NEC and are controlled by a NEC PD-765 floppy disk controller. For the monochrome model, the second drive is optional, but standard for the color version. The disk drives, which use a taut band, are not the quietest drives around. Using Digital Research's CP/M-86, each drive provides for 988K of program storage. When used with Microsoft's MS-DOS, each drive yields 1.25M of program storage. Even though they are double-sided and double-density, the drives will read a standard IBM 3740 formatted disk. NEC also supplies an external 5-1/4" Winchester hard disk drive as an option. A second hard disk may be daisy chained if required. Each hard disk gives 9.5M of storage under both CP/M-86 and MS-DOS.

A Centronics compatible printer port and a RS-232-C serial port are also standard features. Both of these ports use a Centronics-type receptacle, which is a design peculiarity for the RS-232-C port. The only other



Circle No. 3

port available is the keyboard connector. It is not possible to add additional drives internally, but an additional serial port may be installed. Serial communications is handled by 8251 chips, which allow for either synchronous or asynchronous data transfer. Maximum data transfer is 19,000 bits per second.

Sound generation, which is performed by a D1771, allows for a pitch range of over two octaves, with three levels of volume. Note durations from a 1/32 note to a whole note are possible. An alarm feature, programmed separately from music generation, is also included. Four selective alarm frequencies, and three volume levels are feasible, with a duration that may be varied from a short 20-millisecond pulse to a continuous sound.

The NEC APC design seems at odds with the majority of today's high performance 16-bit computers. It does not follow the IBM PC trend of a three-piece unit, utilizing 5-1/4" drives. I suspect that NEC has realized that two disk drives of 320

to 360K capacity do not provide sufficient disk storage space for serious programming or business use. It is interesting to note how quickly the hard disk has become necessary in other models, but not in a NEC, with its large disk storage. For the user who wants to run more than one operating system, a dual eight-inch system is a real advantage compared with a system with two 5-1/4" drives or a single floppy and hard disk configuration.

NEC's floppy disks incorporate a delayed turn-on, which allows the computer to be powered on with a disk in place. After four or five years' adherence to all of the warnings about never turning power on or off with a disk in the drive, the NEC is strange. Equally strange, but very useful, is the ability of this computer to be powered down via software control. Imagine the computer in a business where a long sort is performed each day. The sort can be started during working hours, and when completed, the NEC will turn itself off. This automatic shut

down feature may also be used in conjunction with the built-in clock, so that shut down may be done at a preset time.

Documentation supplied with the computer consists of several 8 X 8", three-ring binders. Full details of all of the major integrated circuits are provided, as well as extensive lists of keyboard codes. Each operating system has its own manual and provides necessary information about specific related features.

Using a NEC APC equipped with color graphics is quite an experience. Character legibility using the green color is excellent. Using application programs requiring special keystrokes is easy on this machine when one of the templates for the programmable function keys is used. NEC has provided a recess above the function keys that holds these templates. I also used a 5M hard disk during the evaluation. Disk I/O was faster by far than with a floppy, but the disk is not as fast as several others I have used. The

only problem I noticed was that when text was generated using the magenta color, a slight misconvergence occurred on the left side of the display.

it is interesting to note how quickly a hard disk becomes necessary with other computers, but not with NEC

The NEC Advanced Personal Computer is a serious computer. The design has been well done, both on the outside, in terms of its looks and ease of use, and inside. Looking at an NEC APC with the cover off reveals the same solid engineering that has long been associated with the NEC Spinwriter printers. All of the cables are carefully routed, with adequate clamping. Circuit boards are held down securely; yet the entire design allows for rapid replacement if that should ever be required. This is the type of computer that will run for hours, or even days, without excessive heat. At 19 X 14 X 18 inches just for the main housing, it is not a small computer, but this size is needed to enclose a system with this much capability. Perhaps NEC should have named it the Advanced Professional Computer. That would have been a better description.

I would like to thank my local NEC dealer, Modular Software Associates, Glendale, CA, for providing one of their NEC computers for this review, and for answering many questions about this machine.

For more information, contact NEC Information Systems Inc., at 5 Militia Drive, Lexington, MA, 02173.



Workman & Associates

112 Marion Avenue Pasadena, CA 91106 (213) 796-4401

WRITE

The Writer's Really Incredible Text Editor lives up to its name! It's designed for creative and report writing, and carefully protects your text. Includes many features missing from WordStar, such as sorted directory listings, fast scrolling, and trial printing to the screen. All editing commands are single-letter and easily changed. WRITE is \$239.00.

All US orders are postpaid. We ship from stock on many formats, including: 8", Apple, NorthStar, Osborne, KayPro, Monroe, Otrona Epson QX-10, NEC/PC. Please request our new catalog.

Circle No. 63

THE FROM ASHTON TATE

by C. Len Horton



Len Horton, Atlantic Business Chronicles expert on the microcomputer marketplace, has written for several trade publications.

Early in the 1970's, corporations and governments that could afford it set up operations research/management science departments to study their operations. Using calculators, mainframe computers and time sharing networks, the highly-educated analysts in these divisions applied mathematics, statistics, queuing theory, linear and non-linear programming and occasionally common sense to try to solve problems.

The consensus of management, however, was that it was too expensive. The most useful analysis was often the most difficult to create without a computer and a number of very complicated programs. So, access to time sharing and its number of sophisticated statistical packages became a necessity, leading many companies to spend \$10,000 a month or more.

Operations research (OR) became something that was done almost exclusively by large, wealthy companies and governments with surpluses. Having an "OR" department became something of a status symbol.

During this time, a modeling language named Profit became available on time sharing networks. It offered the analyst the ability to use equations to model (or represent) the workings of his organization. Because of its power and its simplicity, Profit became one of the most useful tools for studying company operations and forecasting profits.

But because of its cost, Profit and time sharing never became widely used. The business world was waiting for something -- inexpensive computing power. The answer was the microcomputer with floppy and then hard disk storage.

THE CALC PROGRAMS

One of the most popular and useful programs ever written for the computer was VisiCalc. It enabled analysts to use rows and columns on a computer display screen in the same way they used them on paper-only faster, much faster.

computing and modeling power comparable to Profit

When the power and usefulness of these spreadsheet modeling programs became apparent, thousands of managers and analysts rediscovered their appreciation for analysis and forecasting. Today, several studies have shown that more than half of all companies are now using calc programs to help project sales and profits.

As useful as they had become in making managers think and plan, spreadsheet analysis was too confined to cell (i.e., intersection of a row and column on the spreadsheet) manipulations. To make complex modeling easier to do, a system (such as Profit) to handle a number of equations had to be developed.

THE FINANCIAL PLANNER

Enter The Financial Planner (FPL) at \$695 from Ashton-Tate of Culver City, California. Famous for its dBASE II database program, Ashton-Tate has created a program that combines a spreadsheet with an equation management system. The result is computing and modeling power comparable to the Profit system on time sharing.

the program is designed to be useful in the real world

FPL OVERVIEW

After installing FPL on a microcomputer (a straightforward procedure that is clearly explained in the user manual), the user types FPL and, after specifying the filename and drive, gets a menu. This menu is an overview of the program.

There are six options to choose from. You can go into Editor to create or modify a model, you can use DSS (the decision support system), you can use Select to tell FPL what parts of each model are on what diskettes, you can reconfigure FPL, you can change to a different model and you can EXIT or quit.

Most of your work is in Editor and DSS. Editor enables you to define the model as having X rows and Y columns. For example, you type "ADD ROWS" and FPL responds with 1 1/2. You can then type "RESERVE 30" and 30 rows will be created. If you want (and you probably do), you can name each row individually. You set up your columns the same way.

After typing "ADD COL-UMNS", an interesting feature of FPL is the MONTHS command. It automatically creates and labels JAN through DEC columns and adds a total for the year column. A small touch, but a nice one.

In Editor, you are describing the model. The real excitement begins when you finish creating the model and go into DSS. Ashton-Tate has designed FPL to help solve common, aggravating problems.

If you're evaluating the implications of an annual sales goal of 10,000 units, you don't have to bother with dividing 10,000 by 12 to find out the monthly figures. All you have to do is type 12S10000. This "spreads" 10,000 over 12 months. It's fast and pretty and cuts the hassle.

Suppose sales are at 1,000 units in January and your sales plan calls for 20,000 units by December. If you're showing unit sales on row 3 and the columns represent months, type R3=1000,120000. This "interpolate" command lets you specify a beginning and ending figure and have FPL fill in the middle with a steady growth pattern.

While this capability is not earth shattering, it indicates that the program has been designed to be useful in the real world. It shows attention to detail that makes you appreciate Dennis Brown, the man who wrote the program.

No, it's not perfect. The grow command (1/2) does not permit you to grow through exponentiation, even though it is listed as an option. With other grow commands, you can, for example, make a time series increase or "grow" by adding or subtracting a number or by multiplying or dividing by a number. The command R6=1000,1/2+50 puts 1000 in row 6, column 1, and then 1050 in row 6, column 2, 1100 in row 6, column 3, etc.

FPL'S EQUATION HANDLING

Ashton-Tate decided to call them Rules so they wouldn't scare so many people. Equations sound like something Einstein fiddled with; rules we lesser mortals can certainly live with.

The Rules section of FPL tells the program how to perform the computations and in what order. TOTSALES = (PRPROD1*
PROD1) + (PRPROD2*PROD2) is a rule. It tells FPL that total sales equal the sum of the price of product 1 times the number of product 1's sold and the price of product 2 times the number of product 2 sold.

By writing the appropriate equations in the right order, an intelligent analyst can model almost any system using FPL. These rules can contain IF statements, enabling you to get FPL to take action on a conditional basis. Boolean algebra with logical AND and OR statements is also a snap.

For analysts who want the ability to solve simultaneous equations, FPL is a delight. Using its LOOP command, FPL will repetitively execute a group of rules or equations until the difference in a specified variable (such as total sales) is too small to bother with. This means that you can use FPL to solve linear programming problems where you are trying to maximize, for example, revenues subject to a number of constraints. Or minimize costs subject to meeting a number of conditions.

COMPUTING AND PRINTING REPORTS

Unlike some calc programs, FPL gives you top and bottom margin control, footnoting, the ability to print selected portions of a model and more flexibility than most spreadsheet programs. But it offers another capability worth mentioning.

the management
scientist and the
decision scientist
have a system
worthy of their skill

With FPL, you can create a file that contains all the commands for printing out the reports you want. Then by typing FROM A:FILE NAME.EXT, FPL begins taking commands from this file and continues until the end of the file is reached.

If you need to, FPL will query you for information from a file. And one of FPL's most useful and powerful features is nested command files with an AGAIN statement. AGAIN serves the same purpose as NEXT in FOR...NEXT sections in BASIC programming. Imagine what you could do with this.

One use is sensitivity analysis. What happens to your profits before taxes as you change your price of product A? Using FPL's command files with the AGAIN command, you can run through a number of scenarios and create, for example, a table showing product A price versus profit before taxes for price beginning at, say \$5 and going all the way to \$15, in increments of a dime.

For faster sensitivity analysis where you are interested in seeing the effects of changes in the rules of your model, FPL offers the WHAT IF command. As each new rule or equation is entered, the entire model is recalculated accordingly.

This is a lot of computing power in a microcomputer program.

SOME PROBLEMS

FPL, to be blunt about it, is too complicated for many users. For the user who wants to make use of a spreadsheet so he can talk about it at his golf club, FPL is not the answer. While few managers will take the time to learn how to use a program this complex, analysts will love it. It was designed to make them happy.

FPL really does offer most of the computing power of more expensive programs available on time sharing networks. At last, the operations researcher, the management scientist and the decision scientist have a system worthy of their skills.

ANOTHER PROBLEM

You would think that in this day of the word processor and spelling checker, vendors would at least bother to run their manuals through a spelling checker. Right on the cover of the FPL manual are the words, "User Manuel". Inside the cover, page 9 for example, is "satify". On page 14 is a grammatical mistake: "Each...are".

I believe that some day successful companies like Ashton-Tate will care about spelling and grammar. Maybe proofreading too. On page 23, they write R3 when they mean R6, and on the same page, R3 when they mean R7. On page 24 they say Chapter 20 when they mean Chapter 17. So it's more than spelling and grammar -- it's proofreading. A housewife English major working part-time would solve the problem. This would please snobs like me who wasted my time learning how to spell and achieve subject-verb agreement most of the time.

Ashton-Tate did, however, spend time creating a good index and used dividers to make it easy to find any desired section of the manual.

FINAL EVALUATION

FPL is one of the finest modeling/spreadsheet programs available for microcomputers. It is, however, more suitable for analysts than for managers. Dennis Brown, FPL's

author, is to be commended for this program as is Ashton-Tate for recognizing its capabilities.

Evaluation Summary of The Financial Planner

Performance/Power A (Excellent) Can replace time sharing programs

Ease of Use C (Acceptable)
Not recommended for management
use; Would be A for analyst use

Documentation B (Good)Would have been A but for spelling/grammar/proofing

Installation Ease A (Excellent) Straightforward, no problems

Errors A (Excellent)
No lockups; mistakes handled well.

RECOMMENDATION

The Financial Planner is recommended for modeling applications where a number of equations are required and where someone (an analyst) can devote the time required to become an expert in its use. The time investment, would be well rewarded.

For more information, contact Ashton-Tate at 10150 W. Jefferson Blvd., Culver City, California, 90230.

BACK	ISSU	ES	\mathbf{OF}	CP/M	REVIEW
	ARE	AV	AII	ABLE	

Please indicate which issue(s) you accompany order. VISA and M	would like - payment must
 □ Nov/Dec 1982 □ Jan/Feb 1983 □ March/April 1983 □ May/June 1983 □ July/Aug 1983 □ Sept/Oct 1983 □ Nov/Dec 1983 	
Name	
Address	71
City State	Zip
□ VISA □ Mastercard	D
Card No.	Exp

TURN YOUR KAYPRO INTO A TRS-80

by Carol Buchanan

UniForm by MicroSolutions is a multipurpose translator. It is a program for the person who bought one computer and a few months later wished he or she had bought another one. It's for the owner of one system who needs to upgrade to another system because he's outgrown the first one, but is afraid to do so because he has too many files on the old system. UniForm is for those of you caught by the Osborne bankruptcy and worried about all the files you wrote on the Osborne 1 when you need to upgrade your system, too.

UniForm frees many computer owners from being locked into one computer system. With UniForm, you can change from one CP/M-based computer to another or read MS-DOS/PC-DOS (versions 1 and 2) files on a CP/M machine. You can also read CP/M files on MS-DOS/PC-DOS.

If you're a software developer, writing in a high-level language, you can run your program through Uni-Form before it's compiled, and then run it on MS-DOS/PC-DOS as well as CP/M. "For a software developer, if you're careful about your software, and don't write to the hardware, this compares favorably with programs costing thousands," says Jim Cook, VP Engineering for ComputerSource of Bellevue, WA.

AVAILABILITY

At this writing, UniForm is available for Kaypro 2, 4 and 10, the Osborne 1 double density (DD), the Actrix (formerly Access Matrix), the Morrow Micro Decision, the Epson QX10, and Televideo TS803, with more to come, according to Ron Proesel, President of MicroSolutions. It supports 37 CP/M disk formats in the version provided for the Kaypro 4.

HOW IT WORKS

UniForm substitutes itself for the Basic Input/Output System (BIOS) and stands between the Basic Disk Operating System (BDOS) and the Central Processing Unit (CPU). UniForm intercepts disk functions routed to Drive B. It puts in its own set of drives that have the characteristics of the drive you are emulating.



With UniForm, text and ASCII files are moveable and "runable," but .COM files aren't because object codes won't run between different machines. It will format a disk for operating systems other than CP/M, but won't set drive B to anything other than CP/M.

WHAT IT IS

UniForm is really a collection of programs. It offers file copy and file conversion programs for CP/M<--> MS-DOS/PC-DOS and CP/M<--> TRSDOS. It lets you display the directories for any of the initialized or copied disks. But its main features are the two programs, INIT-DISK and SETDISK.

INITDISK formats a disk, or as the MicroSolutions people call it, "initializes" a disk. They've developed that term to avoid any confusion for the user by having two separate functions for the word, "format." When they talk about format, they mean the layout of a disk. "Initializing" means to conform a disk to any of the formats listed on the program's main menu.

SETDISK turns Drive B into another machine in which you can use initialized or copied disks.

I ran UniForm on a Kaypro 4, used SETDISK and INITDISK with Texas Instruments PC and copied CP/M to MS-DOS and back on Televideo. Being menu-driven, UniForm is as easy to use as its 11-page manual claims.

with UniForm you can change from one CP/M based system to another

To use UniForm, first insert your CP/M system disk into Drive A and type <ctrl> C. Then take it out and put in the UniForm disk. Type <ctrl> C. You will see the main menu on the screen.

- 1. Setdisk
- 2. Initdisk
- 3. MS-DOS/PC-DOS<->CP/M file copy
- 4. TRSDOS/LDOS <-> CP/M file copy

At this point, it gives you the option to continue or to quit by typing RETURN.

Select option 2. The screen now displays the list of disk formats available on your version of Uni-Form. This list varies from one computer to another, but for the Kaypro 4, they have two lists, one for single-sided and one for double-sided disks. Some of these include Osborne, TRS-80 Models I and III, NEC, IBM PC (CP/M-86), Superbrain, Cromemco, HP 125, TeleVideo, Morrow, Zenith, and versions 1 and 2 of MS-DOS/PC-DOS.

After you make your selection of which disk format to emulate, the system again gives you a choice of continuing or quitting.

To continue, put a blank disk in drive B and RETURN.

INITDISK will now format or "initialize" and verify each track. At the same time it displays a message on screen alternating between "Initializing" and "Verifying" to let you know what it is doing. If there are problems with the disk, UniForm will display a "Retry" message to tell you that it is reinitializing that track. If the retry count reaches 9, INITDISK will abandon that track as a permanent error and go on to the next. At the end, it will tell you how many permanent errors there are.

When you are finished, press RETURN to go back to the main program menu.

Now that you have a disk which conforms to another format, you can either run it in that machine or make your computer's B Drive into the other computer to run your "foreign" disk on.

To use SETDISK, either enter the program from CP/M as we showed you for INITDISK, or go right into it after initializing a disk by typing 1. Again, the program will display the list of formats for you to choose from. This could be, for example on a Kaypro 4, any of 44 machines, some of which duplicate the list above, and add Xerox 820 single- and double-density.

You just need to remember that SETDISK will work only on disks created under CP/M. Disks from a computer listed on the menu that weren't created with the CP/M operating system will not work.

Uniform is a utility that programmers and fileclerks alike can use

Type the letter of your choice, and the screen will display this message:

Drive B set to: Your Choice.

At this point remove UniForm from Drive A and insert a CP/M disk with your text file and PIP.COM into Drive A. Type a <cr> to exit the system and PIP over the file from Drive A to Drive B just as if you were moving files from one CP/M disk to another.

The PIP command would read:

A>pip b:=a:YOURFILE.TXT
After PIP is through copying the
file, it will return to the CP/M
prompt A>. You now have a file
that you can read on another
machine.

To copy from the other format to your computer, follow the steps above, but reverse the drive directions on the PIP command to copy from Drive B to Drive A.

UniForm also includes two programs to allow you to copy files between MS-DOS/PC-DOS and CP/M or between TRSDOS/LDOS and CP/M. To do so, load UniForm as above and select, for example, option 3. Then, simply follow the directions on the menu. The CP/M disk needs to be in Drive A with the MS-DOS/PC-DOS disk in Drive B.

29

INITDISK will format MS-DOS/ PC-DOS disks for you, but once again, remember that CP/M programs won't run on the other system.

You can, however, move a document written with a CP/M editor from CP/M to MS-DOS and then run a MS-DOS based version of the same editor on that document. WordStar is one example of that type of editor.

UniForm also offers a feature called the file range, which is designed to make the process of copying easier. Instead of your having to type all the names of files you want to copy, the system displays a directory of the disk and gives the files numbers. To copy files, you just type in the numbers of the files you need to copy. The ranges can be itemized singly, as 5, 12, 37. This means you want to copy files 5, 12 and 37. They can be inclusive, as -5, 10, -13. By this method, you have commanded the system to copy files

0 through 5 and 10 through 13. Or you can tell the system to copy any combination of single and inclusive file range numbers.

FACTORY SUPPORT

It is company policy, according to Proesel, that "we'll send a new disk to anyone who calls once we recognize that there is a problem." This backup service is at no charge to the customer. Proesel put turnaround time at the same day if a customer sends the disk to be fixed, and "a couple of days" to replace a defective disk with a totally new disk.

In actual fact, however, it may take as long as three weeks to receive a replacement disk, but MicroSolutions does stand behind its product.

CONCLUSION

First issued with the Kaypro 2 in March of 1983, under a licensing agreement with Non-Linear Systems, Uniform is now sold on the

open market for \$50.00. The moderate price is MicroSolutions' policy. Said Proesel, "A piece of software will be purchased if the purchaser thinks it's a good value." Previously, disk conversions costs were around \$25.00 per disk.

Recently, MicroSolutions has even lifted the copy protection that made it difficult to make more than one working copy from the master disk. The idea is to make UniForm as accessible and easy to use as possible. In our opinion, they have succeeded. Its simple menus hide a very sophisticated and well-written program, and its documentation is as succinct and clear as it could be.

UniForm is a utility that programmers and file clerks alike can find useful in designing programs or copying files from one system to another.

For further information, write: MicroSolutions, 125 S. Fourth St., DeKalb, IL 60115.



ONLINE **DATABASES**

by George Fletcher and Glenn Mills

> This is the first of a series of articles on the subject of electronic information utilities. In this issue. we will present a brief overview of online services and some tips about hardware and software requirements to help you get started. Since we can't cover the subject in a single article, we will begin in the March issue to bring you an in-depth look at some of the other major online information systems beginning with Dialog and Knowledge Index.

> Online information systems grew out of the computer timesharing services and several key government-sponsored database projects developed over the last decade. Thanks to the intense competition which is characteristic of the computer and publishing industries, online systems and services are

becoming increasingly comprehensive and user-friendly. The ubiquitous microcomputer is placing information workers in an ever more dominant role in our economy. One estimate is that over half of all jobs in this country are informationrelated. All this means that information systems and the skills and tools that are necessary to use them are becoming indispensible to individuals and organizations whose competitive edge depends, to some degree, on the timeliness, quality and selectivity of the information they have available.

Many microcomputer users have perhaps heard of Compuserve, The Source, and the Dow Jones News/Retrieval, and have a general idea of what an online database is. If you have discounted such things as purely recreational, too expensive or too specialized for your needs, take a second look. If you

> in a competitive, professional or technological environment, you are competing with other individuals and organizations who may already have faster and more discriminating access to information than vou have.

are an active investor, or work

Today there are about 2,000 databases available online, either directly or through an online access service. For all but the most specialized requirements,

a major retrieval service may provide everything you need through a single source.

Glenn Mills is quality systems supervisor for Lockheed Marine in Seattle, Washington, and a freelance writer.

George Fletcher, C.P.A., resides in Seattle, Washington, where he is a consultant and free-lance writer specializing in business management systems, database design, and software development.

For example, Lockheed's "Dialog Information Retrieval Service," one of the pioneers in the business, currently lists nearly 200 entries in its catalog of databases, containing about 80.000.000 individual records. Each database is supplied by a publisher/vendor who is responsible for updating the information daily, weekly or monthly. If it is not a fulltext database, the vendor must also maintain a skilled crew of professional researchers who know enough about a subject area to produce useful abstracts for each citation. Billing for access time, units of information retrieved and telecommunications charges are all handled through Dialog. As might be expected, such services are relatively expensive and are not intended to replace a casual browse through the public library.

Other services provide highly specialized databases to serve the needs of a particular user group. For example, if your interests are financial, Dow Jones News/Retrieval may be the first place to look. Offered by the publishers of the Wall Street Journal, it is by far the most widely used interactive information service with over 100,000 users. If you need stock market quotations, financial and economic statistics, corporate financial data and general news of interest to active investors. this one may be as indispensible as the Wall Street Journal itself.



Intensive research capability is just one end of the spectrum of information services. While major corporations, brokers, and professional researchers have for years been willing and able to pay the price for electronic information retrieval. the general public only recently has had widespread access to the basic equipment necessary to go online. The Source, a subsidiary of Reader's Digest, struggled for several years until the surge in microcomputer sales in 1982 created a demand for online services geared more toward the consumer and small businesses. Today, almost everyone who uses a microcomputer has at least heard of The Source. With upwards of 30,000 users, it is one of the most popular online systems.

dialing your favorite network can be as easy as calling your grandmother in Kansas City

Offering electronic mail, computer conferencing, news and business information, job searching, online shopping, reservations, and even games, The Source is an interactive information utility truly designed for consumer use.

Compuserve, a service of H & R Block, is even more attractively priced. Operating primarily at night, the costs have been modest enough to attract a large number of subscribers (over 40,000) who log equally large numbers of hours. It has business and financial news and services, electronic editions of magazines and newspapers, electronic mail, bulletin board services, special interest group newsletters, electronic shopping services, and games. It may be easier to compile a list of what Compuserve doesn't offer. Whatever your interests or hobbies. Compuserve probably has something for you.

HARDWARE & SOFTWARE CONSIDERATIONS

Telecommunications is a highly technical field. However, if you are interested primarily in the information at the other end of the line, the hardware and software that provides vou access will (like telephones, radio and television) become almost transparent. Connecting with an online information system can be easy if you resist the temptation to make things more difficult than necessary. Accessing online information systems requires little understanding of the technology of telecommunications, and you will find that the whole process seems less formidable after you have successfully made the first connection. Perhaps the most difficult step is making a decision as to what equipment and software to purchase before you have had first-hand experience.

Many of our readers already know that the equipment necessary to tie into an online service is readily available, and neither expensive nor hard to operate. When shopping for the right equipment, the best way to get what you want is to be aware of the various functional options and the major trade-offs if cost is a limitation.

The list of essential items is very short: a computer, a modem, and communications software. If you are on a tight budget, a terminal and modem alone can do the job. The added features of a computer, such as mass storage, a printer and word-processing software will be very useful, but you can get by without them.

Stand-alone terminals vary widely in ease of use for online access. If it is your intent to connect directly, without an intervening computer, look for a unit with the communications settings made either through switches which are readily accessible on the OUTSIDE of the cabinet or through the keyboard.

The terminal should have an auxilliary printer port. Even if you think you don't want printed output, make plans now in the event that you change your mind. The only way to save the information you receive

on line without the help of a computer is to print the transmission simultaneously through a printer port on the terminal. Have the vendor demonstrate a working configuration. To be successful, your printer speed in characters per second (CPS) must be significantly faster than the transmission speed.

a 1200 baud Modem
can result in as
much as a 50%
savings in the cost
per character
printed

This means that a 120 CPS dot matrix printer will work fine at 30 CPS data transmission rate, but not at 120 CPS. The terminal should have an auxilliary printer port. Since the interface must be of the serial (RS232) type, your printer must also have a serial interface.

Printer interfaces warrant careful consideration if you are about to purchase a complete system. Interfaces between printers and computers come in two types-serial or parallel. Generally speaking, parallel interfaces can be plugged in and used immediately, while serial interfaces may require some specific reconfiguration of the computer-toprinter connection in order to work properly. With the proper documentation, this is not difficult to do, but it saves a lot of time if you purchase a WORKING configuration. Since most printers are sold with either parallel or serial interfaces, and not both, you should plan ahead if you want to use the printer in more than one system. Some have both serial and parallel interfaces built in, providing the advantages of the parallel printer with the ability to plug into the back of a stand-alone terminal.

If you are purchasing a computer for online communications, be sure that communications software is available. Good communications software is the key to your link to the information network. All the popular CP/M systems have both commercial and public domain software available. If you are considering a lesser-known system, it is a good idea to request that your vendor demonstrate the communications capability as a condition of your purchase. It is important to remember that each type of computer requires a different installation, a task you may not want to tackle yourself. If you can't find a vendor who can put it all together for you, join a local CP/M or computer user group before you buy your system. Almost any type of computer user group will have a number of members who are very active in telecommunications and are willing to share information on their favorite subject. This may also be a source for obtaining a copy of public domain software for your CP/M computer.

The CP/M community is fortunate to have MODEM 7 in its many variations available on almost every popular machine. Since MODEM 7 is public domain software, you can get it for free. It isn't easy to make a case for purchasing software when MODEM 7 is available, as it provides the necessary communications settings to meet the requirements of the online networks and has most of the file sending and receiving features of the commercial packages. Unless you have a specific need for some special features, save your money. There are some differences, but they are not of particular significance to the average online database user using a CP/M 80 machine.

In deciding on communications software, the essential requirement is to be able to make your system look like a terminal, configurable to several standard communications protocols and transmission speeds. Also, the system should provide a way to trap the information arriving on your screen into a memory buffer or directly to a disk file. If you plan to transfer data either to or from your machine, select a system which

provides some type of error checking. An autodial feature automatically sets specific communication parameters and calls the number from a stored phone list. This is a highly desirable feature and is becoming standard on commercial systems and many versions of MODEM 7 as well. There are at least 25 communications software products available for CP/M systems, all having much the same basic features and various extended capabilities which you may not need if your only objective is to connect to online database networks. Try to select a package which seems to be the easiest to use unless you have a need for a specific function not found in other systems.

The next thing to consider is what modem to purchase. "Modem" stands for "modulator/demodulator," which means simply that it converts the digital signal to and from a computer to an analog (voice communication) signal which can be transmitted on a standard voicegrade telephone line. This is another interesting technology which, even if you knew and understood it all, would add almost nothing to your ability to participate in the online database networks. Your basic choices with respect to the modem center on price, physical interface, reliability and ease of use.

the CP/M community is fortunate to have MODEM7

Approximately fifty manufacturers offer about two hundred different modems applicable to the online database user. Prices range from less than \$100 for something that will get you by to nearly \$1000 for a first-class unit with all the features you could ever want. The more you spend, the more you should know about what you are purchasing. Your choices revolve around physical interface, transmission

speed (there are two options), duplex (look for both FULL and HALF duplex) and convenience features such as auto-dial/auto-answer and internal diagnostic capabilities.

The accoustically-coupled modem was once the only inexpensive kind available, but it is becoming less common with the introduction of direct-coupled units. The connection is made by inserting a standard telephone earpiece into the modem. Being typically less reliable, because of occasional external noise interference, problems in the acoustical signal, and general inconvenience, this is probably not the best choice. Direct-coupled modems are not necessarily more expensive than acoustical models, and have the advantage of a more positive connection to your phone line.

If you are willing to spend a few hundred dollars to make your hardware more invisible, software controlled auto-dial modems are worth the additional cost. When coupled with a compatible communications package (most popular communications products will have this compatibility), dialing up your favorite network can be as easy as calling your grandmother in Kansas City. The most widely used communications software products let

Dow Jones News/Retrieval is by far the most widely used - over 100,000 users

you store the phone number and the communications settings of all the systems you may want to use, so that all subsequent accesses may be initiated with a single command. You won't have to keep a cryptic note to yourself taped to the front of your computer. If you plan to use a number of online databases in your work, the fully automated configuration should pay for itself in terms of time saved, especially if a number of non-technical employees will be using the system.

One of the technical terms that cannot be avoided is "baud rate." which refers to the speed that data is transmitted between computers. All you really need to know is that you will be dealing with two options: 300 baud, or about 30 characters per second, which is the most common. and 1200 baud (120 CPS), the highspeed alternative for those who are equipped with a more expensive modem. Whichever one you select, the low-speed modem should be designated "Bell 103" standard, and the high-speed, "Bell 212A," to assure compatibility with the networks.

A word of caution: once you have experienced 1200 baud commu-

Talisman

It's almost magic!

CP/M® Terminal Translation & Multiple Keyboard Redefinition Program

- ★ Run any CP/M 2.2 software on any other CP/M 2.2 microcomputer with proper disk format.
- ★ Used with a communications package will convert your microcomputer into any other interactive micro, mini or mainframe terminal.
- ★ Redefines any key(s) to reproduce any phrase or command sequence.
- * Reprograms "on the fly" while you're running another program.
- ★ Creates, saves, edits and retrieves up to 255 keyboard overlays.
- * Much, much more.



DISCO-TECH®

P.O. Box 1659 Santa Rosa, CA 95402 Tel. 707/523-1600

Dealer inquiries invited.

Circle No. 39

NEW!

Easy, two-way storage for your print-outs!



DATABIND has the answer. Save and organize the work you generate on your computer with DATABIND. This sturdy, two-ring vinyl binder precisely fits standard pin-feed computer paper—TWICE!

Separate the sheets and insert them vertically. Then turn the pages easily—like in a notebook. Or fold long print-outs and store them horizontally. The sheets stay connected—as you flip the pages. No more punching holes in the paper—the entire computer sheet can be used for reports or graphics.

DATABIND is 12" by 12", with large 1½" rings. It holds 300 sheets of standard 9½" × 11" pin-feed paper or preprinted forms. Protect your valuable printouts the easy way—with DATABIND!

notebook plus \$2 postage and han Black Blue	Brown Green Orange set(s) of 5 notebooks, one in each color,
Address	
City Mail check or money order today N.J. 08402. Thirty-day guarantee—	State Zip Line To DATABIND Dept. 10, P.O. Box D, Margate, or your money back. Circle No. 4

nications, you will probably find it hard to return to 300 unless you are forced to. Depending on screen formats, 120 CPS is generally just a little bit faster than most people can read comfortably. Since most services stop and wait after each page of data, this is no problem. On the other hand, 30 CPS is much slower than most people read, and there is nothing you can do to make those lines of text arrive any faster. Most major information services have a 1200 baud option, usually at double the standard rates. This can result in as much as a 50% reduction in the cost per character printed on your terminal. The savings may be offset slightly by a doubling of the cost of idle time you spend online making decisions as to what to do next. Active online database users, especially researchers, should find that the up-front cost of a high-speed modem is eventually returned in reduced connect time charges.

There is one last small technical matter that may or may not affect you. Your serial port, which you will use to connect to your modem, should be one of two common types. Stand alone terminals and many computers are configured as "Data Terminal Equipment," or "DTE," and modems are configured as "Data Communications Equipment," or "DCE." This means that the cable connecting the two is directly compatible, requiring no

special wiring. If, however, your computer port is also DCE, you will need to cross over the wires connected to pins 2 and 3 at one end of the cable. This is not difficult, and is one of the first things to try if you think you have everything else set up correctly and you cannot establish a connection to your modem, another good reason to ask your vendor to demonstrate a working configuration.

When you actually sit down to your terminal or computer to dial up for the first time, remember that basic online access does not require a lot of split-second decisions. Unless you have direct-dialed into the system, your charges don't start running until you have actually connected and the password is accepted. Whether you are using a computer or just a terminal, the only decisions to make are Transmission Speed (baud rate) and Full/Half DUPLEX, Parity (Odd/Even/None), Auto Linefeed, and Remote Echo ON/OFF. While these terms may be like a foreign language to you, hooking up to a major commercial network is surprisingly simple. All of the widely used systems tell you exactly what settings to use, and if you need assistance, most provide free telephone customer service during normal business hours. Support personnel are generally knowledgeable and experienced in talking the novice through his or her first dial up.

IN PERSON Continued from Page 20

realize how industry works out there. They have barely caught up with the Z80. Look around at the products coming out now using Z80's and 68000's, machine tools and automotive applications. The S-100 still offers a lot of flexibility. There is a lot of industrial interest from such areas as the Army, Navy and Air Force, and a full 50% of our business comes from OEM's and component accounts, a continuing growth market.

CP/M REVIEW: Earlier you referred to European customers. Has CompuPro established overseas distribution?

Godbout: We have Comcen Technology in Wales, and they have offices in London as well. They are our European distributors just as Byte Industries is our United States distributor. We have also established a Distributor in Australia called Automation Stratham.

CP/M REVIEW: Is the S-100 still performing well from the product marketing point of view?

Godbout: It is still ahead of projections in terms of product growth. The S-100 is really just starting to come into its own. The new products that promise more power and speed will only add to the growth potential of an established design, now that the industry is recognizing it as a stable and rung out standard.

File LOG

At last — a utility to help you keep track of all those files on your busy system!

FOR EACH FILE LOGGED you will have a record of:

- date of creation
- date & time of last update
- vour comments (up to 96 char.)

A MUST FOR:

- Programmers
- Spreadsheet users
- Word processors
- Anyone who continuously creates and updates files

LOG IS FAST AND EASY TO USE.

That's important because you wouldn't use a file logging tool which isn't convenient.

LOG traps errors and shows the results of your commands.

LOG FEATURES:

- catalog entry & maintenance
- sorted catalog displayed or
- consolidated multi-disk catalog
- can be customized to use your hardware calendar/ clock

All this for only \$29.95, prepaid.

LOG is furnished on 8" SSSD disks for CP/M-80 and CP/M-86. Inquire about other media. MS-DOS version available soon.

COMPUTER THAUMATURGY, INC.

"What we do with computers is magici"

1212 Miami Valley Tower **40 West Fourth Street** Dayton, OH 45402 (513) 229-8871

CP/M-80 and CP/M-86 are registered trademarks of Digital Research, Inc. MS-DOS is a registered trademark of Microsoft, Inc.

CB68 CBASIC COMPILER

by Caddy McCall

The CBASIC compiler for the Motorola 68000 processor is here for those who want or need to transport their applications to the 68000.

I am running CB68 on a TRS-80 Model 16 with the Tandy hard disk. The CP/M-68K operating system is from Trisoft, 4102 Ave G, Austin, Texas 78751. The Z80 is handled by Pickles & Trout CP/M. This hardware is designed from the ground up to be a multi-user system. The 68000 processor has been confined to the back room and does nothing but crunch data provided it by a 64K Z80 which handles all input and output of data. In this system, it is not possible to determine the relative input or output speed of the 68000 programs since all data must pass through the Z80. All references to the speed of the compiled programs will be confined to internal

This arrangement is very convenient. It allows one to run all the CP/M-80 software PLUS the emerging CP/M-68K software on the same computer from the same hard disk or diskettes and to access the same data files without even flipping a switch.



Caddy McCall, a native of Texas, is a banker with a BA in mathematics. His experience includes real estate investment and venture capital financing.

CB68 is indeed a CBASIC compiler and looks to be the exact same language as CB-80, including the graphics extensions. This is not to say, however, that the two are exactly compatible. Some applications using many overlays may be difficult to convert from CB-80 to CB68. I'll get to that in more detail later in this article.

The first thing you will notice about the CB68 compiler is that it is slow to compile and link-very slow. A short one-page program that CB-80 compiles and links in forty-two seconds takes CB68 three minutes and

in some operations CB68 is actually slower than CB-80

twenty seconds to compile and link, and this is with a 50% faster clock speed. Adjusted for clock speed, this is seven times longer for the CB68 compiler. Ahhh, but the execution speed will sure make up for the wait, right? Let's see.

SPEED OF EXECUTION

next I%

To compare the execution speed of CB68 against that of CB-80, the following simple loops were used to time the very simple operations from which most programs are built. The timings will probably surprise you, they surprised me.

EXECUTION TIMES (SECONDS) **AVERAGE OF 4 RUNS**

	Z80	CB86 8088 8Mhz	M-68000
eal number addition for I% = 1 to 10000	8.29	4.59	6.12
a = a + 13579.10			

CP/M REVIEW JANUARY/FEBRUARY 1984

real number multiplication for I% = 1 to 10000 a = 13579.10 * 24680.34 next I%		22.33	22.34
real number division for I% = 1 to 5000 a = 13579.90 / 2468.07 next I%	102.5	49.04	99.99
integer multiplication for J% = 1 to 60 for I% = 1 to 10000 a% = 13579 * 246 next I% next J%	15.95	8.78	15.06
integer division for J% = 1 to 60 for I% = 1 to 10000 a% = 13579 / 246 next I% next J%	15.90	8.76	14.95
integer addition for J% = 1 to 60 for I% = 1 to 10000 a% = a% + 13579 next I% next J%	20.35	9.60	16.33
move a string	5.5	3.22	6.0
b\$ = "abcdefghijklmnop for I% = 1 to 10000 a\$ = b\$ next I%	oqrstuvv	vxyztyu	iow''
empty loop for I% = 1 to 1000 for J% = 1 to 1000 next J% next I%	17.6	10.12	19.3

Note that the number of repetitions of each loop was adjusted to produce a convenient time interval. The raw times are not strictly comparable from one operation to the next on the same processor. They are, however, comparable from one processor to the other for the same operation. When allowing for clock speed, it is evident that in some operations, CB68 is actually slower than CB80. This same effect has been noticed in other software which has been transported from the 8080 version to 16-bit processors.

The graphics routines have added some new reserved words to both CB-80 and CB68. The list is almost certain to wreak havoc on all your prior source code. New reserved words are:


AT	COUNT	POSITION
ASK	DATES	SET
ANGLE	DEVICE	STYLE
BEAM	FILL	TET
BOUNDS	GRAPHIC	TIMES
CHARACTER	HEIGHT	TYPE
CLEAR	JUSTIFY	VIEWPOINT
CLIP	MARKER	WINDOW
COLOR	MODE	

Some of these will not cause problems, but I expect AT, ASK, BOUNDS, CHARACTER, CLEAR, and DATES will raise a few eyebrows.

Additional problems in converting prior applications will arise from the CHAIN statement. In CB-80, the CHAIN statement can load either an overlay or a .COM file. If the program being chained to has a name different from that of the last .COM file executed (that is, the program chains to a new program, rather than an overlay), the COMMON data area is cleared. If the name is the same, this area is left intact. This allows a CB-80 program to chain to an overlay, or two, or three, and then to chain back to the root program with the COMMON area intact. I have seen quite a few applications which use this feature to combine a collection of very small programs into a menu driven system that looks like a single large application program.

CB68 does this somewhat differently. When CB68 chains to an overlay, the entire root program is retained in memory. Chaining back to the root clears the stack and all COMMON data is lost. This will make it more difficult to pass data from one program to another when using the CHAIN feature.

Z-80 PLUS!



- <u>Totally</u> compatible with <u>all</u> CP/M software, there are <u>no</u> exceptions!
- Fully compatible with Microsoft disks, most other Z-80 cards are not.
- Does <u>everything</u> the other Z-80 cards do plus supports Z-80 interrupts.
- Runs on any Apple IIe, II or II+ with at least 48K memory, works with any 80 column card but does not require one.
- A special "CP/M Detector" ROM eliminates many I.C.'s for the lowest power consuming Z-80 card available. (We use the Z-80A at a fast 3.58 MHZ).
- The Z-80 Plus runs: dBase II, WordStar, Spell Star, Fortran-80, Peachtree and <u>all</u> CP/M based software.
- Complete documentation included .
- High quality P.C. board, gold plated connector, all I.C.'s in high quality sockets, with mil. spec. components used throughout.
- Two year warranty.

Price \$139.00
Add \$10.00 If Outside U.S.A.

Send Check or Money Order to: APPLIED ENGINEERING P.O. Box 470301, Dallas, TX 75247 All Orders Shipped Same Day

To Order By Phone Call (214) 492-2027 7am to 11pm 7 days a week MasterCard & Visa Welcome Texas Residents Add 5% Sales Tax

THE COMPILER

The CB68 compiler seems to be identical to CB-80. The compiler directives and command line toggles are exactly the same. I did not compare each of the 117 compiler error messages, but taking about every tenth message, I did not find any differences. The list of execution error messages has been expanded slightly. Some of these messages are unique to the 68000 version, some of them would be nice to have in the 8080 version, expecially the MO message — Overflow has occured during integer multiplication. Perhaps it will be added.

THE LINKER

The linker, because of the way the 68000 processor uses memory, must be and is completely different from the CB-80 linker. The command line syntax is not even similar. All your .SUB files will have to be revised.

The linker accepts input from both object files and library files. Library files can be created with the CP/M-68K utility program AR68.

LINK68 provides many options unique to the 68000. Some of them can be applied globally and some locally. Global options apply to all the files being linked in a command line. Local options apply only to a specific file in the command line.

LINK OPTIONS

ABSOLUTE: Generate an absolute file. Default is

to a relocatable file.

ALLMODS: Load all the modules from a library

even if they are not referenced.

BSSBASE: Set the base address for the

uninitialized data segment.

CHAINED: Creates a command file that does

not use a true overlay but rather chains from one file to another.

COMMAND: Get the rest of this command line

from a file.

DATABASE: Set the address of the data

segment.

IGNORE: Ignore 16-bit address overflow.

INCLUDE: Link an unreferenced module from a

library.

LOCALS, Include or quit including local

NOLOCALS: symbols in the .O file.

SYMBOLS: Put the symbol table in the output

file.

TEMPFILES: Use specified drive for temporary

working storage.

TEXTBASE: Set the base address of the text

segment.

UNDEFINED: Ignore undefined symbols in the

input files. Print a list of the undefined symbols but keep

processing.

LINK68 gives over 30 error messages, which of course are not the same as the LK80 messages due to

the differences in the 8080 and the 68000 processors.

ATTENTION UNIX FANS

Output redirection is provided by LINK68. A typical (simple) link command line might look like: A>LINK68 68KPROG = MODULEA, MODULEB

This line will send the output to the console. Now get this:

A>LINK68 68KPROG = MODULEA, MODULEB > b:lk68out.msg

will send the linker output to the file LK68OUT.MSG on Drive B.

Wouldn't it be great if someone at Digital Research slipped this feature into the CP/M operating system?

DATA STRUCTURE

If you like the 32K strings in CB-80, you are going to love CB68. It allows long strings-very long. CBASIC uses a one-byte length counter which allows strings to contain up to 255 characters. CB80 increased that to two bytes which allows almost 32K characters in a single string. Well, in the spirit of the horsepower race of the late '50's, CB68 uses a four-byte length counter. According to the manual, this means that a CB68 string variable is limited to a paltry 2,147,483,647 characters. That string will hold only a little over one million pages of average text, which if printed out would occupy around 350 feet of shelf space.

Integers have also been expanded to four bytes. This is a real advantage. They are stored as a 32-bit two's compliment binary number. Value range is -2,148,483,648 to +2,148,483,647. This allows much faster processing of many number intensive functions which require more than the four significant numbers allowed by 16-bit integers. With this range, we can discard the most significant 2, and use the remainder to represent any number between -999,999,999 and +999,999,999. The discarded digit even allows us to test for overflow. This is a very useful range of values. It even allows for dollar accounting up to \$9,999,999.99 using integers. That range will not suffice for Digital Research's books, but it will do nicely for mine.

Real numbers are stored in the same 8-byte format as CB80 with fourteen significant digits.

CB68 is a software development tool designed and implemented to provide the professional with a method of developing business-oriented applications for the 68000 processor, or to transport existing CBASIC or CB-80/86 applications to this processor. It is in my opinion a successful effort in that direction. CB68 is not a casual compiler for a beginner to learn on. A beginner could soon master the language syntax, but would be totally intimidated by the linker.

CB68 will add a large number of machines to the market for the present vast library of CBASIC software. Digital Research has a large commitment to provide users of its software the best support and the widest base of hardware in the industry. CB68 is a welcome tool in our kit.

Book Review

GETTING STARTED WITH CP/M

by Eugenie Dickerson

Good information together with a clear presentation make Getting Started with CP/M an excellent value, especially for the computer novice. The book might also serve as a convenient reference work on CP/M-80 2.2 for the more advanced user.

Authors Patten and Calandrino presume their audience has no experience with computers or knowledge of programming. They begin chapter one by drawing an analogy between CP/M and a bank teller. An operating system functions as a go-between, like the teller.

From there, the book instructs on floppy diskette tracks and sectors, disk care, loading, and general file name structure. Dozens of definitions gently appear, never seeming like a textbook. Sometimes a term is used a paragraph or so ahead of its explanation, then again shortly after the definition. The reader's curiosity becomes aroused, satisfied, and reinforced-and the meaning sticks.

Chapter two comprises fiftyseven of the book's ninety-nine pages. Herein lies the meat. Following an overview of CP/M's internal structure, a detail-intensive tutorial presents line editing, built-in, and transient commands. The writers devote a large portion to PIP and STAT.


The sections on error messages could prove invaluable to the beginner. Fully and clearly written, the information is also headed and paragraphed for quick sighting and easy reference.

Patten and Calandrino remain true to their starter-level goal by limiting discussion of the relatively complex features of CP/M: ASM, DDT, LOAD, MOVCPM, SAVE, and XSUB. The authors refer the reader to other documents for indepth study of these utilities. Cross references to other material in the book appear frequently, at times interrupting the flow of discussion.

Chapter three takes the reader through booting CP/M, formatting a new disk, and duplicating an original CP/M end-user disk.

Next the authors provide a very light introduction to application programs with a suggestion to check with software vendors for deeper and more specific information. This advice might better have come after chapter five, which draws the reader, one half-step at a time, into the ED utility. After experiencing the

by Rob Patten and Paul Calandrino Hayden Book Company, Inc. Rochelle Park, New Jersey 1983 99 pages, \$12.95



limitations of ED, the reader may be more receptive to consideration of application programs.

Three excellent appendixes cap the book. In Appendix A commands are listed alphabetically and in large print, followed by their type, function, and page reference number. The Glossary, Appendix B, serves the beginning user well in clarity and completeness. Certainly the reader will keep an extra bookmark in this section. The last appendix sends the reader to several Digital Research publications and four other tutorials for more information.

Throughout the work drawings support the instructions. Most figures simulate screen displays, but a few show disk tracks and charts. The general layout of the book rates high: it's well organized, easy on the eyes, and helpful for locating quick information. The index is large and in keeping with the straightforward manner of the book.

The last page inside of the back cover is a tear-out CP/M Command Reference Card for the novice to keep beside the machine. The ED commands may be useful, but other items will become unnecessary within the first five minutes of computer activity. For how long do we need a reference card to remember what < cr > means?

an excellent value. especially for the computer novice

Patten and Calandrino provide a number of examples of commands and functions. Still, considering the elementary nature of the book, more and a greater variety of examples might have been helpful.

In a few instances a bright passage or touch of humor enlivens the instruction, but the writing never becomes flashy or more important than the factual material.

The writing is very clear, sometimes excessively so. Now and then I was told what I was about to be told. For instance, the pull-out

command reference card begins, "The following symbols are used on this card."

Regrettably, the preface gets the book off to a shaky start. It's weak and flabby, and unfortunately may discourage some readers from continuing with this otherwise fine work. The very first sentence offers one definition of CP/M, followed by two alternates. Take your pick. A stronger opening would have assured the reader more on the knowledge of the authors.

Also included in the preface is a "Guide to the Contents of This Book," which is little more than a repetition of the table of contents. Two paragraphs later we are given a display drawing and told that user input will appear in these drawings in boldface. They don't--in displays anywhere in the book. A couple of typographical errors contribute further confusion.

Getting Started with CP/M makes no attempt to teach programming. Though limited in scope, it accomplishes very well what the authors set out to do and makes worthwhile reading for the beginner in CP/M.



IOPI.

The

Define Your Own Instructions Assembler/Compiler (Universal Cross Assembler)

A new type of software development package. Generates machine code for any 8 bit microprocessor using user defined instructions. Program text data insertable at time of assembly. Unique serial number capabilities. Divide large programs into overlay segments. No Separate linking loader required. Generates both relocatable and absolute code. Conditional Assembly selectable at time of compilations. Produces user documentation from source file data. Expandable to include new features as required.

MOPI software: \$150 + options Manual: \$35 Currently available for CP/M with 56 K memory. Inquire concerning availability on other systems. For more information & ordering instructions, write

Voice Operated Computer Systems P.O. Box 3705, Minneapolis, MN 55403

MOPI is a trademark of Voice Operated Computer Systems CP, M is a trademark of Digital Research Inc.

FOR \$29.95, MICRO-WYL WILL WHEN OTHERS WON'T!

You'll know why INFOWORLD rated Micro-WYL's performance "Excellent" when you want to insert a file into a file; when you want to print directly from the screen; when you want to see what your text will look like before printing; set tabs where you want them; write programs the easy way; and do many other things that no other word processor can do. Micro-WYL is a line editor; use it in conjunction with EMACS derivative word processors and you have the best of all worlds! For \$29.95, plus \$2.00 postage and handling, have it your way! Sold with the usual Overbeek 30 day money-back guarantee.

LET Micro W/VLDO IT ALL TODAY

charge my Masterc	ard#	Expires:
Visa#	Expires:	
Check format desired	:	
	_Osbome Dou _Morrow Micro _Xerox 820 Sin _Xerox 820 Do r now, but send me	information about all the
affordable programs Name		•
Address		
City	State	Zip
OVERBEEK EN	TERPRISES, P.O. Bo 312-697-8420	ox 726 ∨ Elgin, IL 60120 O
	312-697-8420	

SIG/M PUBLIC DOMAIN SOFTWARE CATALOG PART 1

B" single-density diskettes available from: SIG/M P.O. Rox 97

> Iselin, NJ 08830-0097 Cost: \$6 per disk (\$5 per copy + \$1 shipping and packing).

International orders require additional \$8 US per shipment.

For other sources and formats see file REGIONS.SIG which contains the names and addresses of other SIG/M volunteer distribution points WORLDWIDE.

If you have comments or correspondence please send them to the address noted above or it can be placed on either of two SIG/M ACG-NJ RCPMs/CBBS (operates 24 hours a day)

at (201) 272-1874 Both have PMNI modems or (215) 398-3937 and 300 and 1200 haud

index

144.09NESTING .C

Copyright (c) 1983 by Sig/M-Amateur Computer Group of New Jersey Inc., P.O.Box 97, Iselin NJ, 08830-0097

SIG/M Vol 145 VFILER - A SCREEN ORIENTED FILE MANIPULATION UTILITY
by Richard Conn

size Crc

description

145.01BISHOW-2	.A86	9K	7A	EB	Bidirectional show - a paging program
145.02BISHOW-2	.ASM	10K	0E	1Đ	in both CP/M 80 and CP/M 86
145.03BISHOW-2	. CMD	2K	C6	40	/
145.04BISHOW-2	.COM	1K	DC	DB	/
145.05SAVEMUNY	.DOC	2K	CO	3C	Tips on adapting Heath programs
145.06SD-48B	ASY	66K	84	03	SD with HELP and WordStar fix
145.07SD-48B	. COM	4K	CĐ	14	/
145.08SD1	.A86	16K	2F	5C	SD for CP/M 86 with technical adjustments
145.09SD1	.CHD	3K -	43	70	/
145.10VFILER	ASH.	84K	C8	AE	A screen oriented file manipulation
145.11VFILER	.DOC	2K	ΕA	81	utility adjusted for your terminal.
145.12VFILER8	.com	8K	93	88	Move arrow through directory for action.
145.13VFILERSC	.ASH	3K	Fé	07	Integrates with ZCPR2 or stands alone.
145.14VFILERZ	.COM	8K	5B	1D	/
SIG/H Volume	144	Nis	cel	lane	eous Programs
		Sof	twa	re T	Tools of Australia and others
144.01GRAPH	.REL	1K	49	C2	Graph subroutines for Epson MX80
144.02GRAPH	.200	11K	12	04	/
144.0317	. COM	22K	4D	A4	Intel to Zilog mneumonic source
144.0412	.DQC	11K	92	EA	code translator
144.05IZ	.DQT	7K	C1	83	/
144.07IZ	.PQS	14K	24	9C	/
144.07MAKEFILE	.ASM	6K	B6	39	Builds a dummy file with marked blocks
144.08NAKEFILE	.COM	2K	FD	0E	1

1K 10 C6 Notes on nesting in BDS C from version


```
144.10NESTING .NOT
                          AD F7 1.45a
144.11PHDLALDS.FRG
                    138
                          89 52 Autodialing with PMMI
144.12RENAME .C
                          A2 FF Wildcard rename utility
144.13RENAME .DOC
                          OF 96
144.14RENAME .OBJ
                    10K
                          A0 88
144.15BD0S
              .H
                      1K
                          81 07
144.16SETBOOT .MAC
                    19K
                          6B B7
                                 Osborne 1 boot
144.1750
              .00
                          AC 51
                                 Update to squeeze, wildcards and other
                      8K
144.1850
              .H
                     2K
                          10 97
                                 features
144.1950
              .08J
                          66 FE
144.20SQ15A
              .DOC
                     2K
                          29 77
144.21S015A
             SHR
                     1K
                          37 F4
144.22SQCQM
              .H
                          3E 8E
144.2310
              .C
                      1K
                          75 6A
144.24 LING
               .00
                           AA DR
                       2K
144.25TR1
              .00
                          10 74
144.26TR2
                      9K
                          BF 25
144.27UCSD2CPH.C
                                  Text transfer UCSD formatted disk to CP/M
                     16K
                          B4 5A
144.28UCSDIR .C
                                  List directory of UCSD Pascal disk
                     10K
                          FF F4
144.29UCSDTYPE.C
                          A0 5C
                                  Text transfer UCSD dir to CP/M console
                     15K
                        Packet Radio, Printer Utilities, etc
SIR/M
        Unlume 143
                        Software Tools of Australia (extracts)
143.01ATTEN .BAS
143.02DEPREC .BAS
                      3K
                          74 9F Electronic attenuator design utility
                     3K
                          EC 45 Depreciation schedult
143.03GENINDEX.OBJ
                          09 AO Generates index for WordStar text file
143.04GENINDEX.PAS
                    12K
                          FO 96
143.05INDEX .PAS
                          12 DA
                     110
143.06INDEX101.DQC
                      5K
                          67 05 WordStar indexing utility
143.07INDEX101.0BJ
                          41 14
                    11K
143.08LPR
                          FO E8 Print program for MX80, wildcard names
             .0
                     9K
              .OBJ
143,09LPR
                    14K
                          Bá 16 & clock
143.10DGPTR
                     7K
                          FE 08 Packet Radio Software for CP/M Systems
             .PQS
143.11PACKET .AGM
                    25K
                          98 C9
143.12PACKET .DOC
                          05 24
                      AK.
143.13PACKET .RPT
                    12K
                          3A 64
143,14PACKET-0.DOC
                          A2 CC
143.15PACKET2 .TXT
                    14K
                          0D 18
143.16PACKETCF.TOT
                    15K
                          8A 6D /
143.17PRINTER .INF
                     2K
                          91 28 Control codes for EPSON MX80 printer
143.18RDRPUN .MAC
                     1K
                          13 85
                                 FORTRAN routine to access CP/M RDR and PUN
143.19RESXIOS .AOM
                                 Example of MP/M 2 Resident XIOS
                    13K
                          F1 9F
143.20SETMX .AGM
                      4K
                          98 BA
                                 Epson MX80 printer setup utility
                     2K
143.21SETMX
              .DOC
                          D3 38
143.22SET 0K
              ASN
                      AK.
                          7F C4
                                 Okidata printer setup utility
143.23SETOK
              .DOC
                     2K
                          01 10
143.24VIDED
             . INF
                      3K
                          34 D9
                                 Video terminal codes
143.25VIDEONEW.INF
                          D1 C6 /
SIG/M Volume 142
                        Games from Software Tools of Australia
                        Extracted from recent releases
142.01ALMAZAR .BAS
                           C2 29 Adventure game from Micro-80
142.02ALMAZAR .DOC
                      2K
                          0F D5
142.03SFA/SAV .0
                      1K
                          AF A4
142.04SFALDES .0
                      9K
                          1E 34
142.05SFALDES .BAS
                     7K
                          01 09
```

53 04

15K

142.06SFAMAIN .BAS

142.07SFAMOVE .0	2K	53 F7	/
142.08SFAMOVE .BAS	2K	15 3F	/
142.09SFAOBDES.0	2K	02 30	/
142.10SFAOBDES.BAS	2K	1B 7A	/
142.11SFARESP .0	13K	FE 3E	/
142.12SFARESP .BAS	5K	17 7A	/
142.13SFAVOC .0	1K	DC 8C	/
142.14SFAVOC .BAS	1K	9A 37	/
142.15AUSOPOLY.BAS	28K	57 26	English/Australian of CPMUG game
142.16BACARRAT.BAS	4K	F4 49	
142.17BANNER .280	19K	70 61	Prints banner to console & printer
142.18BLAKJACK.BAS	12K	87 37	Osborne MBASIC game
142.19F0GASH .ASM	1K	50 05	Calculates number of years of schooling
142.20F0GINDEX.PLI	3K	33 A4	required to read a document
142.21GOLDMINE.BAS	8K	65 27	MBASIC game
142.22KPR02-SW.BAS	10K	28 F7	Spacewar game for Kaypro 2, MBASIC
142.23MAKEADV .BQS	6K	58 93	Make your own Adventure
142.24SAMPADV .AQV	BK	05 A0	/
142.25SAMPADV .NOC	9K	E8 3C	/
142.260Z00T .BAS	8K	E2 08	Osborne version of DOTS
142.27PACMAN .ASM	4K	2C C4	PACMAN game for cursor addressable
142.28PACMAN .DAT	4K	34 64	terminals
142.29PACMAN .OBJ	16K	86 A2	/
142.30SPACEWAR.BAS	11K	FB 00	Osborne MBASIC game
142.31YKW1 .BAS	2K	E4 6B	"My other computer is an IBM" for Osborne
142.32YKW2 .BAS	2K	74 5F	"My other computer is an IBM" for ADM-31
SIG/M Volume 141	Kay	pro, O	sborne & Big Board Programs
	Sof	tware	Tools of Australia Extracts
141.018BDRIVER.200	44K	03 55	IDS driver for Ferguson Big Board SBC
141.028BMODS .DQC	7K	32 F0	Double Density and other mods for Big Board
141.03BBSYSTEM.ZQ0	42K	9F 87	Modified monitor ROM for Big Board
141.048GMENTST.AGM	2K	F7 2F	Background memory test, Lifelines May 1981
141.0501SPPROM.8B	6K	31 AC	Big Board Character Generator ROM contents
141.06KAYMODEM.DOC	1 K	B1 62	SMODEN37 set up for Kaypro 2



141.07KAYHODEN.CBJ 11K 80 A0 /

Go for the "MAX"

Panamax
Surge Suppressors
provide the fastest
response time and
highest energy
dissipation available
to assure you the
maximum protection
against over voltage
"Spikes and glitches".
Priced from \$59.00



PANAMAX

Toll Free 1-800-472-5555 In California call 415-472-5547 150 Mitchell Boulevard, San Rafael, CA 94903

UO-LISP

A LISP Programming Environment

An Excellent System for A.I., Robotics & Intelligent Systems An Optimizing Compiler and Assembler



Documentation

Comprehensive manual covering all aspects of the system. Numerous examples of each facility are included.

Interpreter

Over 125 functions implemented in the base interpreter. Additional Development and Example Software Available.

Fast Load Libraries

Compiled code can be stored in relocatable files.

Requirements

CP M System. Also available for TRS 80 Model I or Model III 48K dual disks.

Ordering

Systems Manual \$ 35.00 Basic System \$100.00 Development System . . \$250.00

VISA and Mastercard
Please include expiration date and Card No.

Write for your FREE copy of our catalog



FAR WEST SYSTEMS & SOFTWARE, INC.

P.O. Box 6582, Palo Alto, California 94305 (415) 941-0900

```
140.15SIMLT .FQR
                     BK 6D E9 Solves simultaneous equations in fortran
140.20XTCPH141.AQM
                    26K
                          A7 DA Method to extend CP/N 2.2 system
140.21XTCPH141.DQC
                          A9 DE /
                     2K
140.22Z80DISK .DOC
                     4K
                          5E OB ZBO Disk diagnostic, Dr. Dobbs April 1981
140.23280DISK .MAC
                    23K
                          BF 13
140.24Z80DISK .OBJ
                     3K
                          03 12 /
        Volume 139
                       MODEN UPDATE - NODEM 712
139.01MDH712 .18F
                     4K
                          C1 FC
                                  Latest version of MDM7xx
139.02MDN712 .LBR 204K
                          20 AD
139.03H0H712 .TXT
                     3K
                          9C 54
139.04HDM712 .UQD
                     4K
                          C8 D0
139.05IN
              .COM
                     5K
                          6B 74
                                  Recovers Basic-80 programs
139.06UN-PROT .BAS
                          91 35
                                  Fix for Apple for UN.COM
SIGM
        Volume 138
                       BUILDING ENERGY DESIGN ANALYSIS
                         -California Energy Commission
                        Volume 2 of 2
13B.01CZ
              .LBR 174K DA E8 Weather data for vol 137
138.02MP-DEMO .LBR 34K 70 A4 demo program - set for Drive B
        Volume 137
                       BUILDING ENERGY DESIGN ANALYSIS
                         -California Energy Commission
                        Volume 1 of 2
                                  MICROPAS 1.0 - A Microcomputer
137.01MP
              .COM
                          05 D8
137.02MP-CNTRL.SYS
                                  Program for Building Design
                     1 K
                          A9 0A
137.03MP-EDIT .COM
                    18K
                          01 48
                                  Analysis. Can estimate the
137.04MP-FORM .COM
                    10K
                          FE 4F
                                  performance of conventional
137.05MP-GRAPH.COM
                     9K
                          FE 25
                                  residential buildings as well
137.06MP-GRAPH.SIM
                     1K
                          75 89
                                  as buildings incorporating
137.07MP-INPUT.COM
                          77 56
                    16K
                                  passive solar and natural
137.08MP-INPUT.DE1
                     1K
                          SC 9E
                                  cooling features. Simulates
137.09NP-INPUT.DE2
                     1K
                          D5 E6
                                  a full year in 20 minutes.
137.10MP-INPUT.DE3
                     1K
                          E4 1F
                                  Requires MICROSOFT BRUN.COM.
137.11MP-INPUT.DE4
                     2K
                          60 4D
137.12MP-INPUT.DE5
                          3F D1
                     1K
137.13MP-INPUT.DE6
                     1K
                          30, 38
137.14MP-INPUT.DE7
                     1K
                          AF 45
137.15MP-INPUT.DEB
                     1K
                          D1 10
137.16MP-INPUT.EDI
                     3K
                          94 7R
137.17MP-INPUT.ED2
                     1K
                          62 22
137.18MP-INPUT.ED3
                     1K
                          41 78
137.19NP-INPUT.ED4
                          E5 15
                     3K
137.20MP-INPUT.ED5
                     1K
                          R9 9F
137.21MP-INPUT.ED6
                     1K
                          28 36
137.22MP-INPUT.ED7
                     4K
                          C2 AD
137.23HP-INPUT.ED8
                     11/
                          44 C2
137.24MP-INSTL.DE1
                          DA DR
137.25MP-INSTL.ED1
                     4K
                          F0 A2
137.26MP-INSTL.SYS
                     1K
                          00 A3
137.27MP-HENU .COM
                    15K
                          F9 40
137.29MP-OPTIM.COM
                    17K
                          CA 80
137.29NP-OPTIM.INP
                     1K
                          C6 61
137.30MP-OUTP .S11
                     1K
                          F8 89
137.31MP-OUTP .SI2
                     2K
                          79 64
137.32MP-OUTP .SI3
                          BO D4
                     4K
137,33NP-SIMIL.COM
                    20K
                           44 RR
137.34MP-SIMUL.IN1
                     2K
                          26 2F
137.35MP-SIMUL.IN2
                           00 00
137.36MP-SUNRY.COM
                           4C 22
                    16K
137.37MP-TABLE.COM
                    17K
                          64 D2
137.38MP-WEATH.COM
                    18K
                           47 71
137.39NP-WEATH.1NP
                          89 87
                     1K
137.40MPINTRO .DQC
                      5K
                           5C C6
                        BIG-80ARD utilities, modem patches, LISP doc.
SIG/M Volume 136
                        Software Tools of Australia Vol 18, etc.
136.01BB-VIDEO.MOD
                     1K 2E B4 Video mod. for BIG-BOARD
                           68 64 Disk integrity verifier for BIG-BOARD
136.02BBSCAN .ASM
                     7K
136.038BSCAN .DOC
                      4K
                          98 F9 /
136.04B1G8DFMT.ASM
                     7K
                          EO Al Disk formatting program for BIG-80ARD
136.05B1GBDFMT.00C
                     1K
                          30 CC /
```

136.06BIGBDFMT.OBJ

136.07DATHODH .AGN

1K

56 1F /

25 39 NODEHTA configured for DATANAX

```
.ASM 12K DF 9A Bill Earnest's FAST copy for B16-B0ARD
136.08 FFC
134.09INDEX
              .YA2
                      2K Dó D4 Yam disk index
136.10LIFSCORE.BAS
                           EC 03 How long to go
                     17K
136.11LISP
              .UPH
                      3K
                           96 90 Documentation for LISP interpretor, 8080
136.12M0D4BB1A.0BJ
                           A2 31 MODEM4 configured for B16-BOARD
                      4K
136.13HODENH .DOC
                      5K
                           10 32 /
136.140ZDEM
              ASH
                       4K
                           3F E4 MODEM7 patch for OSBORNE 1
136.15PATCH
              .YAH
                      2K
                           29 80 YAM patch to disable system file access
136.16REMOTE .DOC
                      3K
                           A7 OC Construct. details for remote SORCERER keybd
136.17SORMODH .AOM
                           5B 3C MODEM7 configured for SORCERER
136.1BTRANSLAT.DOC
                      2K
                           59 41 BIG-BOARD Keyboard translation
136.19TRANSLAT.280
                      5K
                           83 5B /
136,20YAM89
               .CRL
                      1K
                           9B 7C YAMB & YAM9 combined for BDS C v1.46
136.21YAM89
              .CSM
                      5K
                           2F 28 /
                           EO 64 YAM modem program for KAYPRO II
136.22YANKAP
             .OBJ
                     27K
136.23YAN0S8
              1.80
                           1E 64 YAM modem program for OSBORNE 1
                     25K
                           E2 CF YAM moden program for SANYO MBC-1000
136.24YAMSAN
              .OBJ
                     25K
$16/M
                         SOFTWARE TOOLS OF AUSTRALIA - VOL 17
       Volume 135
                         CP/H utilities and misc, programs
135.010IR-DUMP.ASM
                      8K
                           42 F2 Displays disk directory formatted
135.02DIR-DUMP.DOC
                      2K
                           C9 83 for 64 col. screen
135.03DIR-DUMP.08J
                      1K
                           E6 7A /
135.04EXTCOM1 .ASM
                      5K
                           D8 24 Exit from CP/M to comms program (8251 UART)
135,05INE
              .MAC
                     14K
                           AD 16 Comprehensive disk format display
135.06INF
               LBO.
                      2K
                           7E A3 /
135.071T0H5000.ASM
                      8K
                           AC EB Graphics driver for C.Itoh 8010
135.08LD1
                           1F 9C Loader for machine language programs
              .0
                      8K
               .DOC
135.09LOCK
                      2K
                           71 59 'Locks' program for security
135.10LOCK
               .OBJ
                     11K
                           6B 39
135.11LOCK
               .WPF
                     11K
                           2F FB
135.14HKFY
               .na.i
                      110
                           RR 59
135.17MKEY
               .WPF
                      5K
                           EB 67
135.32UNLOCK .08J
                     11K
                           41 C1 /
135.33INLOCK
              .MPF
                     12K
                           88 34 /
135.12LPR
               .ce
                           2F 6F Printer program - currently set for Epson
                      6K
135.13LPR
               .OBJ
                     14K
                           B6 16 /
135.14MFT50
               .ASN
                     27K
                           89 CE Multiple file transfer program
135.15MFT50
              .ORJ
                      3K
                           97 82 /
135.18PCAT
               .BAS
                      6K
                           1C 42 Hardcopy catalog in master catalog system
135.19POKER
               .BAS
                     12K
                           96 C6 Beats you every time
135,20RFLOC
               .ce
                      4K
                           E2 59 Move a program to top of TPA and run it
135.21RELOC
               .ogc
                     19K
                           12 6F
```

D&N MICRO PRODUCTS, INC.



3702 N. Wells St. Fort Wayne, Ind. 46808 (219) 484-6414 TERMS: \$3.00 shipping. Foreign orders add 15% Indiana residents add 5% sales tax

Convert almost any static memory OSI machine to CP/M® D & N-80 CPU BOARD

- : Z80A CPU with 4MHz CLOCK
- : INTEL 8272 DISK CONTROLLER
- : CENTRONICS PARALLEL PRINTER PORT
- : RS-232 SERIAL PORT
- : 2716 EPROM MONITOR
- : REAL TIME CALENDAR CLOCK
- : 8257 DMA CONTROLLER
- : BANK SWITCH MEMORY CONTROLLER
- : OSI 48 PIN BUSS COMPATIBLE
- : STANDARD IBM 3740, CPM 8"DISK FORMAT

Specify OSI system type; Serial, Video. 8" or 5 1/4" disk drive

D&N-80-P Includes Single and Double density BIOS source code

Bootable CP/M 2.2 operating \$ 150

CPPC

CP/M 2.2

10 Foot Centronics Parallel Printer Cable

33

Circle No. 9


system diskette


CP/M AT THE TRADESHOWS



story by Len Horton and Errol Smith photos by Jeffrey S. Griffin









ROBOTICS.





CROWDS_


EXCITEMENT





MAGIC





total of more than 83,000 people pushed, shoved, stumbled and fought their way into a computer show that has become too big for them to see or appreciate. Half blinded by lighting that makes Christmas decorations never necessary in Las Vegas and distracted by the large number of slot machines, Blackjack games and people who looked as if they just stepped out of a Star Wars bar, COMDEX attendees somehow managed to make time to see some of the show displays.

If they were after new products, they had more than they could comprehend. Especially if they were interested in the IBM PC. Clearly, COMDEX has become a show of new software and hardware for IBM PC and PC compatible computers. Before IBM entered the market-place, Apple had much of the limelight to itself, but never as much as IBM now has.

Virtually all new software is being developed for the IBM PC, and new hardware is either "an IBM look alike," IBM compatible or, in some way, better than the IBM PC. This show marked the first time that PCjr went to COMDEX. It received more attention than any new product since the IBM PC. A remarkable accomplishment for a new computer that most experts believe is a disappointment for computer enthusiasts who were waiting for IBM's home computer.



The influence of the IBM PC on CP/M software development was clear. Most of the new CP/M packages will be developed after MS-DOS versions for the IBM PC. For example, OZ, Fox and Geller's new software program to help business executives manage their businesses, was announced for the IBM PC for \$495. OZ will spotlight revenue and cost variances, enabling management to react faster to problems.

Much of the other CP/M software was improved versions of existing packages. For example, MicroPro offered an extended cell

capability for an existing 16-bit system running CP/M-86 and, of course, MS-DOS and PC-DOS.


MicroPro did, however, offer an improved CP/M product for owners of Apple II, II+ and IIe computers. StarCard is a 6 MHz Z-80B processor with 64K RAM on a printed circuit board. Priced at \$695 when bundled with WordStar, new StarCard provides easier installation, user-definable function keys and expanded documentation.

MAG Software, Inc., of Canoga Park, California, introduced release 4.0 to permit any number of users to read and update files simultaneously without conflict or loss of performance. This new version is CP/M-80 and CP/M-86 compatible.

Gryphon Microproducts, of Silver Spring, Maryland, introduced a utility program for dBASE II programmers. Entitled The Array Program -- dB/RA, it offers dBASE II programmers the ability to expand the number of memory variables in their system from 63 to more than 65,000. With dB/RA, dBASE II can use up to 10 1-, 2- and 3-dimensional arrays of numeric, character and logical data. dB/RA is priced at \$200.

Interest in operating systems continues to grow, even beyond





Try listening to UNIX

That's what we do in UNIX REVIEW
We listen, and look, and probe
It's surprising how much there is that's fresh and new.
Just waiting to be shared
It's often that way with things that are simply elegant.
Like a shell. Like UNIX

UNIX™ REVIEW

THE MAGAZINE FOR THE UNIX COMMUNITY

UNIX is the trademark of Bell Laboratories, Inc. UNIX REVIEW is not affiliated with or sponsored by Bell Laboratories.

MS-DOS and UNIX, both of which were widely discussed at COMDEX. Multi Solutions, Inc., of Lawrence-ville, New Jersey, introduced its S1 operating system. According to Charles Lombardo, S1 permits good portability between 8-, 16- and 32-bit microcomputer systems. He also claims that S1 can read and write CP/M files as well as a number of other file types, including MS-DOS and UNIX.

If CP/M software introduction hardly set new records, there were some exciting new CP/M-based computer systems introduced. Morrow showed its MD3 portable computer system that includes 64K RAM; two double-sided, double-density, 5.25-inch floppy disk drives (400KB each); a 5" X 9" monitor with 24-line by 80-character display; two ports (one serial and one parallel); a detachable keyboard with more than 30 programmable function keys; and character-type graphics.

Bundled with the system are seven software packages including CP/M 2.2, Microsoft BASIC 80, word processing, spreadsheet, spelling checker, Personal PEARL database manager and Quest Bookkeeping System. Price is \$1.899.

Teleram Communications Corporation, of White Plains, New Jersey, announced two new, light-



weight portables that use CP/M-80 and CP/M-86. The T-4000, which sells for \$1995, and the T-5000, priced at \$2,495, fit into briefcases and include 64KB RAM, 4KB ROM and provide 128KB or 256KB of bubble memory.

Home computer enthusiasts now have another system to consider. The LASER 200, by Video Technology, of Elk Grove Village, Illinois, features a Z80A CPU and as many as 45 software cassettes including educational, entertainment, business and home management packages. Expandable to 64KB RAM, LASER 100 will be

priced at retail for less than \$100.

An Apple-compatible computer designed for use in vehicles, boats and aircraft was introduced by Wholesale Technology, Inc., of Anaheim, California. Named the Wildcat, it provides the ability to run CP/M 2.2 and Apple II software. With an aluminum carrying case, it offers Z80 and 6502 dual microprocessors and 64KB RAM. With one disk drive, 24 function keys and color graphics (280H X 160V at the max), it is priced at \$1099.

Many of the new computers are being called workstations. Digital Microsystems, of Oakland, California, introduced its DM-816 workstation that is compatible with the IBM-PC and permits the user to run either MS-DOS or CP/M. It includes 8088 and Z80A processors, 256KB RAM that can be expanded to 512KB. Its price is \$1695.

Some of these workstations are said to be "supercharged." The Series 8000 Turbo-Micro, from Advanced Computer Technology, of San Diego, California, a multi-user, multi-processor system that is designed to go head to head against better known multi-processor/multi-user systems such as from Datavue Corporation of Norcross, Georgia.

The Mentor 1000 is also a workstation that is compatible with both CP/M and MS-DOS. Introduced at COMDEX by Applied



Digital Data Systems, Inc., of Hauppauge, New York, Mentor 1000 uses 8086 and Z80A processors, dual 800KB disk drives and bundled software including word processing, spreadsheet, database management and graphics for \$3395.

Judging from the reaction of hundreds of show attendees, one of the most useful products might just be Bit Banger, a novelty item produced by Bits & P.C.'s of San Francisco. It is a foam-headed mallet frustrated computer users — and certainly frustrated and tired COMDEX show attendees — can use to relieve their frustrations. Better than an executive touchstone, Bit Banger could become one of the most useful new products introduced at COMDEX this year.



Perfect Link Specifications Wireless disk file transfer (IBM computer reads and Sending and receiving files rites diskettes from other computers) Non-ASCII (binary) file transmission* Send/receive with/without name options Disk formats supported Epson QX—10 Kaypro II IBM PC CP/M 86 Single Density IBM PC CP/M 86 Double Density Terminal Evaluation Tity ("Dumb" terminal) Talevideo 920 VT-62 ADM-3a Osborne I Double Density Zenith Z-90 737 Any PC-compatible MS DOS format disk Automatic dialing and log-on 10 programmable system definitions all relevant parameters, including phone number, identification number, auto log-on sequence, communications settings Utilities On-line viewing of disk directories Deletion and renaming of disk files Phinter on/off toggle Miodem/telephone hangup Transmission of true break signal Auto exec key (allows auto dialing upon loading of system) Automatic log-off key 20 programmable keys per system (200 total, up to 80 characters each) 9 pause specified seconds (up to 80) 1 issue break sequence 9 wet for specified response Automatic set-up for major information and communication services CompuServe Dow Jones Clock Display · Elapsed time of transmission Continuous connect time Estimated transmission time of file to be sent Knowledge Index NewsNet Official Airlines Guide The Source Computers supported (minimum 128K RAM) IBM PC, XT Columbia MPC, VP Communications settings Modem options XMODEM protocol file transfer XON/XOFF support during file send/receive Full-duplex, half-duplex options Hayes Smart 300 or 1200 Robotos Smart 300 or 1200 Novation Smart 300 or 1200 Other Smart 300 or 1200 (definable auto-die) command Use carrier option RTS/CTS protocol (Request to Send/Clear to Send) Novation J-Cat Leucon Lex-11 GDI 212a Any Bell 103 or 212a compatible modem Manual Dial 300 or 1200 Multi-modern MT 212AH TNW Diperator 103 Rixon PC212A Tab to space conversion (upon receiving) 110-9500 baud support Multiple file transmission Echo to screen of transmitted file (send without error Checking) Optional add/delete of linefeeds

PERFECT SOFTWARE

The Perfect Software Corporation introduced a new telecommunications program to communicate with electronic mail systems, information services and other computers. Initially Perfect Link will only be available for IBM PC and compatible systems. The package has an automatic installation feature and is pre-configured to work with eight information and communication services including MCI Mail, Western Union Easy Link Dow Jones Knowledge Index and The Source. An automatic dialing and logon capability allows the user to set the relevant parameters such that the logon process is accomplished with one button. Of course, Perfect Link is compatible with their Perfect Writer.

A wireless disk file transfer system allows IBM PC's and compatibles to read and write diskettes from computers using CP/M, CP/M 86 and MS/DOS. Also, it can transfer files via modem using the common X-modem protocol. A more comprehensive list of the capabilities is shown below. Perfect Software is in Berkeley, California, 415 527-2626. Circle No. 75



DBSI ENHANCES THE DBS-16

The DBS-16 is a multiprocessor, multi-tasking 16-bit super microcomputer. It will support up to 16 users with as many as seven Intel 80186 processors. It operates under MP/M-16 and DBSI's own DBS-NET for multi-processors. The basic module includes one 80186 in a desktop cabinet and is capable of supporting up to four users with up to 512K RAM memory. An expansion chassis may be mounted under the desk-top unit that has positions for the six additional 80186 processor cards or standard Multi-bus cards in any combination. A fully configured DBS-16 will utilize 3.5MB of processor memory on a 50MBit bus, one of the fastest around. This system is particularly well suited for OEM and vertical applications due to its growth potential.

At COMDEX, DBSI announced a removeable 5MB Winchester Disk, added disk capacity and a 13MB streaming tape for back-up requirements. DBSInternational is a subsidiary of Digilog based in Montgomeryville, Pennsylvania, phone 215-628-4810. Circle No. 67





OLYMPIA 16-BIT PEOPLE COMPUTER

The new Olympia People 16-bit professional microcomputer made its debut at COMDEX. Targeted for corporate executives, small business owners and professionals, People will operate under CP/M 86, Concurrent CP/M or MS/DOS. Olympia has been in the office equipment business for over 75 years so the support should be there. People's CPU comes standard with 128KB RAM which can be expanded to 512KB, and includes two floppy drives with 1.3MB storage capacity each. A parallel printer port and RS232 port are standard and IEEE interfaces may be added as options. Also standard are a 12-inch green non-glare CRT and a 91-key freestanding keyboard. Bit-map graphics are supported with 640 X 475 resolution. Other options include: a color monitor and controllor with an eight-color palette and a 10MB Winchester drive. The U.S. retail price is \$3595. Olympia is a subsidiary of Olympia International of West Germany. The U.S. office is located in Somerville. New Jersey. phone 210-722-7000. Circle No. 68






ITT INTRODUCES XTRA

ITT Corporation has joined the long line of IBM PC compatible vendors. Their new XTRA will be marketed in the U.S. by ITT Courier Terminal Systems headquartered at Tempe, Arizona. Again, the new generation of computers is beautifully packaged with better video and smaller footprints on your desk. The CPU specifications as far as RAM and disk storage are the same as the PC, however, XTRA does have a serial and parallel port as standard. One very interesting thing is that ITT is going to provide financing for both the dealer and retail customer. Soon computer retailing is going to look like the automobile market, that is, the seller must take in trades and provide financing. ITT appears to be taking the service issue very seriously, there will be nationwide on-site service support through ITT

field engineers; telephone application support via an 800 number; a 90-day warranty; ITT regional service centers and a user selfmaintenance program. They are also setting up a user training program using video cassette programs. ITT Courier's phone number in Tempe, Arizona, is 602-894-7000.

Circle No. 11



THE HELIX PC BUBBLE DISK

Helix Laboratories, Inc., introduced the PC Bubble Disk, a halfmegabyte memory expansion board. The board is designed to emulate a Winchester in the IBM Personal Computer. The Bubble Disk responds to fixed disk commands under most operating systems found on the PC including CP/M, Pascal, and PC-DOS. The Bubble Disk can also boot any of the above operating systems. The board contains four Intel 7110-4 one-megabit memories providing a non-volatile mass memory with no moving parts. Performance is good with an average access time of 48 msec and a transfer rate 400 kbits per second. It would seem that one of the better applications for this device would be in the portables. The price is \$1495. Helix Laboratories is in San Diego. 619-451-0270. Circle No. 12



THE STM PERSONAL COMPUTER

STM announced at COMDEX new STM PERSONAL COMPUTER. STM is the U.S. supplier of the Pied Piper computer and its new computer bears some resemblance. The STM PC comes standard with a 16 line by 84 character LCD display that even supports a 540 X 200 pixel graphics package. Except for GRID systems. this is the best LCD display to date. The panel is backlit by an electroluminescent panel so its brightness is not dependent on ambient lighting, in fact it would work in a dark room. Also there is an expanded display capability for standard video monitors which supports 25 X 80 or 25 X 132 character formats. In the expanded display the graphics resolution is 640 X 400 pixels. The STM PC features 256KB RAM expandable to 512KB and has dual 1MB floppy disk drives for a total of 1.6MB formatted storage. This is probably the largest floppy storage of any portable computer. The STM PC also includes a built-in, auto-dial, auto-answer, 300/1200 baud modem. There is communications software included for ease of use with information services and file transfer. The product is driven by an Intel 80186. A built-in 40 column thermal printer has graphics screen dump capability. Bundled software includes wordprocessing, a spreadsheet and a filer package. The unit weighs only 17 pounds and is quite compact, however, it doesn't have batteries and requires standard AC power. The STM PC seems like an excellent buy at under \$3000. Shipments will begin in April, 1984. STM Electronics is based in Menlo Park, California, telephone 415-326-6226. Circle No. 13



XEROX 1800 PORTABLE COMPUTER

The XEROX COMDEX exhibit featured their new 1800 line of portable computers designed for executives who travel. The line includes the 1810 which has an 8-bit CPU and CP/M. The 1810 has 64KB of RAM and a LCD screen. It weighs only 5 pounds and will fit in a briefcase. This includes a rechargeable battery pack that will operate the computer for up to 10 hours. Standard features include an appointment calendar, alarm clock, four-function calculator, tape recorder, electronic mail capabilities and Microsoft BASIC. The XEROX 1850 flat pack, an 8- and 16-bit processor with CP/M and MS-DOS upgrades the 1810 to a dual processor system. In addition, the 1850 features a built-in modem and serial and parallel ports. Although designed for office use, the 1850 is transportable. It can be expanded from 128KB to 512KB RAM.

The 1800 line is being marketed through the XEROX retail stores, further information can also be acquired through their Wellesley, Massachusetts, office at 617-237-3220. Circle No. 14









CHAMPION SOFTWARE CORPORATION

Champion Software, formerly Data Base Research Corporation, announced that it is demonstrating their popular 8-bit CP/M program, the Champion Business Accounting System on 16-bit systems. It will run under CP/M-86, MS/DOS and PC/DOS. The program is written in dBASE II and comes with a special 16-bit run-time version of dBASE II.

The software is noted for its features such as: automatic recovery, a comprehensive "HELP" function, performance and ease of use. Champion Software is in Lakewood, Colorado, 303 987-2588.

Circle No. 15

BUSINESS SOFTWARE LIMITED

Business Software Ltd. is an Australian firm that is introducing two new products to the U.S. marketplace. PLANFIN is a forecast and budget program and PROFIN is a financial analysis program. Both are menu driven and easy to use. The programs are available through Softeam, Lifeboat and Westico. Demonstrations of the programs capability will soon be available through a network of over 350 dealers across the nation. Business Software can be contacted in Los Angeles, 213-410-3912.



TG PRODUCTS ANNOUNCES MODEMS

TG Products, a manufacturer of video game equipment, has entered the communications market with a couple of very interesting products. We would have to call the ICI-1200 a "very" intelligent modem. It offers: 300/1200 baud rates, autodial, auto-answer, auto-redial, builtin 6502 microprocessor, buffer memory, non-volatile phone number directory and a real-time clock and calendar that lets you program calls at pre-selected times. In addition to all that, there is a printer port and spooler that lets you print files while processing other jobs. The 6502 processor will even let you send and receive files without being connected to your computer. All of the common communications attributes are supported: half or full duplex, 103, 212a, CITT, and V.21. The ICI-1200 performs an auto self-test every time is is powered up and the audio monitor has a volume control. It sells for less than \$600.

TG is definitely setting a new standard in modem features, it sounds more like an entire computer system.

The other new modem, the TGM-300 is an inexpensive auto-answer auto-dial modem with automatic self-test. It sells for less than \$100 and there are versions that plug directly into the Commodore and Atari computers. TG can be contacted in Plano, Texas, at 214-424-8568. Circle No. 18







FURNITURE, FURNITURE AND MORE FURNITURE

It was evident at COMDEX that the information revolution is broadening. There were at least 70, yes seventy, furniture exhibits. They range from inexpensive and functional to elegant, designer systems made from the finest of materials. It looks as if quite a few people are spending as much on their furniture and accessories as they are on their computers. One of the more interesting pieces is the new ergonomic chair. It has no back and the seat slants forward with a large share of your weight on a padded kneerest. I've been told by our typesetters that spend their day in front of a CRT that the chairs really work - no more back aches and burning sensations after a few hours.

Some of the new office furniture products (chairs, shelves, desks, etc.) are very clever, but it's pretty far afield from CP/M and computer technology, so we won't go into more details. However, if you care to do some research into office furniture, we have compiled a list of names, addresses and phone numbers. We would be glad to mail it to you if you send a self-addressed, stamped envelope to our business office. Circle No. 19

THE GIGADISC

Thompson-CSF Communications has introduced a laser disk subsystem that can store a billion bytes of information. In fact, all of the operating characteristics and statistics are rather amazing. Like the bubble memory -- we have been waiting for practical, cost-effective devices for years, at last it has arrived. Some of its characteristics: it can be recorded only once, the disks are removable, it is physically small - about 10 inches high and 19 inches square, a ten year storage life, the platters are inexpensive, the recording surface is protected by a transparent coating so the media is tough, no special environment required and one controller can handle up to 8 drives. The disk is organized like a magnetic disk into tracks and sectors, however, the track is a continuous spiral which allows continuous stream reading and writing. Each sector can be

	THE READ-WRITE UNIT	2.	THE STORAGE MEDIA
TECHNOLOGY		TECHNOLOGY	Thermal alteration of a film encapsulated within the disk
INTERFACE	SCSI (Small Computer System Interface)	SIZE	· diameter 12" (305 mm · weight (with its cassette) 1,300
PACKAGING	 two models are available: 19" rack mount/4U (RETMA standards) stand-alone 	FORMAT	recording sides 1 or tracks/side 40,00 sectors/track 2
	 front loading disk (within a cassette) 	USERS'S AVAILA	ABLE CAPACITY
ACCESS TIME (typical)	within a band (40 tracks) 3 ms beyond the current band 100 ms average latency 25 ms		per sector 1 K per track 25 K per band (40 tracks) 1 M
TRANSFER RAT	E: to/from disk 4.1 Mbits/s at the SCSI interface 8 Mbits/s		· per side 1 G · per disk (double sided) 2 G
RELIABILITY	· error rate (after correction) 10 ⁽⁻¹²⁾ · MTBF 10,000 hours · MTTR 30 mn	LIFETIME	 before recording after recording plastic copies metallic copies 5 yea 10 yea 10 yea metallic copies
POWER CONSU	JMPTION 250 W (max.)	ENVIRONMENT	operating + 10°C to + 43°
	operating + 10°C + 43°C		storage - 10°C to + 49°

directly accessed with about 100 millisecond seek and latency time. The GIGADISC sounds like the perfect archival device if you have a

massive data storage requirement. Thompson-CSF has a New York office, 914-694-4450. Circle No. 20

Operational Systems Flow Diagram IBM'S proposed LAN XT/370 PC-3270 LAN PC or XT Host Micro/main irame link Communications layer Database Machine high level command intertace Operating System Database Machine low level command intertace BIOS BIOS Database Machine Fixed disc I/O

THE DATABASE MACHINE BY COGENT

COGENT, a Bellevue, Washington firm, has announced an IBM PC board it calls The Database Machine. At first it seems a little overstated to call a board a machine, but in this case it is legitimate. The DM (for short) is a true back-end processor for the IBM PC that is engineered to replace the XT disk controller. It contains a ROM operating system and an on-board 80186 that runs independently from the host. The DM performs all file

access functions and will allow shared files by implementing a record locking scheme. Cogent claims that certain file operations operate six times faster that with the IBM adapter. The DB is compatible with all the standard PC operating systems and contains 192K of on-board ram. The DB used in conjunction with a local area net can act as a file server, and provide for multiuser, distributed database service. You need one DB for each hard disk on the network. Cogent's phone number is 206-455-3343.



EXPANDO-VISION

The copy on the front of their glossy flyer reads " EXPANDO-VISION BRINGS POSITIVE SUBLIMINAL MESSAGES TO YOUR TV SCREEN. LET YOUR SUBCONSCIOUS USE THEM TO HELP YOU FORM NEW, CON-STRUCTIVE HABITS... BUILD YOUR CONFIDENCE...ENRICH YOUR LIFE". Stimutech Inc., definitely leads the parade for bizarre computer products with Expando-Vision. The system consists of an interface for your Commodore or Atari computer and a program cartridge which looks about like a video game cartridge. Messages are flashed on your TV screen while you are watching your favorite program. The messages are flashed for just 1/30 of a second which is below one's "level of consciousness", but the subconscious picks it up and starts to influence your behavior. The FCC prohibits broadcasting subliminal messages so there must be something to it. So far, the program cartridges being offered are: Weight Control. Control Smoking. Stress



Control, Control Drinking, Athletic Confidence, Study Habits, Career Success and Sexual Confidence. Somehow this whole thing seems like cheating at solitaire. I must admit it conjures up some odd mental images of the family sitting around watching TV. While I'm trying to cope with my overweight problem my 68 pound, 10 year old

son is getting blasted with "don't eat - don't eat, etc". Or what about the effect on my 13 year old daughter while I'm building my Sexual Confidence. Without wishing Stimutech any bad luck, somehow I'm dubious. Stimutech can be found in East Lansing, Michigan, 800-821-2424. Circle No. 22



TELEVIDEO ANNOUNCES 16-BIT PORTABLE

Televideo announced its second entry into the portable computer market with its TPC-II. The TPC-II is designed for the business and professional market where they feel portability has an advantage over desk-top systems. It is IBM PC compatible and compatible with the new Tele-XT, Televideo's answer to the IBM XT. The TPC is available with one or two floppy drives with 360KB capacity. It also includes rear panel connectors for a color monitor and composite video. The 8088 processor has 128KB RAM memory and is expandable to 256KB. The 9-inch display includes standard graphics capability of 640 X 200 pixels. The keyboard is the standard IBM configuration and there are built-in serial and parallel interfaces. Televideo is located in Sunnyvale, California, phone 408-745-7760. Circle No. 24

THE APRICOT FROM GREAT BRITAIN

The Apricot is being introduced as a "fourth generation microcomputer" and is a very attractively packaged computer with quite a few features. The manufacturer states that sales in Great Britain exceed both the IBM PC and Apple. It is being introduced in the United States by the ACT Corporation located in Santa Clara, California, The Apricot is based on the 8086 and comes standard with 256K of main memory and two 3.5-inch Sony MicroDrives, each with 315 Kbytes of storage. There is an 80-character LCD display built into the keyboard which displays two 40-character lines that allow the computer to operate without its CRT monitor. CP/M-86, Concurrent CP/M and MS-DOS are included along with an integral calculator and bundled executive software. The Apricot is "ready to work" -- when turned on, it comes up with a menu of options and applications. When an application is selected there are prompts on how to run them. The software



includes: MBASIC, SuperCalc, Personal Basic, SuperPlanner, and a communications package with a transfer utility. The LCD display on the keyboard is cleverly placed over the function keys such that they can be dynamically redefined (an exceptional feature) and all keys are soft so the prompting of applications is very powerful. The screen is a

nine-inch, high-resolution CRT with 800 X 400 graphics capability. There are eight fixed-function keys with operations common to all applications, such as help, undo and repeat. The twin disk system with monitor lists in the U.S. for \$3190. For further information contact ACT Inc., at 408-727-8090 in Santa Clara.

Circle No. 25



THE CHAMELEON

The Chameleon is yet another fine looking portable computer. It is the product of Seequa Computer Corporation of Odenton, Maryland. It has both an 8088 and Z80 processor and supports CP/M 80 and MS DOS. The dual disk drives are formatted at 160KB each, singlesided or 320KB each if double-sided. Memory is 128KB RAM expandable to 256KB. The display is a 9-inch green phosphor CRT formatted at 80 X 25 characters or 40 X 25 characters. External color graphics are supported with a 320 X 200 resolution with four colors from an eight color menu. There is one serial and one parallel port and a built-in fan. Software includes Microsoft BASIC, PerfectWriter and Perfect-Calc. Seequa Computer Corporation's telephone number in Odenton. Maryland, is 301-672-3600.

DATA 20 INTRODUCES CP/M SOFTWARE FOR COMMODORE

Data 20 Corporation has recently introduced a CP/M Starter Kit for use with the Commodore 64. The Starter Kit is free, if you purchase Data 20's Z-80 Video Pak which includes CP/M. Newword is a wordprocessor with a full-screen editor and all the standard commands like delete character. delete word, move text, etc., plus global commands, file and mail merge and many other powerful capabilities. Filebase is a database manager that is compatible with Newword. It is menu driven and appears that is would be very useful in the Commodore environment. Data 20 has new competition in that Commodore itself is offering a CP/M module for the "64", the Starter Kit should give Data 20 a boost in this battle. CP/M for the Commodore makes a lot of sense -- now somebody needs to do something about those slow Commodore disk drives. Data 20 is located in Laguna Hills, California, phone 714-770-2366. Circle No. 27



MAD-1 WORKSTATION ENHANCED

The MAD-1 is a very stylishly packaged, high-performance computer. Its processor is the Intel 80186 and the company claims twice the performance of the IBM PC while being compatible. It comes with 128KB RAM, a color video controllor, 2 RS232 ports, a parallel port and two 360KB floppy drives as standard equipment. The system is priced at \$4195. The enhancements announced at COMDEX were: a built-in 300/1200 212A compatible modem and a half-height 10 megabyte hard disk. The modem option gives the user automatic speed selection and five dialing procedures under software control. The hard disk replaces one of the floppy disks that are standard with the MAD-1. The MAD-1 equipped with hard disk and modem sells for under \$7000. Mad Computer, Inc., is headquartered in Santa Clara, California, phone 408-980-0840.



THE EXECUTIVE 816, A BRIEFCASE COMPUTER

This very compact machine comes to the U.S. from Australia. Made to go anywhere in the world, the power supply will take 110 or 240 volts or will run from a cigarette lighter. The name might imply that it is both an 8- and 16-bit machine, but that is not the case. The processor is a A80A with 64KB memory: there is a 5-inch screen formatted for 80 X 24 characters and the two floppy disk drives have a 1.6MB capacity. There is a connection for an external monitor; a hard disk; dual 8-inch floppy drives. A serial and parallel port are standard. Probably the most notable features about this system are the size, about the size of an attache case, and the software included. The 816 comes with CP/M 2.2, accounting, project costing, membership and mailing, word processing, communications, database, games, time management, spreadsheet software.

Information on where to buy in the U.S. can be obtained by writing to: AMUST Compak, 50 Keys Road, Moorabbin, Victoria 3189, Australia. Circle No. 29

MENTOR 1000 INTRODUCED BY ADDS

Applied Digital Data Systems Inc., is a wholly owned subsidiary of NCR, one of the largest computer manufacturers. They don't claim PC compatibility - must be big enough to stand on their own. The Mentor 1000 has both 8086 and Z80A processors and will run MS DOS or CP/M. It features high resolution graphics, 640 X 480, in black and white or color. Memory is expandable from 128KB to 768KB and their floppy disks are formatted at 800KB. A 10MB Winchester is available in place on one of the floppy drives. The basic unit has two serial and a parallel port as standard. The Mentor 1000 will be available from ADDS dealers in early 1984 with prices starting at \$3395.

Information on where to find your nearest ADDS dealer can be obtained from their New York office, telephone 516-231-5400. Circle No. 30



MICROSTANDARD TECHNOLOGIES'S M3000

The M3000 is billed as a transportable computer. It is packaged in an all aluminum, waterresistant, dust-proof case which occupies only one cubic foot. The M3000 comes with three bus options: STD with four slots. VME with two slots or S-100 with two slots. The standard configuration is equipped with either two 376K floppy drives or one floppy and a 10 megabyte Winchester. This system is designed for industrial, scientific and military applications. The base unit is supplied with CP/M Plus. Other processor and operating system options will be offered. Other options include: an internal modem, external 8-inch floppy drives or a streaming tape drive. The price for the basic single floppy drive system is \$1645. MicroStandard Technologies is in New Lebanon, Ohio, call 513-687-1395 Circle No. 56

TANO MICROCOMPUTER PRODUCTS

TANO displayed two lines of microcomputers: the Apple compatible AVT-2A and The Dragon. The AVT-2A features 64KB RAM, a detachable keyboard with a 10-key pad and 8 function buttons. The bus is compatible with Apple, and has the standard 7 slots for peripheral expansion. The packaging and price are the interesting aspects of this system. Instead of making another "Fruit" machine, the case houses the floppy disk drives and is high enough to hold some very large vertically mounted PC boards. TANO offers a Z80 CP/M personality board and expects to have an 8088 MS DOS board with 256KB on-board RAM in the near future. With Apple, CP/M and MS DOS operating systems on the same machine, the owner of this system should have enough software. Salesmen in the COMDEX Booth were anticipating an internally mounted Winchester in '84.


TANO Microcomputer Products is a New Orleans firm, telephone 504-254-3500. Circle No. 60





COMPUPRO 10 MAKES DEBUT

The CompuPro 10 is a new multiprocessor system that features concurrent execution of both 8- and 16-bit industry standard software. The price works out to be less than \$1800 per work station. The "10" is aimed at commercial organizations that have been using traditional minicomputers in a multi-user and networked environment. In this system the processors share a portion of common memory and each have dedicated memory. This allows all of the system resources to be available to each user. CompuPro has adopted a master/slave architecture with a central 8088 processor to handle system resources and overhead such as disk, printer, and communications links. In this configuration each terminal has access to its own Z80B processor and dedicated memory for running 8-bit applications. The central 8088 processor and its main memory are dynamically allocated to each user for running 16-bit tasks. Standard features include 768K of main memory, seven serial ports, a Centronics printer port, up to 512K of RAM disk and dual floppy disks storing two Mbytes. In addition



there are four 8-bit Z80B user processors, each with its own 64K RAM. The whole system fits in a compact 7 X 18 X 22 inch cabinet.

The system runs under Compu-Pro's enhanced MP/M 8-16. In addition it comes bundled with financial spreadsheet, typing tutorial, executive record keeper and word processing application programs, as well as a sophisticated database management system. Hardware options include: an 8-MHz 8087 math coprocessor, external floppy drives and an internal Winchester drive. Maintenance is through Xerox's new Americare service program. CompuPro is in Hayward, California, phone 415-786-0909





Products and News

NEC PC-8800 ANNOUNCED

PC-8800 by NEC accepts either 8-or l6-bit software. The system consists of the PC-8801 microcomputer and a wide variety of peripherals. This new computer gives the user 16-bit processing capability, in addition to the standard 8-bit, through use of a convenient add-on circuit board with NEC's own 16-bit microprocessor. The PC-8800 ability to use high resolution graphics in either monochrome or color is builtin. In addition, it includes a detachable keyboard to allow freedom of movement for users, as well as a 14" high resolution monitor which produces larger characters for quick and easy reading. A complete numeric keypad features 5 user programmable function keys-10 available with shift key--and well-placed editing keys. A responsive N-key rollover input allows speedy, yet accurate, word processing and professional use. For further information about NEC's PC-8800 Microcomputer System, contact Tom Priestley, General Manager, NEC Home Electronics, USA, Inc., 1401 Estes Avenue, Elk Grove Village, IL 60007. Call (312) 228-5900.

Circle No. 32

DOCUPOWER! ANNOUNCED

Docupower! is a new idea organizer that works with any word processor. Docupower! assembles your random paragraphs, sections, pages, or any other word processor texts into a master indexed resource file of reusable ideas; just pick the sections from the master index to automatically create new word processor texts, reports, letters, proposals, school themes and articles. When you want to create new documents without retyping, scroll through Docupower!'s index. Automatic comment descriptions have been extracted for you from your text. You can view or preview any section before adding to the newly assembled text that Docupower! will create for you. You make up the new text by picking numbers from this indexed idea catagory file. Docupower! remembers the series of numbers and creates the new text file for you anytime you want to print or edit. Docupower! is published by the creators of Power!, and is available in 20 disk formats for all CP/M, CP/M-86, and IBM-PC computers. Price is \$149. Contact Computing!, 2519 Greenwich, San Francisco, CA 94123. (415) 567-1634.





PC ACCOUNTING PACK INTRODUCED

PC Accounting Pack, Digital Research Corporation's first application package bundle, includes Micro Business Applications' General Ledger with financial report generator, Accounts Receivable with invoicing, Accounts Payable with check writing and Concurrent CP/M 86. These features allow the user to

perform several accounting tasks simultaneously; the programs automatically request access to the computer's printer and release the printer when finished. Available now for the IBM PC and IBM PC/XT, the PC Accounting Pack retails for \$995.00. Individual products are priced at \$2135. Contact Digital Research at 160 Central Avenue, Pacific Grove, CA, 93950.

Circle No. 34

DATAMAC COMPUTER SYSTEMS ANNOUNCES COMPATIBILITY OF THEIR WINCHESTER HARD DISK SYSTEM WITH THE COMPAQ PORTABLE COMPUTER

Datamac carries a full line of IBM Personal Computer Peripheral Products which can now support the COMPAQ. The Datamac Hard Disk should be considered a home base (non-portable) master media which can be connected to the COMPAQ with a single connection. This feature allows the user's unit to remain portable: he can later download work to the Datamac hard disk. The Datamac Hard Disk System offers storage capacities of 6, 12, 18, 27 and 46 megabytes per drive. The retail price ranges from \$1895 to \$4991. Dealer inquiries are welcome. Datamac Computer Systems, 595 Pastoria Avenue, Sunnyvale, CA 94086, phone (408) 735-0323.

Circle No. 43

BRANVID SOFTWARE ANNOUNCED

BRANVID software for video rental stores has been announced by John D. Owens Associates, Inc. BRANVID provides video rental stores with a charge-out, check-in system with the option of printed receipts. It lists movie titles by categories. Member files give status of account, expiration, video format and number of films checked out. Management reports feature QWIK-STATS which summarize such daily activity as number of charge-outs and check-ins, number of new titles and new members. BRANVID is menu-driven, and runs under Ashton-Tate dBASE II or dBASE II run-time module. It retails at \$700. For further information, contact John D. Owens Associates, Inc., 12 Schubert Street, Staten Island, New York, 10305, phone Circle No. 37 (212) 448-6298.

AMT OFFICE PRINTER ANNOUNCED

The AMT office printer from Advanced Matrix Technology, Inc., is a new state-of-the-art desk top dot matrix printer designed to eliminate the need to purchase separate hard copy output devices for the word processing, spreadsheet, graphics, general accounting and overhead transparency output generated in the modern automated office.

The new product offers business users the print quality and flexible paper handling capabilities of a daisywheel printer with the speed, multiple font support and reliable performance characteristics of a dot matrix device. To support word processing, "letter mode" is selected and true letter quality output is printed at 45 characters per second. With the optional multicolor ribbon cartridge installed, business documents such as spreadsheets can be illustrated with high resolution color graphic images with dot addressability of up to 240 vertical by 720 horizontal dots per inch.

The AMT Office Printer also produces overhead transparencies. Using an Orator font optimized for projection, and a multicolor ribbon, text, charts and other images can be produced in a full range of colors. AMT's corporate headquarters and manufacturing facilities are located at 1157 Tourmaline Drive, Newbury Park, CA 91320. Evaluation units of the new Office Printer are available immediately, with quantity shipments scheduled to begin January 1984. Circle No. 35

NEW LIBRARY EASES THE MIGRATION OF PROGRAMS

Whitesmiths, Ltd., announces the immediate availability of Release 2.2 of its C and Pascal Compilers. The new library eases the migration of programs written under UNIX to the nearly three dozen operating systems now supported by Whitesmiths compilers. These include all of the popular operating system dialects on the PDP-11 family, 8080 and Z80, MC68000, VAX family, and 8086, including the 8088, used in the IBM PC and DEC Rainbow 100, and features optional

support for the 8087 math coprocessor and the enhanced 80186 and 802186 instruction sets. On the IBM PC, programs can run under CP/M-86, DOS l.X, or under DOS 2.0. The compiler packages include the C Native Compiler, the Pascal Translator (if applicable), libraries, media, and documentation. Other programming utilities are included. A C Native Compiler costs \$550: Pascal Native is \$1100; a C Cross Compiler is \$1100, and Pascal Cross is \$1400. For further information. call (617) 369-8499, Cristina Hanley, Whitesmiths, Ltd., 97 Lowell Road. Concord, MA 011742. Circle No. 38

VIRTUAL MICROSYSTEMS **RELEASES BRIDGE/86**

Virtual Microsystems has released BRIDGE/86, a DEC VAXbased microcomputer software development system for MS-DOS and CP/M-86 microcomputers. BRIDGE/86 is an extension of VMI's family of BRIDGE products. which allow minicomputer programs to run microcomputer software. BRIDGE/86 includes the BRIDGE software, a license to MS-DOS or CP/M-86, VMI's 88-Board, and a variety of software development utilities. In BRIDGE/86, MS-DOS or CP/M-86, code runs on the 88-Board, which features 2 8088 processors, 512 Kbytes of memory, serial ports, and a bit-slice controller. The BRIDGE software runs on the VAX, and maps all MS-DOS or CP/M-86 output onto the VAX peripherals. All code written is stored in VAX files, so that the VAX automatically imposes a level of source code control and permits multiple programmers to work together on the same project. Cost for the BRIDGE/86 system is \$7500. Additional 88-Boards can be added to a system for \$4000 apiece. Quantity discounts are also available. Call VMI at (415) 841-9594 for additional information. Ask for Deryk Van Brunt. Circle No. 45

INFO-80 APPLICATION **DEVELOPMENT SYSTEM** ANNOUNCED

INFO-80 Application Development System is a complete data base system targeted for the beginner as well as the advanced computer user. INFO-80 includes building blocks for file definition, data entry and editing, file sorting and merging, record access selection, report and letter writing, file format conversion and menu driven job control. It will interface with word processors, and allows INFO-80 files to be merged with text for correspondence processing. Custom programs written in any CP/M based language can be easily interfaced. INFO-80 uses an 8080, 8085, Z80 based computer with 64K bytes of memory, at least 500K bytes of disk storage and a computer that uses the CP/M operating system, Price: \$395. Contact the Software Store, 706 Chippewa Square, Marquette, MI 49855. (906) 228-7622. Circle No. 46



EUREKA!

"Up the creek" Searching for files?

Ever wasted time looking for a file on disk after disk? Next time let EUREKA! find it for you. For CP/M 2.2 systems, EUREKA! is the most thorough easy to use disk cataloging system available.

- 'Menu driven' with quick and smooth response Put key comments in files as you work on them Find files by name or key text See disk information, including space available

EUREKA !... search no more ...

Only \$50

Mendocino Software Company, Inc. (707) 459-9130

Dept. C-1

P.O. Box 1564

Willits, CA 95490

CP/M is a registered trademark of Digital Research Corp EUREKA! is a trademark of Mendocino Software Co., Inc.

Circle No. 44



COMMUNICATIONS SOFTWARE

WHY BUY 3 PROGRAMS? LYNC HAS ALL 3 IN ONE!

1) FILE TRANSFER 2) REMOTE OPERATION 3) COMMUNICATE WITH TIME-SHARE

Easy set up on most systems. Menu driven install program. Command Mode of operation Help Screen for Lync & Term



Z80 based CP/M \$155 PC DOS \$155 TRSDOS \$75

We're Not the Biggest, Just the Best.


International Software Alliance (805) 966-3077

Santa Barbara, CA 93103 1835 Mission Ridge

* DEALER AND OEM INQUIRIES INVITED *

FORMATS: 8" Standard; IBM PC DOS; TRS-80 Mod II with CP/M; VectorGraphic; Cromemco; North Star; Osborne; Xerox 820 (8" or 5"); SuperBrain; NLS KayPro; TeleVideo; TRS-80 Model I or III; Zenith/Heathkit; Victor 9000; Sanyo; Altos; Fujitsu: Otrona.

M is a trademark of DIGITAL RESEARCH. LYNC is a trademark of MIDNIGHT SOFTWARD



SOFTRONICS ANNOUNCES THE COMPETITIVE EDGE

The Competitive Edge, available from Softronics, Inc., was developed to assist realtors, brokers, bankers, accountants, developers and private investors. The program can quickly analyze complex purchase offers and determine the best terms from the seller's point of view. No software or programming knowledge is needed to run it. The Competitive Edge is compatible with CP/M based microcomputers and is available in both 5 1/4" and 8" disk formats. It is also available for the IBM-PC and IBM-PC compatible computers. Retail price for the Competitive Edge is \$500. A \$10 demonstration kit is available for experimenting with the program prior to purchasing it. For further information, contact Ken Zaremba, Softronics, Inc., 100 S. King Street, Suite 270, Seattle, WA, 98104, phone (206) 587-0688. Circle No. 49

COMPARE Products. Get Answers. GUARANTEES

C Helper includes source in C for CP/M80, MSDOS for a: DIFF, GREP Flowcharter, XREF,

C Beautifier and others. \$115.

Note: all prices subject to change without notice

Ad Changed 12/30/83

We research and specialize only in software for programmers of micros. If a product is unknown to you and we recommend it, then we take the risk.

PHILOSOPHY: We carry every programmer's product for CPM80, MSDOS and CPM86 plus every key product for APPLE, Commodore 64, ATARI and TRSDOS.

TITLOSOTITI. We carry every prog	animer's product for crimou, misbos and	Crimoo plus every key product for AFFLE,	Collilloudie 64, Alaki aliu 185005.
"C" LANGUAGE APPLE: AZTEC C-Full, ASM \$199 call 8080: BDS C-Fast, popular 8080: AZTEC C-Full 199 call Z80: ECOSOFT-Fast, Full 250 225	PASCAL	ASSEMBLER LIST PRICE PRI	*Fortran Level H with no changes for PCDOS *COMMERCIAL TOOLS - COMM 64
8086: C86 - optimizer, Meg 399 call 8086 Lattice - New1.18 2.0 600 495	SBB PASCAL great, fast PCDOS 350 315 PASCAL 64 - nearly full COM 64 99 89	OPERATING SYSTEMS	ADA - Janus CPM-80 \$300 \$259 ADA - Janus with tools
MicroSoft (Lattice) MSDOS 500 call Digital Research - Megabyte 8086 350 280 Desmet by CWare-Fast 8086 109 99	LANGUAGE LIBRARIES	CPM-86 PC \$60 \$49 "CPM86 Emulator" MSDOS NA 95 MicroShell upgrade CPM 8080 150 125	PCDOS 500 449
BASIC	C_to_dBASE - interface 8086/86 NA \$95	"MSDOS Emulator" CPM86 NA 95 "Multitasking PCDOS" PCDOS 239 175	MAGIC/L - Intriguing CPM80 295 call
Active Trace-debug 8080/86 \$ 80 73 MBASIC-80 - Microsoft 8080 375 \$255	FLOAT87 - Lattice PL1 PCDOS NA 115 GRAPH GSX-80 CPM80 60 50	QNX - real time UNIX PC 650 call	MODULA II - 8086 495 455 MODULA II - PCode APPLE 495 455
BASCOM-86 - MicroSoft 8086 395 279 CB-86 - DRI CPM86/PC 600 449	HALO PCDOS 150 125 ISAM Access Manager-86 8086 400 300	C Helper - DIFF, Flow 8080/86 NA 115	DI 23 OC DDI COM DE 750 550
PBASIC - DRI 8086 150 119 Business BASIC-MicroS MSDOS 600 449	PHACT - with C PCDOS NA 250 FABS CPM80 150 135 PASCAL TOOLS PCDOS NA 115	MicroTools CPM60 150 125 NORTON for 1 1 or 2 0 PCDOS 80 65 NORTON Book with Disk PCDOS 80 65	ASCOM 80 CPM80 175 159
EDITORS Programming	SCREEN Display Mgr-86 8086 500 375 PANEL-86 - many PCDOS NA 315	Power CPM80/PC 169 139	CPM80/PC 225 1B5
BELLESOFT - PASCAL MSDOS \$ 245 call	WINDOWS - AMBER PCDOS 295 call	Programmer's Toolket 8080/86 NA 95	"Read CPM86"
C Screen Editor - source 8080/86 NA 60	FORTRAN	COBOL	MSDOS NA 95 LYNX - Overlay Linker
EDIX PCDOS 195 149 FINAL WORD 8080/86 300 225	MS FORTRAN-86 - Megabyte MSDOS \$350 \$265 SS FORTRAN-86 CPM-86 425 345	CIS COBDL - no royalty CPM80/86 \$800 \$600 Level II COBOL - High 8086 1600 cal MS COBOL-86 MSDOS 750 595	CPM80 250 215
MINCE CPM, MSDOS 175 149	FORTRAN-80 - '66 decent CPM80 500 350 INTEL FORTRAN-86 IBM PC NA 1400	RM/COBOL-80 CPM80 750 595	MSD0S 350 315
PMATE - powerful CPM 195 175 8086 225 195	101111111111111111111111111111111111111	RM/00B0L-86 8086 950 745	
VEDIT - full, liked CPM, PCDOS 150 119 8086 200 159	4		Trace-86 .25 · 115
SERVICES	Call for a catalog, literature, compara per item purchased. All FO	RMATS available. HIGHL	T DISCOVERIES

Circle No. 47

800-421-8006

THE PROGRAMMER'S SHOP TM 908-D Providence Highway, Dedham, MA 02026.

617-461-0120, Mass: 800-442-8070

MASTER CARD

Programmer's Referral List

Compare Products Help find a Publisher


Evaluation Literature

VISA

* Dealer's Inquire

* Newletter * Rush Orders

Bulletin Board



RING KING VISIBLES, INC., INTRODUCES ITS DISKETTE FLIP FILE

This vinyl binder holds 20 full size or mini diskettes within individual protective sleeves, and comes complete with removable index strips in 4 colors and a printed diskette reference on spine. For further information contact Ring King Visibles, Inc., 2210 Second Avenue, Muscatine, IA 52761; phone (319) 263-8144. Circle No. 50

PLASTIC PRINTWHEELS NOW AVAILABLE

Plastic Printwheels with glass reinforced characters are now available for Diablo, Qume and C Itoh daisywheel printers using 96-character plastic printwheels. These printwheels offer a longer life than conventional plastic printwheels and produce a better print quality. A printout of the 14 typestyles is available from: Business Support Services, Inc., 705 Butternut Avenue, Royal Oak, Michigan 48073.

Circle No. 51

TRI-DATA AWARDS CONTRACTS

TRI-DATA has awarded contracts to QYTEL, Ridgefield, N.J., Networks, Inc., Miami Lakes, Florida; CGDATACOMM, Pittsburgh, Pa.; and Sunbelt Data Services, Inc., Houston, Texas, as systems distributors for its

NETWAY family of communications processors. Tri-Data's NETWAY product family allows a variety of hosts, personal computers, terminals, word processors and peripheral devices to communicate in a network regardless of protocols used. The processor can be configured as a multiplexor, protocol converter, cluster controller, packet processor and nodal processor. Among the protocols supported by the NETWAY product family are IBM BSC and SNA/SDLC as well as Burroughs Poll-Select, ASCII Start/Stop, ICL C03 and X.25. Tri-Data is a manufacturer and supplier of communications products. Its OZ message-station and intelligent network modem products have been approved and used by many major carriers in the U.S. and Canada. Tri-Data is located at 505 East Middlefield Road, Mountain View, CA, 94043. (415) 969-3700.

Circle No. 52

ALTOS USERS

LOOKING TO UPGRADE YOUR SYSTEM?

THE
ASI 8000
HARD DISK
SUBSYSTEM
OFFERS A LOW
COST SOLUTION
TO MASS
STORAGE

Available in 6, 12, or 31 megabyte versions for all ALTOS 8 Bit Floppy-based systems.


(408) 978-2620 Almaden Systems, Inc

1610 Blossom Hill Rd., Suite 7 San Jose, CA 95124

Circle No. 53

GRAFTALK TO RUN ON THE DEC RAINBOW 100

GRAFTALK, a business graphics software package by the Redding Group, has been specially adapted to run on Digital Equipment Corporation's Rainbow 100. GrafTalk is a device-independent, business graphics software package that uses English language commands interactively, runs commands from disk files, or uses customized or standard menus. It produces stacked, percentage, clustered or floating bars; exploded pies; scatter diagrams; line and combination plots; and a range of move, draw and other graphics and text commands. It also includes a minispreadsheet and text editor. Other systems recently supported include the IBM-PC and Zenith; NEC, Epson, and Victor are among those in the works. Contact the Redding Group, 609 Main Street, Ridgefield, CT 06877; (203) 431-4661.




NEW DEVELOPERS OF EDUCATIONAL SOFTWARE ADDED

Soft-Kat, Inc., has added four new developers of educational soft-

ware--Developmental Learning Materials (DLM), Micro-Ed, Program Design, Inc. (PDI), and Learning Well-to its catalog of math and language programs for elementary school levels. The new lines are designed to run on Apple, Atari, IBM, and Commodore computer systems. Micro-Ed adds math, spelling, economic, and other academic programs especially for the Commodore Computer. PDI has developed the New Step By Step and Step By Step Two programs which are designed to teach BASIC programming to students from 6th grade through adult. Learning Well programs are designed to run on Apple and Atari personal computers. For more information on these or other lines distributed by Soft-Kat. contact Modie Katz, Soft-Kat, Inc., 15015 Oxnard Street, Van Nuys, CA, 91411. The telephone is (213) 781-5180.

Circle No. 55



P-SPOOL UTILITY PROGRAM ANNOUNCED

P-SPOOL, produced by Elite Software, is a utility program for CP/M based computers that will print the contents of a file at the same time some other program is running. Unlike other print "spoolers" P-SPOOL does not hinder keyboard input or screen functions. P-SPOOL provides transparent use because it allows the user to set a "priority level" for printing data that allows smooth keyboard operation and maximum printed output. Price: \$99. A version of P-SPOOL for use on computers that use the MSDOS operating system, including the IBM PC, will be available in the first quarter of 1984.

Circle No. 57

P-FILE UTILITY PROGRAM ANNOUNCED

P-FILE is a utility program for CP/M based computers that allows you to route the printer output from any program to a disk file. With P-File, applications programs that usually only print reports to your printer can now print reports directly to disk. There are no minimum memory or disk drive requirements. The cost is \$129. A version of P-File for use on the IBM-PC and other computers that use the MSDOS operating system will be available in the first quarter of 1984. Contact Elite Software, P.O. Drawer 1194 Bryan, TX 77806. Circle No. 58

NEW DYNACOMP CATALOG AVAILABLE

DYNACOMP announces the first printing of its Fall, 1983 catalog; it is more than twice the size of the 1982 catalog, and contains three times as many items. The first printing is being sent to those currently on DYNACOMP's mailing list. The second printing will be available to anyone who requests a catalog either by phone or by mail. DYNACOMP catalogs are sent free to addresses within the U.S. and its possessions. There is a \$2.00 charge for shipment outside this region. Contact DYNA-COMP, INC., 1427 Monroe Avenue, Rochester, NY 14618, (716)442-8960.



PHYSICIAN MICRO SYSTEMS ANNOUNCES MEDI-DICT

MEDI-DICT (TM), the first fullfeatured word processing package for the medical office, has been introduced by Physician Micro Systems. Running in conjunction with Word-Star, MEDI-DICT can save time for both the dictating physician and the transcriptionist. MEDI-DICT eliminates the need to dictate or type the repetitive elements in medical records: it features automatic patient reminders, and the storage and analysis of patient data. MEDI-DICT is designed for people with little or no microcomputer experience, and uses menus and a simple question and answer format. Technical requirements are:

Z-80 based microcomputer with 58K of RAM.

2 disk drives with at least 180K of storage per drive; 300K is preferable.

CP/M operating system, version 2.0 or later.

WordStar word processing program with the MailMerge option.

A version for the non Z-80 CP/M based computer is available on request for an additional charge. The price of the package is \$795. Contact Physician Micro Systems, Inc., 801 East Harrison Street, Suite 105, Seattle, WA 98102. Phone (206) 527-4010. Circle No. 62

PAYROLL PAC INTRODUCED

Payroll Pac, the first module in a complete series of financial packages produced by DBi Software Products, works in all 50 states, and will handle payroll requirements for up to 500 employees. Payroll Pac is available through microcomputer dealers, or write Marketing Division, DATA Basic, Inc., 102 So. Main St., Mt. Pleasant, Michigan, 48858.

Circle No. 64

EVALUATION KIT ANNOUNCED

SGS Semiconductor Systems Division has developed a Z8003 evaluation module with virtual memory capability on a MULTI-BUS format. The SAM-Z8003EVM is a ready-to-use evaluation kit and when connected to a terminal or host computer provides a quick and inexpensive way to evaluate the latest 16-bit microprocessor technology. The evaluation module uses integrated circuits such as the Z8003 CPU virtual memory processor unit (VMPU) and the Z81015 paged memory management unit (PMMU). The resident monitor program and control unit permit the control, inspection, and alteration of onboard and off-board resources. including memory, input/output ports, VMPU and PMMU registers, breakpoint set and clear, run and single-step program execution, and time and date. Complete compatibility with the industry-standard IEEE 796 specification MULTI-BUS (P1), land SGS' SAM-BUS

(P2), allows direct interface with other SGS advanced modules (SAM) and with a variety of other boards that are available on the market. SGS USA is located at 1000 East Bell Road, Phoenix, Arizona, 85022. (602) 867-6100. Circle No. 65

ATI TO SELL TRAINING SOFTWARE FOR THE IBM PC

American Training International (ATI) has signed has a contract with IBM Corporation to sell ATI's line of interactive computer training software for the IBM Personal Computer. IBM will market the training package through IBM Product Centers, its National Accounts Division and its National Marketing Division. ATI products to be sold by IBM include training software for WordStar, VisiCalc, MBASIC, and PC DOS for the IBM PC. Call ATI, 3770 Highland Avenue, Suite 201, Manhattan Beach, CA, 90266, (213) 546-4725.

Circle No. 66

ademark of Digital Resea

Introducing SPL the first multi-mode spooler for CP/M computers

If you believed that your computer couldn't do better than a single task system think again. You can convert your machine into a dual-task computer with SPL, the amazing Spooler program developed by Blat R+D. SPL enables you to use hidden capacity available on your CP/M computer to print documents and run your ordinary programs, all at once.


While printing, your regular programs won't stop processing, waiting for the printer to finish. SPL will store the information to be printed in internal or external (disk drives) memory until the printer is ready to receive the data. Result: your programs will run at full speed.

As SPL can use up to the full capacity of your disks for temporary storage, it's much more powerful than hardware spoolers, which are limited to 64k memory or less.

SPL is an advanced product with several modes of operation. In addition to intercepting the output to the printer, SPL can print your existing text files, or those that your programs will create from now on. SPL will even take care of tab expansion. As an added bonus, SPL needs no installation on most CP/M 2.x computers.

Circle No. 69

Get A Second
Computer
FOR \$139



You could get an equivalent increase in computing power by spending \$1000 to \$3000, but **SPL** is only \$ 139, including disk and manual.


To order your **SPL** program call us today specifying what disk format you require. You can charge it to your VISA or Master Card if you prefer.

Blat Research+Development Corp. 8016 188th SW, Edmonds WA 98020 Call toll-free 1-800-LOBO-BAY In WA call [206] 771-1408




SYBEX INTRODUCES TWO COMPUTER BUYING GUIDE BOOKS

SYBEX, publishers of computer books, has launched the SYBEX POPULAR SERIES with its first two computer buying guide books, FAMILY COMPUTERS UNDER \$200 and PORTABLE COMPUTERS, published this October. FAMILY COMPUTERS UNDER \$200 by Doug Mosher (\$3.95) is written for the person with no previous computer experience, and



shows buyers how to evaluate their needs when choosing a computer for the home, as well as what they can do with the computer once they get it there. PORTABLE COMPUTERS, by Sheldon Crop and Doug Mosher (\$7.95), explains the differences between the popular portables, and what to know before shopping for one. It shows how four people use portables in their daily lives. For further information, contact SYBEX, 2344 Sixth Street, Berkeley, CA., 94710, phone (415) 848-8233. Circle No. 74



WORDCRAFT ANNOUNCES FILE TRANSFERRING SYSTEM

Wordcraft has released a standard protocol for transferring files between mainframe and microcomputers. "The Christensen File Transfer Protocol" contains a blockstructured algorithm and implementation notes to aid mainframe programming in COBOL, Fortran, and other languages. The protocol. already built into Wordcraft's personal computer communications program, The Micro Link II, is used widely in micro-to-micro file transfers with automatic error correction. The Christensen protocol transfers text, data, spreadsheets, object code, and any other file defined as a sequence of bytes. Used with data exchange formats like SDF or DIF, the protocol can download subsets of corporate data into personal computer spreadsheets and databases. The specification and all rights to implement the protocol at a single host installation are available for \$395 from Wordcraft, 3827 Penniman Avenue, Oakland, CA 94619. (415) 534-2212. Circle No. 70

MICRO-LINK ANNOUNCES NEW CRT CONTROLLER CARD

MICRO-LINK's new CRT Controller Card, the STD-156, is designed to provide extensive attribute capabilities for an STD Bus based system. Display format. video timing and cursor are fully programmable and provide the user with a variety of display options, including split screens, horizontal scroll capabilities and extensive attributes such as character blink, character blank, underline, dual intensity, highlight and reverse video. Major components of the card are a programmable video timing controller, 2K of character RAM, 2K of attribute RAM, display character and graphics generator, and video attributes controller. The card is I/O mapped and only uses 10 address locations. For more information, contact Chester Kopinski, Micro-Link Corporation, 14602 North U.S. Highway 31, Carmel, Indiana 46032. Call 800-428-6155 or (317) 846-1721.

READER SERVICE CARD

Circle the advertiser or product information number below for your response service.

															-		_		
1	16	31	46	61	76	91	106	121	136	151	166	181	196	211	226	241	256	271	286
2	17	32	47	62	77	92	107	122	137	152	167	182	197	212	227	242	257	272	287
3	18	33	48	63	78	93	108	123	136	153	168	183	198	213	228	243	258	273	288
4	19	34	49	64	79	94	109	124	139	154	169	184	199	214	229	244	259	274	289
5	20	35	50	65	80	95	110	125	140	155	170	185	200	215	230	245	260	275	290
6	21	36	51	66	81	96	111	126	141	156	171	186	201	216	231	246	261	276	291
7	22	37	52	67	82	97	112	127	142	157	172	187	202	217	232	247	262	277	292
8	28	38	53	68	83	98	113	128	143	158	173	188	203	218	233	248	263	278	293
9	24	39	54	69	84	99	114	129	144	159	174	189	204	219	234	249	264	279	294
10	25	40	55	70	85	100	115	130	145	160	175	190	205	220	235	250	265	280	295
11	26	41	56	71	86	101	116	131	146	181	176	191	206	221	236	251	266	261	296
12	27	42	57	72	87	102	117	132	147	162	177	192	207	222	237	252	267	282	297
13	28	43	58	73	88	103	118	133	148	163	178	193	208	223	238	253	268	283	298
14	29	44	59	74	89	104	119	134	149	164	179	194	209	224	239	254	269	284	299
15	30	45	60	75	90	105	120	135	150	165	180	195	210	225	240	255	270	285	300

Name			
Address			
City	State	Zip	

Please complete the following information:

□Professional
☐Scientific/Engineer
☐Business
□Industrial
□Banking/Finance
□Government
□Consultant

Other

1. My field is:

4. My Computer Application is:

^{2.} I Need This Information For:

| Immediate Purchase
| Purchase 30-60 days
| Evaluation Comparison
| Company Reference File

[☐]Software ☐Peripherats ☐Data Communication

[□] Accounting/Finance/Payroll
□ Process-Industrial Control
□ Distribution/Inventory
□ General Office-Wordprocessing
□ Design/Development-Scietific
□ Instructional/Educational
□ Other

I need more information on: □Computer Systems □Applications Software □Peripherals □Operating Systems Software

Valid through January 31, 1984.



BUSINESS REPLY CARD

FIRST CLASS PERMIT NO. 34 MERCER IS, WA.

POSTAGE WILL BE PAID BY ADDRESSEE

REVIEW PUBLICATIONS

2711 76th Avenue Southeast Mercer Island, WA 98040-9990 NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES



When you make the best computer system there is you can offer the best warranty there is.




For ten years CompuPro has led the way in science and industry—from components for the Space Shuttle program to components for IBM to test their components. Now we've put that performance and reliability into computer systems for business.

365 DAYS – A FULL YEAR. CompuPro's business systems – the expandable **System 816** and the new multi-user **CompuPro 10™** – are designed to give you unfailing performance 365 days a year. And we're guaranteeing it!

365 DAYS - WE COME TO YOU.

If anything goes wrong with your System 816 or CompuPro 10 within one full year of purchase date, we provide on-site service — within 24 hours—through the nationwide

capabilities of Xerox Americare™ Five-Star service.*



For business, scientific and industrial computing solutions, call (415) 786-0909 ext. 206 for the location of the Full Service CompuPro System Center nearest you.



3506 Breakwater Court, Hayward, CA 94545

YELLOW PAGE LISTINGS

BASIC INTERPRETER LEVEL 2, Z80 (BI-280). BI-80 now brings business Basic II to the Z80 8080/85, and 8080/88 based microcomputer systems running under CP/M, MP/M, Xenix, and TurboDOS. BI-280 immediatly provides a whole range of software potential that lets microcomputers tackle a multitude of mini-sized business applications, at less than half the cost. Mini software at micro prices. \$600. Single-user; Demo \$100. Control-C Software Inc., 6441 Canyon Court, Portland, OR 97221. (503) 292-6330. Canadian Subsidiary: Johnson-Laird (Ontario) Inc., 130-3040 Constitution Blvd., Mississauga, Ontario, Canada, L4Y 3X7. Attn: Lynne M. Mack. (416) 273-3231.

J-L COMM (Communications Program Onyx to Host) Using J-L COMM, the Onyx computer can act as a terminal and can send and receive ASCII files to and from a central computer system or another Onyx. The Onyx can be connected to the other computer either "hard-wired" or using a telephone connection (and a modem or accoustic coupler). \$150. Johnson-Laird Inc., 6441 Canyon Court, Portland, OR 97221. (503) 297-7153.

SELECTOR V is a self-contained, relational data base management system that can manage the most complex multi-file applications with ease. Using SELECTOR's 2 report generators, you can produce 8 across, selfcompacting labels, or even multi-page invoices or sales orders without limit to the number of line items. SELECTOR has virtually unlimited cross-references, and sorts several times faster than the competition. \$495. Micro-AP Inc., 7033 Village Parkway, Suite 206, Dublin, CA 94566.Robert B. Goodman, President. (415) 828-6697.

REFORMATTER ImCONVERSION SOFTWARE. CP/M to IBM and IBM to CP/M. The CP/M · IBM version of REFORMATTER conversion software reads and writes IBM 3740 formatted diskettes and gives CP/M users the ability to exchange data on floppy diskette with IBM equipment and any equipment accepting the IBM 3740 diskette. Microtech Exports Inc., 467 Hamilton Avenue, Suite 2A, Palo Alto, CA 94301. (415) 324-9114.

MP/M 8 - 16 SYSTEMS. Multi-user CP/M compatible S-100 systems. Business, utility, and scientific orientation. Call for quote. G & G Engineering, Inc., 1922 Republic Avenue, San Leandro, CA 94577. (415) 895-0798.

GRAF TALK Complete business graphics for CP/M micros. Features: device independence, printers, plotters, CRTs, b&w and color, bar, pie, line, and symbol charts. No programming required - English language commands. \$450. Redding Group Inc., 609 Main Street, Ridgefield, CT 06877. (203) 938-3202.

REFORMATTER *MCONVERSION SOFTWARE. CP/M to DEC and DEC to CP/M. The CP/M - DEC version of REFORMATTER conversion software reads and writes DEC RT-11 single density diskettes and gives CP/M users the ability to exchange files on floppy diskette with DEC equipment. Microtech Exports Inc., 467 Hamilton Avenue, Suite 2A, Palo Alto, CA 94301. (415) 324-9114.

RM/COBOL is a high level implementation of the ANSI 74 COBOL standard designed for the development and execution of COBOL business applications on microcomputers. \$750 - \$1250. Ryan-McFarland Corporation, 3233 Valencia Avenue, Aptos, CA 95003. (408) 662-2522.

SPOOL-Z-Q PARALLEL PRINT BUFFER

buffers from 32K up to 128K characters, freeing your computer for other uses. SPOOL-ZQ is supplied complete with the cable to your printer (standard Centronics interface). There is nothing else to buy. SPOOL-Z-Q has its own power supply (it doesn't steal power from your printer) and is user expandable by just plugging in chips. A switch selectable pause on form-feed mode for use with single sheets is standard, as are pause print, copy, selftest, and buffer clear functions. 32K Model \$279.95 (includes cable). JVB Electronics 1601 Fulton Avenue, Sacramento, CA 95825 (916) 483-0709.

CUSTOM SYSTEMS INTEGRATION CP/M, CP/M-86, MPM, UNIX - ROBOTICS, BUSINESS, SCIENTIFIC, TELECOMM, GOV'T

BUSINESS, SCIENTIFIC, TELECOMM, GOV'T BOARDS, CABLES, SOFTWARE, PERI-PHERALS. INTERFACE TECHNOLOGY, INC., BOX 745, COLLEGE PARK, MD 20740, 301-490-3608

E-LYNC is a powerful data communications program that can be used to transfer data or program files between computers or to connect to time-sharing systems.E-LYNC allows you to transfer any and all types of files from CP/M to CP/M, CP/M to IBM PC DOS, or IBM PC DOS to IBM PC DOS. E-LYNC will support baud rates up to 9600 on a cable hook up.\$30 - \$125. International Software, 1835 Mission Ridge Road,Santa Barbara, CA 93103. (805) 966-3077.

CROMEMCO USERS - DOUBLE DENSI-

TY is available for the 4FDC disk controller as a simple, piggyback, plug-in board. The FDCX4 Double Density Upgrade Board installs in seconds and doubles your disk storage. The FDCX4 has an analog PLL separator and write precompensation for reliability and is compatible with CDOS, CROMIX, and existing CP/M double density implementations. \$229.95 (includes shipping). COD available in US. JVB Electronics, 1601 Fulton Avenue, Sacramento, CA 95825. (916) 483-0709.

POWERFUL ACCOUNTING SOFT-WARE NOW ON CP/M 86. Menu-driven, completely integrated ACUITYImFinancial Software originally written for VAX, Prime and Harris minicomputrs. General Ledger, Accounts Receivable, Accounts Payable, Inventory Management, Customer Order Processing, Payroll, Project Management, Labor/Other Direct Cost Forecasting, Need hard disk system with back-up. Call IRISystems, 225 W. 30th St., National City, CA 92050, (619) 474-2010.

CP/M MULTI-BUS MICROCOMPUTER.

CP/M based systems utilizing 8085 and 8086 processors, hard disks, ½" tape, ¼" tape, floppies, serial and parallel I/O ports. Business and utility orientation, literature, and some training provided. Call for quote and configuration. Comark Corporation, 257 Crescent Street, Waltham, MA 02154. (617) 894-7000.

PRACTICAL GUIDE TO CP/M by Carl Townsend is an encyclopedia of information, tricks, and tutorials regarding the popular operating system, CP/M. This clearly written book contains appendices on CP/M memory map, CP/M diagnostics, software suppliers, and CP/M user groups. \$14.95. dilithium Press, 11000 S.W. 11th Street, Suite E, Beaverton, OR 97005; P.O. Box 606, Beaverton, OR 97075. (800) 547-1842.

COLORTEXT unlocks the power of the IDS PRISM PRINTER. NO PROGRAMMING NEEDED to access 22 colors, 6 type sizes, "BOOKSTYLE" justified proportional type, centering, foreign characters, many other features (53 commands). CP/M, IBM PC: \$149. Dealer inquires invited. JUPITER ISLAND CORPORATION, 1900 Powell Street, Suite 1135, Emeryville, CA 94608 (415) 655-0840.

PAULSON'S INVENTORY CONTROL

package is now available for commercial use. It can store 2 million parts, store and retrieve parts in ½ second, keeps two year sales history, on order/back order programs, transfer of inventory, four store file possible, full screen software, and simulates your own forms. This product runs on the IBM SERIES I computer with a 64 megabyte disk. Call Mel Paulson at (206) 582-1873.

THE CRITICAL CONNECTION (A CP/M - ATARI INTERFACE) will allow your Atari to use the disk drives, printer and keyboard of your CP/M system as if they were the Atari's own. For \$1.75 you receive software on an 8" disk (some 5½" are available) and a cable that connects a CP/M serial port (at 19,200 baud) to the Atari disk/printer port. Brochure available. USS Enterprises, 6708 Landerwood Lane, San Jose, CA 95120.

MAILER for mailing list management speeds data entry and updating with a screen form and instant record access. Plain English menus and prompts assure ease of use. Avoid costly mistakes with extensive error trapping features. No programming skills needed. Print labels of selected records 1,2,3 up and create/read "MailMerge" files. Sort (name or zip), merge, or (selectively) scan files. For US and Canadian mail. 8080/Z80 CP/M 2.2, 64K memory & CRT with addressable cursor, and 80X24 display. \$100 (Calif. add 6%) + \$2 shpg + \$1.50 if COD. MAURIZI ASSOCIATES, 1344 Fitch Way, Sacramento, CA 95825, or call 916-486-2993.

CB80 USERS - FAST AND EFFICIENT DATE processing for programs written in CB80. IDATE provides the routines necessary to convert dates to and from sequential integers. Integer dates reduce space requirements and decrease sorting and aritmetic times. IDATE is distributed in CB80 IRL format for efficient linking and includes the necessary external function definitions for inclusion in programs. It will soon be available in CB86. IDATE is \$14.95, check or money order. Distributed in CP/M 8" SSSD format. Nugget Software Inc., P. O. Box 440979, Aurora, CO 80044.

MAGAZINE BINDING AIDS

Magazine storage problems? Does your magazine contain "valuable information" which you want to keep for future reference? With the use of our "MAGAZINE BINDING AIDS" (pat. pend.), you can organize and bind your magazine into any standard 3-ringed notebook binder. 10 splines for \$6.95 + \$.50 shipping. Calif. res. add 6.5% sales tax. GEE-WHIZ ENTERPRISES, P. O. Box 2069 Dept. CM, Cerritos, CA 90701-1389

For the Osborne 1. Four great games. Chess, Checkers, Backgammon and an all new adventure, Castle of Ohme. All are written in assembly language. \$30 for all 4. Send check to M-J Software, P. O. Box 5266, Richardson, TX 75083-0660.

warket maestro A proven technical system for stock selection and timing. Runs on Osborne, Kaypro, IBM-PC, and TRS-80 III. Generates buy and sell signals on any stock. Data may be entered manually or downloaded (e.g. from Dow Jones) using a modem. \$125 (tax deductible). For a brochure: AJH Systems (303) 985-9062; 3032 S. Saulsbury NO. 86, Denver, CO 80227

CPNIX -- The original CP/M to UNIX communications program features file transfers from/to UNIX working directory to/from any CP/M disk, terminal mode, automatic login. Call for price. ANSCO, P. O. Box 24069, Minneapolis, MN 55424, (612) 927-9018.

CCDS - Relational database system is available under CP/M-68K. Package is easy to use; menu-driven with English query language; 68000 code efficiency; singleaccess fast disk processing; and direct sorting, \$495. Data Management Systems, 211 N. El Camino Real, 101C, Encinitas, CA 92024. (619) 942-0744.

AGDATA FARM PACKAGE Agdata offers a complete package of farm accounting software. Payroll and General Ledger data automatically generate powerful, Univ. of California format, detailed Cost Accounting reports giving costs by crop or enterprise, operation, type of expense and equipment number. Programs are written in compiled Basic, require approximately 56K, utilize CP/M 2.X, a Z80 or 8080/8085 machine, a 132 column printer. Payroll and General Ledger programs \$1000 each. Cost Accounting program included with G/L until 9/01. After 9/01, \$500. AgData Inc., 891 Hazel Street, Gridley, CA 95948. (916) 846-6203.

60 UTILITIES FOR DEVELOPING NEW USES FOR YOUR COMPUTER are available in the Carousel ToolKits. They are the standard Software Tools used on larger machines for writing programs, documents, and new applications. The Tools are easy to remember and all are used the same way. UNIX-type capabilities such as I/O redirection, pipes, and hierarchial directories help you use your computer more effectively. The Use-a-ToolKit, at \$249, contains the 60 Tools and the manual. The Build-a-ToolKit, at \$395, has the above plus sources, a large library. and additional programming tools. Contact Carousel MicroTools at 609 Kearney Street. El Cerrito, CA 94530, 415 528-1300.

D80M MACRO-disassembler for Z-80 code is a first!! Includes macro definitions once at beginning of source file, lets you pick up in-line data following CALLs, yields delimited strings, automatically provides 5 files including one to hold partitioning data for editing and repeated disassembly. Fast, easy, user-friendly prompting during input and ultra-fast output of source, listing, crossreference and ASCII. Works with any Z-80 CPU running CP/M. Specify system and disk format. Order now at \$175 and get \$100 coupon for future product. Copyright @ 1983, Microtrain Limited. Franchise holder: Dave Friedman, P. O. Box 5299, Richmond, CA 94805. (415) 222-D80M.

ASTROLOGY SOFTWARE: Superprogram II computes natal, progressed, solar and lunar return charts, interfaces with other astro modules. Deluxe AstroScope, Sex-O-Scope, Monthly Astro-Report, Relationship & Contact Astro-Reports print out multi-page horoscope interpretations as well as calculations; include liscense to sell printed output. Call for prices. AGS Software, Box 28, Dept. R, Orleans, MA 02653; phone 617-255-0510. scribewriter IX reviewed DDJ 5/81 continues to please many happy users (thank you all) and is now available on Osborne I without source code. Order now at \$150 and get away from the drudgery of you free Wordstar! Copyright © 1983, Microtrain Limited. Franchise holder: Dave Friedman, P. O. Box

5299, Richmond, CA 94805. (415) 222-3806.

COPY SERVICE - TAPE TO DISKETTE/DISKETTE TO TAPE Start moving programs and data tapes between your micros and minis and mainframes, and back. Send your tape (or diskettes) to us, with clear written instructions and we'll copy your IBM formatted 9 track, 1600/800 bpi industry standard tapes to a single density, 8 inch, CP/M formatted diskette. Make sure to keep the block size to less than 4K bytes. Then we'll send the tape and diskettes back to you. For technical questions, call Tracy Coker (619) 474-2010, IRISystems, 225 W. 30th St., National City, CA 92050.

FULL SCREEN EDITOR FOR THE OSBORNE 1 Uses only 5K of disk space. Move cursor anywhere on the screen with arrow keys. Features such as search and replace, find string, block copy, block move, delete block, set tabs, paging up or down, append, delete line, insert line, delete character, insert character. Written in assembly language. Excellent editor for C or Pascal. \$30 Postpaid. M-J Software, Box 5266, Richardson, TX 75083.

FAILSAFE AND SECURE: AFFORD-ABLE Data Security. Protect your valuable data before its too late! FAILsafe and SECURE provide two-fold protection for your computer facility. FailSAFE encrypts data to keep your company secrets secret. Conversely, SECURE password protects your COM programs so that you control access to important software. These user-friendly programs are \$59.95 each. Available in many CP/M formats. Pyramid Systems, 1695 Shenandoah Road, San Marino, CA 91108. (213) 449-7667.

YELLOW PAGE LISTING RATES

Yellow page listings are contracted for one year (six issues). The ads must include the name of the product, a brief description of the product, the price (call for price is acceptable), the name and address of the company, with the phone number being optional. The product description may be any length, but ads must be typewritten or printed clearly and must be accompanied by payment in advance. The cost is \$10 per line per year, subject to change. The price at the time of the order is guaranteed for one year. Send your ad to: CP/M REVIEW, 2711 76th Avenue S.E., Mercer Island, WA 98040, Attn: Yellow Page Dept.

RETAIL STORES

You can purchase CP/M REVIEW and CP/M related products at the following retail outlets:

ALASKA

ABACUS NORTH 511 West 4th Avenue Anchorage, AK 99501 907-276-7443

JUNEAU ELECTRONICS 1000 Harborway Juneau, AK 99801 907-586-2260

ARIZONA

HEATHKIT ELECTRONIC CENTER 2727 West Indian School Road Phoenix, AZ 85017 602-279-6247

S-100 14425 N. 79th Street B Scottsdale, AZ 85260 602-991-7870

HEATHKIT ELECTRONIC CENTER 7109 E. Broadway Tucson, AZ 85710 602-885-6773 SOFTWARELAND 2002 W. Campus Drive Tempe, AZ 85282

ALABAMA

MADISON BOOKS 8006 - 13 Madison Mall Madison, AL 35758 205-772-9250

CALIFORNIA

ALAMEDA COMPUTER SERVICES 1408A Encinal Avenue Alameda, CA 94501 415-521-4480

MALIBU MICROCOMPUTERS 28611 Canwood Street Aurora, CA 91301 213-991-6549 COMPUTER BASICS 5600 California Avenue Bakersfield, CA 93309 805-395-0802 COMPUTER CENTER INC. 1514 University Avenue Berkeley, CA 94703 415-845-6366

LYON ENTERPRISES 2444 Durant Berkeley, CA 94704 415-841-7292

HEATHKIT ELECTRONIC CENTER 2350 South Bascom Avenue Campbell, CA 95008 408-377-8920

PERSONAL POWER 21119 Victory Boulevard Canoga Park, CA 91303 213-703-7921

LEGACY COMPUTER SYSTEMS 26356 Carmel Rancho Lane Ste U2 Carmel, CA 93923 408-625-6562

408-629-6562 D & G COMPUTER SYSTEMS 4156 Manzanito Avenue Suite 200 Carmichael, CA 95608 916-485-7779

PRIORITY ONE ELECTRONICS 9161 Deering Avenue Chatsworth, CA 91311 213-709-5464

SOFTWAIRE CTR INTL 1975 Diamond Boulevard Ste C220 Concord, CA 94520 415-674-0222

HEATHKIT ELECTRONIC CENTER 6000 Potrera Avenue El Cerrito, CA 94530 415-236-8870

HSOFTWARHIRE CTR INTL 15617-A Ventura Boulevard Encino, CA 91436 213-784-2234 SOFTWARE PLACE 727 Texas Street Fairfield, CA 94533 707-427-2104

COMPUTER SOLUTION 432 N. Main Street Fort Bragg, CA 95437 707-964-7861

THE BYTE SHOP OF HAYWARD 1122 B Street Hayward, CA 94541 415-886-4732

SOFTWAIRE CENTRE INTNL. 22406 Foothill Boulevard Hayward, CA 94541 415-881-0481

COMPUTER PALACE 1029 E. Broadway Glendale, CA 91205 213-241-2551

HEATHKIT ELECTRONIC CENTER 8363 Center Dr. La Mesa, CA 92041 619-461-0110

SOFTWARE EMPORIUM 4500 El Camino Real Los Altos, CA 94022 415-941-8788

HEATHKIT ELECTRONIC CENTER 2309 S. Flower Street Los Angeles, CA 90007 213-749-0261

OPAMP TECHNICAL BOOKS 1033 North Sycamore Los Angeles, CA 90038 213-464-4322 SOFTWARE SPOT

10977 Santa Monica Rd Los Angeles, CA 90025 213-477-7561 ZACKIT MONTEREY

1193 Tenth Street Monterey, CA 93940 408-375-3144 DIGITAL DELI 80 W. El Camino Real Mountain View, CA 94040 415-961-2870

STANFORD COMPUTER SUPPLIES 655 Castro Street Mountain View, CA 94040 415-968-2050

COMPUTER STORE OF OAKLAND 1320 Webster Street Oakland, CA 94612 415-763-7900

SOFTWAIRE CENTRE INTNL. 5269 Broadway Oakland, CA 94611 415-428-9333 TRACK COMPUTER CENTER 2106 Broadway Oakland, CA 94612 415-444-8725

SOFTWARE CENTRAL 650 E. Colorado Boulevard Pasadena, CA 91101 213-793-4101

MICROAGE COMPUTER STORE 61 Chilpancingo Parkway Pleasantfield, CA 94523 415-680-1489

COMPUTER PLACE 1415 Butte Street Redding, CA 96001 916-246-DATA

COMPUTER LIBRARY 2660 Marconi Avenue Sacramento, CA 95821 916-971-4785

4101 Power Inn Rd Sacramento, CA 95826 916-969-2983

MICRO DESIGNS 10025 Folsom Boulevard Suite D Sacramento, CA 95827 916-362-9702

SOFTWAIRE CENTRE INTNL. 1537 Howe Avenue Sacramento, CA 95825 916-925-3337

PENINSULA COMPUTER CENTER 208 Main Street Salinas, CA 93901 408-424-2103

BYTE SHOP OF SAN DIEGO 8038 Clairemont Mesa Boulevard San Diego, CA 92111 619-565-8008

SOFTWAIRE CENTRE INTNL. 4170 Convoy Street San Diego, CA 92111 714-576-1424

ACCESS TO SOFTWARE 4720 Geary Boulevard San Francisco, CA 94118 415-751-2231

INTELLICTRONICS 1779 Lombard Street San Francisco, CA 94123 415-346-5600

ADVANCED COMPUTER PRODUCTS 542 W. Trimble San Jose, CA 95131 408-946-7010

ADVANCED COMPUTER PRODUCTS 1310 E. Edinger Suite B Santa Ana, CA 92705 714-558-8822 POOR RICHARDS ALMANAC 521 Front Street Santa Cruz, CA 95060 405-425-1991

COMPUTER HOUSE 531 B Street San Rafael, CA 94901 415-453-0865

RAFAEL BOOK AND NEWS 1114 4th Street San Rafael, CA 94901 415-454-5533

COMPUTER LITERACY BOOKSHOP 520 N. Lawrence Expressway Ste 310 Sunnyvale, CA 94086 408-730-9955

SOFTWAIRE CENTRE INTNL. 730 E. El Camino Real Sunnyvale, CA 94087 408-737-1555

SOFTWAIRE CENTRE INTNL. 22543 S. Hawthorne Boulevard Torrance, CA 90505 213-378-9225

ON-LINE COMPUTERS 1373 Locust Street Walnut Creek, CA 94596 415-932-3716

KNOWLEDGE SYSTEMS INC 19707 Ventura Boulevard Woodland Hills, CA 91364 213-344-4455

COLORADO

COMPUTERWARE 1035 Pearl Street Boulder, CO 80302 303-443-0172

COMPUTER DYNAMICS 330 W. Uintah Colorado Springs, CO 80905 303-471-2000

COMPUTER TECHNOLOGY 6311 N. Federal Boulevard Denver, CO 80221 303-427-4438

HEATHKIT ELECTRONIC CENTER 5946 West 38th Avenue Denver, CO 80212 303-422-3408

COMPUTER CONNECTION 6818 S. Yosemite Englewood, CO 80112 303-740-9360

SOFTWAIRE CENTRE INTNL. 6862 S. University Boulevard Littleton, CO 80122 303-773-2264

PILOT COMPUTERS 511 Lincoln Avenue Steamboat Springs, CO 80477 303-879-0225

CONNECTICUT

HEATHKIT ELECTRONIC CENTER 395 West Main Avon, CT 06001 203-678-0323 RAINBOW COMPUTER INC 141 Orange St. New Haven, Ct 06510 203-777-2001

DELAWARE

THE COMPUTER STORE 4010 Concord Pike Wilmington, DE 19803 302-478-7772

FLORIDA

SOFTWARE CENTRUM 2305 Ponce De Leon Boulevard Coral Gables, FL 33134 305-441-2983

HEATHKIT ELECTRONIC CENTER 4705 W. 16th Avenue Hialeah, FL 33012 305-823-2280 COMPUTUS 101

101 Hollywood Fashion Center Hollywood, FL 33023 305-981-1011

HEATHKIT ELECTRONIC CENTER 8262 Arlington Expressway Jacksonville, FL 32211 904-725-4554

ALLSTATE BUSINESS CENTER 9559 S. Dixie Highway Miami, FL 33156 305-665-1013

COMPUTERS PLUS 2032 North Point Boulevard Tallahassee, FL 32308 904-386-6635

HEATHKIT ELECTRONIC CENTER 4019 W. Hillsborough Tampa, FL 33614 813-886-2541

ILLINOIS

COMPUTER SPECIALIST 126 S. Illinois Avenue Carbondale, IL 62901 618-529-4800

HEATHKIT ELECTRONIC CENTER 3466 West Devan Chicago, IL 60645 312-583-3920

HEATHKIT ELECTRONIC CENTER 224 Ogden Downers Grove, IL 60515 312-852-1304

COMPUTER PATCH Green Trails Shopping Center 2775 Maple Avenue Lisle, IL 60532 312-420-8861

COMPUTER ENTERPRISES 400 E. DeYoung Marion, IL 62959 618-993-3600 SOFTWAIRE CTR INTL Iroquois Ctr/1163 Ogden Avenue Naperville, IL 60540 312-355-7515

WALLACE MICRO MART 2619 N. University Peoria, IL 61604 309-685-7876

QUINCY COMPUTER CTR 3630 Maine Quincy, IL 62301 217-223-8497

SOFTWAIRE CENTRE INTNL. 1211 E. Golf Road Schaumberg, IL 60195 312-882-3733

LILLIPUT COMPUTER MART 4446 Oakton Street Skokie, IL 60076 312-674-1383

INDIANA

HEATHKIT ELECTRONIC CENTER 2112 E. 62nd Street Indianapolis, IN 46220 317-257-4321

KENTUCKY

HEATHKIT ELECTRONIC CENTER 12401 Shelbyville Road Louisville, KY 40243 502-245-7811

KANSAS

SOFTWAIRE CTR INTL 3732 W. 95th Street Leawood, KS 66206 913-341-6711 HEATHKIT ELECTRONIC CENTER 5960 Lamar Mission, KS 66202 913-362-4486

LOUISIANA

HEATHKIT ELECTRONIC CENTER 1900 Veterans Memorial Highway Kenner, LA 70062 504-467-6321

MARYLAND

HEATHKIT ELECTRONIC CENTER 1713 East Joppa Rd Baltimore, MD 21234 301-661-4446

3 R SYSTEMS 8227 Woodmont Avenue No. 200 Bethesda, MD 20014 301-657-3598

COMPUTER WORKSHOP 1776 E. Jefferson Rockville, MD 20852 301-881-5420

HEATHKIT ELECTRONIC CENTER 5542 Nicholson Lane Rockville, MD 20852 301-881-5420 COMPUTER FORUM 360 Ritchie Hwy Sevenna Park, MD 21146 301-544-0909

MASSACHUSETTS

SOFTWAIRE CTR INTL 1000 Massachusetts Avenue Cambridge, MA 02138 617-497-9128

NORTHEAST COMPUTER STORES 455 Center Street Ludlow, MA 01056 413-589-7001

NEW ENGLAND ELECTRONICS CO. 679 Highland Avenue Needham, MA 02194 617-449-1760

EDEN MICRO COMPUTERS 25 Wianno Avenue Osterville, MA 02655 617-428-3515

HEATHKIT ELECTRONIC CENTER 165 Worcester Road Wellesly, MA 02181 617-237-1510

MICHIGAN

COMMUNITY NEWS CENTER 1301 South University Ann Arbor, MI 48104 313-548-0533

RMS ELECTRONICS 3892 Tradecenter Dr Ann Arbor, MI 48104 313-973-2440 HEATHKIT ELECTRONIC CENTER 18149 E. Eight Mile Road East Detroit, MI 48021

COMPUTER SOURCE 3205 S. Cedar Street Lansing, MI 48910 517-887-0920

COMPUTERMART 1824 W. Maple Troy, MI 48084 313-649-0910

MINNESOTA

SOFTWAIRE CENTRE INTNL. 7949 Southtown Center Bloomington, MN 55431 612-881-4514

HEATHKIT ELECTRONIC CENTER 101 Shady Oak Road Hopkins, MN 5533 612-938-6371

HEATHKIT ELECTRONIC CENTER 1645 White Bear St. Paul, MN 55106 612-778-1211

MISSOURI

HEATHKIT ELECTRONIC CENTER 3794 McKelvey Road Bridgeton, MO 63044 314-291-1850 MICROAGE COMPUTER STORE 11413 Olive Boulevard St. Louis, MO 63141 314-567-7644 SOFTWAIRE CENTRE INTNL. 12035 Dorsett Road St. Louis, MO 63043 314-739-8989

MONTANA

STRUCTURED DATA SYSTEMS 211 W. Front Street Missoula, MT 59802 406-728-1097 CONSOLIDATED SERVICES

407 Catlin Missouls, MT 59801 406-721-1811 WISELAND

10 Blaine Wolf Point, MT 59201 406-653-2349

NEW HAMPSHIRE

COMPUTER MART 170 Main Street Nashua, NH 03060 603-883-2386 COMPUTER TOWN

304 S. Broadway Salem, NH 03079 603-893-8812

NEW JERSEY

HEATHKIT ELECTRONIC CENTER HEATHKIT ELECTRONIC CE 35-07 Broadway Rt. 4 Fairlawn, NJ 07410 201-791-6435 ENTRE COMPUTER STORE 312 Route 4 East Paramus, NJ 47652 201-342-0880

MICRO MERCHANT Saddlebrook More Saddlebrook, NJ 07662 201-545-9148

CROWLEYS RR3 Whitehouse Station, NJ 08889 201-534-2733

NEW MEXICO

PAGE ONE NEWSTAND 11200 Montgomery N. E Albuquerque, NM 87111 505-294-3054

NEW MEXICO COMPUTERS 1421 Luisa Ste P Santa Fe, NM 87501 505-983-4644

NEW YORK

COMPUTER CELLAR Central & Colvin Avenue Albany, NY 12206 518-482-1462 COMPUTER ROOM 1492 Central Avenue Albany, NY 12205 518-869-3818

SOFTWAIRE CTR INTL 2021 Western Avenue Albany, NY 12203 518-869-0991 COMPUTERS ETC. 3470 Erie Boulevard E. Dewitt, NY 13214 315-446-6502

HEATHKIT ELECTRONIC CENTER 7 Reservoir Rd North White Plains, NY 10603 914-761-7690

HEATHKIT ELECTRONIC CENTER 937 Jefferson Rd Rochester, NY 14623 716-424-2560

MICROAGE COMPUTER STORE 1707 Monroe Avenue Rochester, NY 14618 716-244-9000

NORTH CAROLINA

HEATHKIT ELECTRONIC CENTER 4620 C W. Market Street Greensboro, NC 27407 919-299-5390

COMPUTER SOLUTIONS 2840 S. Wilmington Street Rateigh, NC 27603 919-755-1779

K & S NEWS STAND Parkway Plaza Shopping Center Winston Salem, NC 27107 919-724-7537

SOFTWAIRE CTR INTL 4037 Hill & Dales Rd N. W Canton, OH 44706 216-492-9163

HEATHKIT ELECTRONIC CENTER 10133 Springfield Pike Cincinnati, OH 45215 513-771-8850

HEATHKIT ELECTRONIC CENTER 28100 Chagrin Boulevard Cleveland, OH 44122 216-292-7553

HEATHKIT ELECTRONIC CENTER 2500 Morse Rd Columbus, OH 43229 614-475-7200

MICROAGE COMPUTER STORE 2591 Hamilton Road Columbus, OH 43227 614-868-1550

MICROAGE COMPUTER STORE 767 Bethel Road Columbus, OH 43214 419-537-1887

NEWS SHOP Kent, OH 44240 216-678-5499

HEATHKIT ELECTRONIC CENTER 48 S. Byrne Road Toledo, OH 43615 419-537-1887

OKLAHOMA

HEATHKIT ELECTRONIC CENTER 2727 N.W. Expressway Oklahoma City, OK 73112 405-848-7593

OREGON

WRAM COMPUTER 8243 S. W. Cirrus Drive Beaverton, OR 97005 503-641-3550 OSU BOOKSTORE Jefferson Avenue Corvallis, Or 97331 503-754-4323 MICROWEST COMPUTER PRODUCTS 811 E. Burnside NO. 117 Portland, OR 97214 503-238-6274

COMPUTER SPECIALTIES 3390 Commercial Street S.E. Salem, OR 97302 503-399-0534

PENNSYLVANIA DOC'S COMPUTER SUPPLY CENTER 4 Station Road Ardmore, PA 19003 215-642-6550 COMPUTER FORUM 490 Lancaster Pike Frazer, PA 19355 215-296-3474 HEATHKIT ELECTRONIC CENTER 630 Lancaster Pike Frazer, PA 19355 215-647-5555 DREXEL UNIVERSITY BOOK STORE 33rd and Chestnut Street Philadelphia, PA 19104 215-895-2000 HEATHKIT ELECTRONIC CENTER 6318 Roosevelt Boulevard Philadelphia, PA 19149 215-288-0180

HEATHKIT ELECTRONIC CENTER 3482 William Penn Highway Pittsburgh, PA 15235 412-824-3564

PITTSBURGH COMPUTER STORE 612 Smithfield Street Pittsburgh, PA 15222 412-391-8050

SOFTWAIRE CTR INTL 434 7th Avenue Koppers Bldg Pittsburgh, PA 15219 412-771-9368

TREE OF KNOWLEDGE, INC. 2509 Park Street Reading, PA 19606 215-375-0224

RHODE ISLAND

HEATHKIT ELECTRONIC CENTER 558 Greenwick Avenue Warwick, RI 02886 401-738-5150

SOFTWAIRE CTR INTL 878 Post Rd Warwick, RI 02888 401-781-1160

TENNESSEE

CAMPUS COMPUTER CORP 1908 Belcourt Avenue Nashville, TN 37212 615-327-9123

TEXAS

COMPUTER PORT 2142 N. Collins Arlington, TX 76011 817-469-1502 COMPUTERS N'THINGS 2825 Hancock Drive Austin, TX 78731 512-453-5970 HEATHKIT ELECTRONIC CENTER 2715 Ross Avenue Dallas, TX 75201 214-826-4053 SHEPARD AND VIC 9100 N. Central Expressway No. 154 Dallas, TX 75213 214-369-3505 SOFTWARE CONCEPTS 105 Preston Valley Dallas, Tx 75230 214-458-0330 STRICTLY SOFTWARE 4950 Beltline Road Suite 180 Dallas, TX 75240 214-392-3030 **BYTEWORKS** 2915 Walton Avenue Fort Worth, TX 76133 817-292-5598 HEATHKIT ELECTRONIC CENTER 6825 A Greenoaks Rd Fort Worth, TX 76116 817-737-8822 R F I ELECTRONICS 3006 S.E. Loop 820 Fort Worth, TX 76140 817-293-3282

The fastest CP/M-80 C compiler available today

Version 1.5 contains some nifty improvements:

The unscrambled, comprehensive new User's Guide comes complete with tutorials, hints, error message explanations and an index.

The CDB symbolic debugger is a valuable new tool, written in C and included in source form. Debug with it, and learn from it.

Hard disk users: You can finally organize your file directories sensibly. During compilation, take advantage of the new path searching ability for all compiler/linker system files. And at run-time, the enhanced file I/O mechanism recognizes user numbers as part of simple filenames, so you can manipulate files located anywhere on your system.

BDS C's powerful original features include dynamic overlays, full library and run-time package source code (to allow customized run-time environments, such as for execution in ROM), plenty of both utilitarian and recreational sample programs, and speed. BDS C takes less time to compile and link programs than any other C compiler around. And the execution speed of that compiled code is typically lightning fast, as the Sieve of Eratosthenes benchmark illustrates. (See the January 1983 BYTE, pg. 303).

BD Software P.O. Box 9 Brighton, MA 02135 (617) 782-0836

8" SSSD format, \$150 Free shipping on pre-paid orders Call or write for availability on Circle No. 61 other disk formats

HEATHKIT ELECTRONIC CENTER 1704 West Loop N Houston, TX 77008 713-869-5263

HEATHKIT ELECTRONIC CENTER 5050 FM 1960 West Suite No. 126 Houston, TX 77069 713-583-1163

SOFTWAIRE CENTRE INTNL. 5545 Richmond Avenue Houston, TX 77056 713-783-9857

SOFTWARE STATION 6892-D S.W. Freeway Houston, TX 77074 713-783-5934

TAYLOR COMPUTER SYSTEMS 949 Melbourne Road Hurst, TX 76052 817-284-5251 COMPUTER CITY 7103 A Blanco Road San Antonio, TX 78216 512-340-1471

HEATHKIT ELECTRONIC CENTER 71 Blanco San Antonio, TX 78216 512-341-8876

HATU

INTEGRATED COMPUTER SYSTEMS 1700 N. State Provo, UT 84603 801-562-1536 SOFTWAIRE CENTRE INTNL. 4720 S. Highland Drive Salt Lake City, UT 84117 801-562-1536

VIRGINIA

COMMUNITY COMPUTERS 2704 N. Pershing Dr *C Arlinglon, VA 22201 703-527-4600 COMPUTER SOLUTIONS FOR PEOPLE 8260 Greenshord Dr

8260 Greensboro Dr McLean, VA 22102 703-448-8277

COMPUTER MANIA 29 Southern Shopping Center Norfolk, VA 23505 804-583-2983 DATABASE 700 N. Military Highway Norfolk, VA 23502 804-461-8227

SOFTWAIRE CTR INTL 9746 Gayton Rd Richmond, VA 23233 804-740-2885

HEATHKIT ELECTRONIC CENTER 1055 Independence Boulevard Virginia Beach, VA 23455 804-460-0997

WASHINGTON

ALMAC STROUM ELECTRONIC 14360 S. E. Eastgate Way Bellevue, WA 98007 206-643-9992 CENTRAL COMPUTERS

CENTRAL COMPUTERS 3836 124th Avenue S.E. Bellvue, WA 98006 206-746-5227 COMPUTER SOURCE INC 14150 N. E. 20TH Bellivue, WA 98007 206-643-7100 MICRO OPTIONS

MICRO OPTIONS 3900 128th Avenue S.E. Bellvue, WA 98006 206-643-2112

MICRORIM 1750 112th Avenue N.E. Bellvue, WA 98004 206-453-6017

COMPUTER CRAFT 115 E. 8th Street Ellensburg, WA 98926 509-925-3755

CREATIVE COMPUTERS 1415 W. Meeker Kent, WA 98032

MEMORY BANK 19720 44th Avenue W. Suite B Lynnwood, WA 98036 206-775-1444

TEAM ELECTRONICS 1024 14th Avenue Longview, WA 98632 206-425-3600 ELECTRONIC SHOP

131 North Decatur Olympia, WA 98502 206-357-6304 PUGET SOUND ELECTRO

PUGET SOUND ELECTRONICS 331 Main Avenue S. Renton, WA 98055 206-271-9595 AMATEUR RADIO SUPPLY CO. 6213 13th Avenue S. Seattle, WA 98108 206-767-3222

ANCHOR COMPUTER SYSTEMS 323 First Avenue S Seattle, WA 98104

DATA BORNE COMPUTERS 641 S.W. 152nd Seattle, WA 98166 206-248-0101

HEATHKIT ELECTRONIC CENTER 505 8th Avenue Seattle, WA 98109 206-682-2172

BITS BYTES & NIBBLES 209 Northtown Shopping Ctr Spokane, WA 99207 509-487-1601 COMPUTER CONNECTION 751 St. Helens Tacoma, WA 98402 206-272-4892

HEATHKIT ELECTRONIC CENTER 516 S.E. Chkalov Dr. Suite NO. 1 Vancouver, WA 98664 206-254-4441

WISCONSON

Milwaukee, WI 53216

THE BYTE SHOP OF MILWAUKEE 4840 S. 76th Street Greenfield, WI 53220 414-281-7004
HEATHKIT ELECTRONIC CENTER 5215 W. Fond du Lac 414-873-8250

CALL FOR ARTICLES

WRITERS:

CP/M REVIEW is looking for articles of interest to people who use CP/M-based computers at home or at work.

Our audience has a wide range of interests in educational software, business-related packages and the public domain. Articles relating to the computer industry as a whole are also acceptable. Send SASE for writer's guideline or submit your articles typed double-spaced to:

Editor, CP/M REVIEW 13625 179th Avenue N.E. Redmond, WA 98052

Articles without SASE cannot be acknowledged or returned.

CLUBS AND USER GROUPS

As a public service, CP M REVIEW will print notices of club activities. Send copy to CP M REVIEW. Please include contact name, and telephone number.



Advertisers Index	
Action Computer Enterprises	Cover IV
Almoden Systems	
Applied Engineering	
BD Software	75
Blat R&D	69
CompuPro	
Computer Thaumaturgy	35
CP/M REVIEW	68
CP/M REVIEW Back Issues	
Data Based Advisor	
DATABIND	34
Data & Staff Services	Cover II
Disco Tech	34
D & N Micro Products	
Dynamic Micropracessors	
Electralogics	
Far West Systems	
Hawkeye Graphics	
International Software Alliance	
Media Distributing	5
Mendocino Software	
MicroProcessors Unitd Overbeek Enterprises	14
Panamax	
Programmer's Shap	
Rack Roy	
Rocky Mountain Software	23
SemiDisk	10
Sheepshead Software	32 68
UNIX REVIEW	47
Voice Operated Computer Sys	40
Workman & Associates	24

For the first time, a magazine devoted exclusively to microcomputer database management systems.

DATA BASE

Featuring dBASE II


If you're working with database management software, especially if you program with relational databases such as dBASE II®, you need this magazine.

Every month DATA BASED ADVISOR will present practical, up-to-date business applications, review the latest software and provide helpful programming techniques. Each issue will also feature pages of source code in tutorial style for beginners to advanced users, new product announcements and updates from the leaders in database management systems.

Increase your knowledge, productivity and efficiency by subscribing today to DATA BASED ADVISOR.

dBASE II is a registered trademark of Ashton-Tate \$1983, DATA BASED SOLUTIONS Dealer/Distributor arrangements, call (619) 481-5928

Circle No. 82



TO SUBSCRIBE CALL TOLL FREE

IN CALIFORNIA CALL 619-236-1182

Or send check or money order to:

DATA BASED ADVISOR, 1975 5th Avenue, Suite 105, San Diego, CA 92101

